



# PR2P<sup>Q&As</sup>

Exin PRINCE2 Practitioner (PR2P)

**Pass EXIN PR2P Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pr2p.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EXIN  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

?50k, but was undecided on the Change Authority to recommend.

While preparing the Configuration Management Strategy, the Project Manager considered the options for change control. He decided to recommend a change budget of

Which option is an appropriate Change Authority for the Outsourcing project?

- A. The selected service provider to approve and implement all changes.
- B. Senior User(s) and Project Assurance representatives, within the limits of the recommended change budget.
- C. The Director of Facilities and the Director of Information Technology to approve all changes.

Correct Answer: B

---

### QUESTION 2

Scenario Additional Information Product Description



Title	Service Level Agreement.
Purpose	<ul style="list-style-type: none"><li>• This agreement specifies the level of service MFH requires from the selected service provider and provides measurable criteria against which the selected service provider's performance will be assessed.</li></ul>
Composition	<ul style="list-style-type: none"><li>• Responsibilities of MFH and selected service provider.</li><li>• Mechanisms for monitoring and reporting performance levels.</li><li>• Dispute resolution process.</li><li>• Confidentiality provisions.</li><li>• Conditions for termination of contract.</li><li>• Glossary of technical terms contained in SLA.</li></ul>
Format and presentation	<ul style="list-style-type: none"><li>• A4, Word document, printed both sides in black and white.</li><li>• Font: Arial, 12pts.</li></ul>
Quality criteria	<ul style="list-style-type: none"><li>• Contains all composition items listed above.</li><li>• Not more than 60 pages.</li><li>• Complies with MFH corporate branding standards.</li><li>• No typographical errors.</li></ul>
Quality skills required	<ul style="list-style-type: none"><li>• Proof-reading skills.</li><li>• Director of Compliance Division - Reviewer.</li><li>• Director of Information Technology Division - Reviewer.</li><li>• Administrator.</li></ul>
Quality responsibilities	<ul style="list-style-type: none"><li>• Producer/Presenter: Director of Facilities Division.</li><li>• Chair: Project Manager.</li></ul>

#### Quality notes from the Daily Log

The Director of Information Technology Division (DIT) has been asked to ensure that any changes to the outsourced staff employment contracts adhere to employment law. The DIT will review future job descriptions of the transferred staff

before the final contract is signed with the selected service provider.

The service level agreement between MFH and the selected service provider will specify the type and quality of service required. The selected service provider must follow the industry standards for providing outsourced services.

MFH has a quality management system which contains a document control procedure for all its documentation, however this does not include change management.

All project documents will be subject to a quality review. Nominated products will require a formal approval record signed-off by the quality review chair.



Extract from the draft Quality Management Strategy (may contain errors)

#### Introduction

1.

This document defines the approach to be taken to achieve the required quality levels during the project.

2.

The Project Board will have overall responsibility for the Quality Management Strategy.

3.

Project Assurance will provide assurance on the implementation of the Quality Management Strategy. Quality management procedure - Quality standards

4.

The selected service provider will operate to industry standards for providing outsourced services.

5.

MFH document standards will be used.

#### Records

6.

A Quality Register will be maintained to record the planned quality events and the actual results from the quality activities.

7.

Configuration Item Records will be maintained for each product to describe its status, version and variant.

8.

Approval records for products that require them will be stored in the quality database. Roles and responsibilities

9.

The DIT will check that the employment contracts for outsourced staff adhere to employment law.

10.

Team Managers will provide details of quality checks that have been carried out.

11.

Team Managers will ensure that the Quality Register is updated with the names of team members who are involved in the review process.

12.

The Senior User will review the Product Descriptions of the products to be produced by the selected service provider to ensure that they can be achieved.



Which is a correctly defined acceptance criterion for the running cost of the outsourced service?

- A. Must be kept to a minimum.
- B. Must be kept to a level acceptable to the Ministry of Food Hygiene.
- C. Subject to market conditions.
- D. The annual increase to be less than half the rate of inflation.

Correct Answer: D

---

### QUESTION 3

Which management product defines the detailed nature, purpose and function of a product?

- A. Plan
- B. Quality Register
- C. Project Product Description
- D. Product Description

Correct Answer: D

---

### QUESTION 4

Scenario Additional Information Product Description



Title	Service Level Agreement
Purpose	<ul style="list-style-type: none"> <li>This agreement specifies the level of service MFH requires from the selected service provider and provides measurable criteria against which the selected service provider's performance will be assessed.</li> </ul>
Composition	<ul style="list-style-type: none"> <li>Responsibilities of MFH and selected service provider.</li> <li>Mechanisms for monitoring and reporting performance levels.</li> <li>Dispute resolution process.</li> <li>Confidentiality provisions.</li> <li>Conditions for termination of contract.</li> <li>Glossary of technical terms contained in SLA.</li> </ul>
Format and presentation	<ul style="list-style-type: none"> <li>A4, Word document, printed both sides in black and white.</li> <li>Font: Arial, 12pts.</li> </ul>
Quality criteria	<ul style="list-style-type: none"> <li>Contains all composition items listed above.</li> <li>Not more than 60 pages.</li> <li>Complies with MFH corporate branding standards.</li> <li>No typographical errors.</li> </ul>
Quality skills required	<ul style="list-style-type: none"> <li>Proof-reading skills.</li> <li>Director of Compliance Division - Reviewer.</li> <li>Director of Information Technology Division - Reviewer.</li> <li>Administrator.</li> </ul>
Quality responsibilities	<ul style="list-style-type: none"> <li>Producer/Presenter: Director of Facilities Division.</li> <li>Chair: Project Manager.</li> </ul>

Quality notes from the Daily Log The Director of Information Technology Division (DIT) has been asked to ensure that any changes to the outsourced staff employment contracts adhere to employment law. The DIT will review future job descriptions of the transferred staff before the final contract is signed with the selected service provider.

The service level agreement between MFH and the selected service provider will specify the type and quality of service required. The selected service provider must follow the industry standards for providing outsourced services. MFH has a

quality management system which contains a document control procedure for all its documentation, however this does not include change management.

All project documents will be subject to a quality review. Nominated products will require a formal approval record signed-off by the quality review chair.

Extract from the draft Quality Management Strategy (may contain errors)



## Introduction

1.

This document defines the approach to be taken to achieve the required quality levels during the project.

2.

The Project Board will have overall responsibility for the Quality Management Strategy.

3.

Project Assurance will provide assurance on the implementation of the Quality Management Strategy. Quality management procedure - Quality standards

4.

The selected service provider will operate to industry standards for providing outsourced services.

5.

MFH document standards will be used.

## Records

6.

A Quality Register will be maintained to record the planned quality events and the actual results from the quality activities.

7.

Configuration Item Records will be maintained for each product to describe its status, version and variant.

8.

Approval records for products that require them will be stored in the quality database. Roles and responsibilities

9.

The DIT will check that the employment contracts for outsourced staff adhere to employment law.

10.

Team Managers will provide details of quality checks that have been carried out.

11.

Team Managers will ensure that the Quality Register is updated with the names of team members who are involved in the review process.

12.

The Senior User will review the Product Descriptions of the products to be produced by the selected service provider to ensure that they can be achieved.

Which is a correctly defined acceptance criterion for the transferred staff?



- A. No staff are to be left behind.
- B. Staff should be transferred as soon as possible.
- C. All legal requirements are adhered to for the transfer of staff.
- D. Retained staff should be of reasonable competence to maintain the SLA.

Correct Answer: C

---

## QUESTION 5

### HOTSPOT

#### Project Scenario

Calendar Project (Note: The companies and people within the scenario are fictional.)

There has been a reduction in the number of orders at the MNO Manufacturing Company due in part to the increased marketing activities of its competitors. To help counter this, the company has decided to create a promotional calendar for

next year for all its current and prospective customers. The end product of this project will be a prepared calendar pack, ready for printing. The design of the calendar will be similar to one sent out previously, and must reflect the company

image as described in the existing corporate branding standards. Another project is currently producing a new company logo when it is to be printed on each page of the promotional calendar. The prepared calendar pack will consist of:

Design for each month - correctly showing public holidays and new company logo

Selected photographs- 12 professionally-produced photographs, showing different members of staff

Selected paper and selected envelope - for printing and mailing the calendar

Chosen label design - a competition to design a label will be held as part of this project

List of customers - names and addresses of customers to whom the calendar will be sent.

The project is currently in initiation and will have two further stages:

Stage 2 will include the activities to:

Create the customer list using information from the Accounts and Marketing departments

Confirm compliance with the Data Protection Legislation

Create a design for each month - this will be done by the internal creative team

Select and appoint a professional photographer

Gather photograph design ideas from previous project and agree photographic session schedule

Prepare a production cost forecast

Select paper and envelope.





Stage 3 will include the activities to:

Produce and select the professionally-taken photographs

Hold the label design competition and choose the label design

Assemble the prepared calendar pack.

A production cost forecast, based on the options and costs for the paper, envelope, printing and marketing of the calendar is to be produced in stage 2. However, the actual production and distribution of the calendars is not within the scope of

the project. The product cost forecast will be reviewed by the Project Board to determine whether the project should continue.

It is now 05 October and the prepared calendar pack must be delivered to the print company by 30 November, to enable printing and distribution of the calendar in time for Christmas. The cost of the activities to develop the specialist products

and the cost of the project management activities are estimated to be £20,000. There is a project time tolerance of +1 week / -2 weeks and a project cost tolerance of +£6,000 / -£6,000. A change budget of £500 has been allocated but there is

no risk budget.

Lines 1 to 6 in the table below consist of an assertion statement and a reason statement. For each line identify the appropriate option, from options 1 to 6, that applies. Each option can be used once, more than once or not at all.

Hot Area:



	Assertion		Reason	
1	The label design competition should be planned and managed as two management stages.	True-False	A decision can only be made by the Project Board at the end of a management stage.	True-False
2	Quality tolerances allocated to the photos can be used to remedy a forecast threat to time tolerance.	True-False	Any forecast threat to time tolerance should first be resolved by use of any available quality tolerance.	True-False
3	A suitable point for a stage boundary would be after the production cost forecast has been produced.	True-False	A stage boundary represents a go/no go decision point.	True-False
4	With +1 week 1-2 weeks time tolerance, the project is permitted to finish two weeks later than 30 November.	True-False	A negative project time tolerance indicates the total permissible delay to a project schedule before an exception situation occurs.	True-False
5	If the project is forecast to exceed the cost tolerance of +£6k, the Project Manager should send an Exception Report straight to corporate management.	True-False	If the forecast is for project tolerances to be exceeded, the Project Board no longer has the authority to continue with the project.	True-False
6	The production cost forecast should be reviewed by the Project Board during the Directing a Project process to determine whether the project should continue.	True-False	The Project Board reviews all products at the end of each stage.	True-False

Correct Answer:



	Assertion		Reason	
1	The label design competition should be planned and managed as two management stages.	True-False	A decision can only be made by the Project Board at the end of a management stage.	True-False
2	Quality tolerances allocated to the photos can be used to remedy a forecast threat to time tolerance.	True-False	Any forecast threat to time tolerance should first be resolved by use of any available quality tolerance.	True-False
3	A suitable point for a stage boundary would be after the production cost forecast has been produced.	True-False	A stage boundary represents a go/no go decision point.	True-False
4	With +1 week 1-2 weeks time tolerance, the project is permitted to finish two weeks later than 30 November.	True-False	A negative project time tolerance indicates the total permissible delay to a project schedule before an exception situation occurs.	True-False
5	If the project is forecast to exceed the cost tolerance of +£6k, the Project Manager should send an Exception Report straight to corporate management.	True-False	If the forecast is for project tolerances to be exceeded, the Project Board no longer has the authority to continue with the project.	True-False
6	The production cost forecast should be reviewed by the Project Board during the Directing a Project process to determine whether the project should continue.	True-False	The Project Board reviews all products at the end of each stage.	True-False

[PR2P Practice Test](#)[PR2P Exam Questions](#)[PR2P Braindumps](#)