



# PSE-PLATFORM<sup>Q&As</sup>

PSE-Platform Professional

## Pass Palo Alto Networks PSE-PLATFORM Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pse-platform.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which two designs require virtual systems? (Choose two.)

- A. A shared gateway interface that does not need a full administrative boundary
- B. A virtual router as a replacement for an internet-facing router
- C. A single physical firewall shared by different organizations, each with unique traffic control needs
- D. A VMware NSX deployment that needs micro segmentation

Correct Answer: BC

---

### QUESTION 2

Which three items contain information about Command and Control (CandC) hosts? (Choose three.)

- A. Threat logs
- B. Data filtering logs
- C. Botnet reports
- D. SaaS reports
- E. WildFire analysts reports

Correct Answer: BCE

---

### QUESTION 3

Which four actions can be configured in an Anti-Spyware profile to address command-and-control traffic from compromised hosts? (Choose four.)

- A. Allow
- B. Drop
- C. Quarantine
- D. Redirect
- E. Alert
- F. Reset

Correct Answer: ABEF


Explanation: <https://www.paloaltonetworks.com/documentation/71/pan-os/pan-os/policy/anti-spywareprofiles.html>

---

**QUESTION 4**

Given the following network diagram, an administrator is considering the use of Windows Log Forwarding and Global Catalog servers for User-ID implementation.

What are two potential bandwidth and processing bottlenecks to consider? (Choose two.)



- A. Member Servers
- B. Firewall
- C. Domain Controllers
- D. Windows Server

Correct Answer: AC

**QUESTION 5**

Which three actions should be taken before deploying a firewall evaluation unit in the customer's environment? (Choose three.)

- A. Inform the customer that they will need to provide a SPAN port for the evaluation unit assuming a TAP mode deployment.
- B. Request that the customer make port 3978 available to allow the evaluation unit to communicate with Panorama.
- C. Reset the evaluation unit to factory default to ensure that data from any previous customer evaluation is removed.
- D. Upgrade the evaluation unit to the most current recommended firmware, unless a demo of the upgrade process is



planned.

E. Set expectations around which information will be presented in the Security Lifecycle Review because sensitive information may be made visible.

Correct Answer: ACD

[Latest PSE-PLATFORM  
Dumps](#)

[PSE-PLATFORM Study  
Guide](#)

[PSE-PLATFORM Exam  
Questions](#)