



# PW0-105<sup>Q&As</sup>

Certified Wireless Network Administrator (CWNA)

**Pass CWNP PW0-105 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pw0-105.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In addition to throughput enhancements, what other improvements does 802.11n provide when compared with 802.11a/g? (Choose 2)

- A. Introduces "fast transition" roaming protocols for VoWiFi phones
- B. Better link reliability between 802.11a/b/g client devices and 802.11n APs
- C. Improves service quality for real-time applications at greater distances
- D. Increases in receive sensitivity enhance RTLS location accuracy
- E. Stronger security with more robust encryption modes.

Correct Answer: BC

---

### QUESTION 2

What distinguishes an independent basic service set (IBSS) from an infrastructure basic service set (BSS)?

- A. An IBSS does not have a distribution system (DS), but a BSS does.
- B. An IBSS does not require beacon frames, but a BSS does.
- C. An IBSS does not support 802.11 authentication or association, but a BSS does.
- D. An IBSS can only operate on a single channel, but a BSS can operate on multiple channels.

Correct Answer: A

---

### QUESTION 3

Given: ABC Hospital is planning a Wi-Fi infrastructure upgrade where the 802.11b/g APs would be replaced with new dual-radio HT (802.11n) APs. ABC wants to minimize the time and cost associated with performing a new site survey, so they will be mounting all of the new APs in the same locations and with the same cable drops as the existing APs.

What is one performance drawback with this deployment method?

- A. Multipath will increase, causing excessive layer-2 retransmissions. The retransmissions will cause latency for VoWiFi handsets.
- B. Increased receiver sensitivity on the HT APs will cause them to continually change channels to avoid co-channel interference.
- C. If the existing UTP cabling is not Category 6 or better, the total Ethernet backhaul for each AP will be limited to 100 Mbps.
- D. In locations with line-of-sight to client devices and little multipath, the benefits of MIMO may be less significant than in other areas.



Correct Answer: D

---

#### QUESTION 4

What word describes the bending of an RF signal as it passes from one medium to another medium of a different density?

- A. Diffraction
- B. Reflection
- C. Refraction
- D. Diffusion
- E. Scattering

Correct Answer: C

---

#### QUESTION 5

What statement best describes the manual RF site survey report?

- A. It is a series of notes taken during the interview with the network manager and given to the site survey project manager.
- B. It is a one-page network inspection summary used to create a certificate of network compliance.
- C. It contains the results from the RF coverage, capacity, and interference analysis.
- D. It is an internal document used by the site surveying firm for network deployment, and is not usually shown to the client.
- E. It states the customer requirements, business justification, and a detailed budget for the WLAN.

Correct Answer: C

[PW0-105 PDF Dumps](#)

[PW0-105 Practice Test](#)

[PW0-105 Exam Questions](#)