



PW0-105^{Q&As}

Certified Wireless Network Administrator (CWNA)

Pass CWNP PW0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pw0-105.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Prior to association, what parameter can 802.11 client devices measure and use to select the optimal access point for association?

- A. Signal strength of access point beacons
- B. Proximity to potential access points
- C. Retry rate of probe request and response frames
- D. Average round trip time to reach the IP gateway
- E. Number of nearby RF interference sources

Correct Answer: A

QUESTION 2

Given: Network users and IT personnel at a large machinery manufacturer have been discussing the potential uses and benefits of implementing an indoor WLAN. The network administrator and network manager have requested a meeting of senior management personnel to discuss a WLAN implementation before taking any site survey or implementation steps. The first order of discussion in the meeting is corporate policy concerning implementation and use of WLAN technology.

What specific topics are appropriate in this policy meeting? (Choose two) A. Vendor hardware recommendations

- B. Business justification
- C. User productivity impact
- D. Antenna types
- E. Obtaining permits and zoning requirements

Correct Answer: BC

QUESTION 3

What distinguishes an independent basic service set (IBSS) from an infrastructure basic service set (BSS)?

- A. An IBSS does not have a distribution system (DS), but a BSS does.
- B. An IBSS does not require beacon frames, but a BSS does.
- C. An IBSS does not support 802.11 authentication or association, but a BSS does.
- D. An IBSS can only operate on a single channel, but a BSS can operate on multiple channels.

Correct Answer: A

**QUESTION 4**

Given: To ease user complexity, your company has implemented a single SSID for all employees. However, the network administrator needs a way to control the network resources that can be accessed by each employee based on their department.

What WLAN feature would allow the network administrator to accomplish this task?

- A. SNMP
- B. VRRP
- C. RBAC
- D. IPSec
- E. WIPS
- F. WPA2

Correct Answer: C

QUESTION 5

The IEEE 802.11-2007 standard requires ERP capable devices to be backward compatible with devices using which other 802.11 physical layer specifications (PHYs)? (Choose two)

- A. DSSS
- B. FHSS
- C. HR/DSSS
- D. ERP-PBCC
- E. DSSS-OFDM

Correct Answer: AC

[PW0-105 VCE Dumps](#)

[PW0-105 Practice Test](#)

[PW0-105 Braindumps](#)