



# QSDA2018<sup>Q&As</sup>

Qlik Sense Data Architect Certification Exam

## Pass Qlik QSDA2018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/qsd2018.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

A data architect has a QVD file that contains data from many countries. The data architect must write a script that loads only data from France, and make sure the reload occurs as fast as possible.

Which script should the data architect use to meet these requirements?

- A. `T1:`  
`LOAD * INLINE [`  
`Country`  
`France ];`  
  
`LOAD * FROM TRANSACTIONS.qvd (qvd) Where EXISTS (Country) ;`  
  
`DROP Table T1 ;`
- B. `LOAD * FROM TRANSACTIONS.qvd (qvd) Where Match(Country,'France');`
- C. `LOAD * FROM TRANSACTIONS.qvd (qvd) Where Country='France';`

A. B. C.

```
T1:
LOAD * INLINE [
Country
France ];

LOAD * FROM TRANSACTIONS.qvd (qvd) Where Match(Country,'France') ;

DROP Table T1 ;
```

D.

Correct Answer: A

---

**QUESTION 2**

Refer to the exhibit.



	A	B	C	D
1	Region	CustomerID	FirstPurchase	RecentPurchase
2	A	1	1/1/2016	3/2/2017
3		2	1/17/2016	4/12/2017
4		3	2/1/2016	2/1/2016
5		4	12/1/2016	7/19/2017
6	B	10	1/1/2016	3/2/2017
7		11	1/17/2016	4/12/2017
8		12	2/1/2016	2/1/2016
9		13	12/1/2016	7/19/2017
10		14	1/1/2016	3/2/2017
11		15	1/17/2016	4/12/2017
12	C	100	2/1/2016	2/1/2016
13		101	12/1/2016	7/19/2017
14		102	1/17/2016	4/12/2017
15		103	2/1/2016	2/1/2016

One of the data sources a data architect must add for a newly developed app is an Excel spreadsheet. The Region field only has values for the first record for the region. The data architect must perform a transformation so that each row contains the correct Region.

Which function should the data architect implement to resolve this issue?

- A. CrossTable
- B. IntervalMatch
- C. Above
- D. Previous

Correct Answer: B

### QUESTION 3

Refer to the exhibits.



Conversion

Date	Rate
2017-01-01	12.8
2017-03-04	11.2
2017-06-10	13.4

Calendar

Date
2017-01-01
2017-01-02
2017-01-03
...

A business analyst must see a currency conversion rate for any given date in a chart. The currency conversion rate data is held in a separate table in the database and only contains a record when the rate changes. An existing master calendar exists in the data model that contains a full set of dates.

Which technique should the data architect use to meet this requirement?

- A. Join the calendar with the currency conversion table Order by date and use the Peek function to fill in the blank values
- B. Use IterNo and autogenerate to create a new calendar max and min dates of the currency conversion table Force concatenate with the master calendar
- C. Use a For loop between the start date and end date of the master calendar Use the Match function to add the currency conversion rates to the master calendar
- D. Use IntervalMatch to load the currency conversion rate between dates the conversion changed Inner Join the resultant table back into the master calendar

Correct Answer: A

---

#### QUESTION 4

Refer to the exhibit.



```
[Order Header]:  
LOAD  
    [OrderNum],  
    [OrderDate],  
    [Division],  
    [Price],  
    [Currency]  
FROM [lib://Data/Order.xlsx]  
(ooxml, embedded labels, table is Sheet1)  
WHERE Division = 'North America';  
[Order Details]:  
LOAD  
    [OrderNum],  
    [Customer],  
    [Line Number],  
    [Product],  
    [Line Amount],  
    [Qty]  
FROM [lib://Data/OrderDetails.xlsx]  
(ooxml, embedded labels, table is Sheet1)
```

A data architect loads order data for a global sales organization. The Order Details contains 100 million rows. The data architect must load only the data for the North America division.

Which WHERE clause should the data architect use in the Order Details LOAD script?


- A. WHERE Division = `North America`;
- B. WHERE Exists(OrderNum);
- C. WHERE OrderNum = [Order Header].[OrderNum];
- D. WHERE Exists(' North America\\');

Correct Answer: B

---

## QUESTION 5

Refer to the exhibit.



A chart for monthly hospital admissions and discharges incorrectly displays the month and year values on the x-axis. The date format for the source data field "Common date" is M/D/YYYY. This format was used in a calculated field named "Month-Year" in the data manager when the data model was first built.

Which expression should the data architect use to fix this issue?

- A. Date (MonthsStart ([Common Date]), `MMM-YYY\`)
- B. Date (MonthStart ([Common Date]), `MMM-YYY\`)
- C. Date ([Common Date], `MMM-YYY\`)
- D. Date (InMonth([Common Date]), MMM-YYYY\`)

Correct Answer: B

[Latest QSA2018 Dumps](#)

[QSA2018 VCE Dumps](#)

[QSA2018 Exam Questions](#)