



QSDA2019^{Q&As}

Qlik Sense Data Architect Certification Exam - June 2019 Release

Pass Qlik QSDA2019 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/qsd2019.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

A data architect needs to write the expression for a measure on a KPI to show the sales person with the highest sales. The sort order of the values of the fields is unknown. When two or more sales people have sold the same amount, the expression should return all of those sales people.

Which expression should the data architect use?

- A. `Concat(DISTINCT IF{Aggr{Rank{Sum(Sales),4},Salesperson}=1,Salesperson),\ ' \')`
- B. `FirstSortedValue{DISTINCT Salesperson,-Aggr{Sum(Sales),Salesperson}}`
- C. `Concat(DISTINCT IF{Aggr{Rank{Sum(Sales),1},Salesperson}=1, Salesperson) , \ ' \')`
- D. `FirstSortedValue {Salesperson, -Aggr (Sum{Sales), Salesperson}}`

Correct Answer: A

QUESTION 2

A data architect needs to load large amounts of data from a database which is continuously updated. New records are added, and existing records get updated and deleted. Each record has a LastModified field. All existing records are exported into a QVD file. The data architect wants to load the records into Qlik Sense efficiently. Which steps should the data architect take to meet these requirements?

- A. 1. Use a partial load to load new and updated data from the database.

2.

Load the existing data from the QVD without the updated rows that have just been loaded from the database. Concatenate with the new and updated records.

3.

Use the Peek function to remove the deleted rows.

- B. 1. Load the new and updated data from the database

2.

Load the existing data from the QVD without the updated rows that have just been loaded from the database. Concatenate with the new and updated records.

3.

Load all records from the key field from the database and use an Inner Join on the previous table.

- C. 1. Load the existing data from the QVD.

2.



Load the new and updated data from the database without the rows that have just been loaded from the QVD. Concatenate with data from the QVD.

3.

Load all records from the key field from the database and use an Inner Join on the previous table.

D. 1. Load the existing data from the QVD.

2.

Load new and updated data from the database. Concatenate with the table loaded from the QVD.

3.

Create a separate table for the deleted rows and use a WHERE NOT EXISTS to remove these records.

Correct Answer: A

QUESTION 3

Refer to the exhibit.



```
239
240     CompaniesDetails:
241     LOAD [CompanyID],
242           Age(Today(),CompanyStarted) as CompanyAge;
243     LOAD
244           [CompanyID],
245           [CompanyStarted]
246
247     FROM [lib://MyDataFiles/DAExam1.xlsx]
248     (ooxml, embedded labels, table is [Company Names]);
249
250     let a = FieldName(2, 'CompaniesDetails');
251     Trace $(a);
252
253     CompaniesDesc:
254     LOAD
255           [CompanyID],
256           [CompanyDescription],
257           [CompanyName]
258     FROM [lib://MyDataFiles/DAExam1.xlsx]
259     (ooxml, embedded labels, table is [Company Names]);
260
```

A business analyst reports that the 'CompanyAge' field does NOT display for users. The data architect examines the LOAD script and wants to place the breakpoint in the script to check the field name. Which line number should the data architect use?

- A. 242 because field name appears in the output Panel of the debugger
- B. 251 because the field name appears in the Variable panel of the debugger
- C. 251 because the field name appears in the Qlik Log files
- D. 251 because the field name appears in the Output panel of the debugger

Correct Answer: D

QUESTION 4

A data architect needs to create an app that combines employee data from the Sales system and the Human Resources (HR) system. These systems identify employees differently. Employees in the HR system are identified with an alphanumeric key. Employees in the Sales system are identified using an integer key. The Human Resources manager creates a table which maps these keys to one another, called Associations. The resultant data model must meet the following requirements: Associations must be valid. The model must be optimized for performance. The option must



support multiple tables added from both systems now and in the future

Which function should the data architect use to meet these requirements?

- A. APPLYMAP { '\\Associations\\' , EmployeeKey) AS EmployeeKey;
- B. MAP EmployeeKey USING Associations;
- C. RENAME FIELDS USING Associations;
- D. MapSubString(\\Associations\\', EmployeeKey) AS EmployeeKey;

Correct Answer: A

QUESTION 5

A data architect is developing an app that will generate QVDs for multiple business analysts. The field naming conventions on the source data are NOT business friendly. For every table loaded, multiple fields will require a name change. An Excel file is maintained centrally that lists all source data field names and the appropriate names as they should appear in the QVDs

Which strategy should the data architect use to meet these requirements?

- A. Use the Rename function and a mapping load
- B. Create master items using business-friendly names
- C. Use the Alias function and a mapping load
- D. Load in the Excel file as a data island and use the Peek function

Correct Answer: A

[Latest QSDA2019 Dumps](#)

[QSDA2019 PDF Dumps](#)

[QSDA2019 Study Guide](#)