



QSDA2019^{Q&As}

Qlik Sense Data Architect Certification Exam - June 2019 Release

Pass Qlik QSDA2019 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/qsd2019.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

OrderID	LineNo	CustomerID	ShipperID	ProductID	ShipmentDate		OrderID	LineNo	CustomerID	ShipperID	ProductID	ShipmentDate
1	1	25		72	2013-04-24		1	1	25		72	2013-04-24
1	2	25	2	36			1	2	25	2	36	2013-04-24
1	3	25	2				1	3	25	2		2013-04-24
1	4	25	2	26			1	4	25	2	26	2013-04-24
2	1	65	2	7	2013-05-25		2	1	65	2	7	2013-05-25
2	2	65	2	56			2	2	65	2	56	2013-05-25
2	3	65	2	5			2	3	65	2	5	2013-05-25
3	1	91	2	58	2013-06-29		3	1	91	2	58	2013-06-29
3	2	91	2	31			3	2	91	2	31	2013-06-29
4	1	46	2	10	2013-07-03		4	1	46	2	10	2013-07-03

A shipping company needs to track its shipments using Qlik Sense. A data architect has the data in Excel as shown on the left. Business rules state that if the ShipmentDate field is empty, it should be populated with the first valid previous date as shown on the right.

Which script should the data architect use to meet this requirement?

A)

```
LOAD OrderID,
LineNo,
ShipperID,
ProductID,
If(len(trim(ShipmentDate))=0,date(peek('ShipmentDate'), 1), 'YYYY-MM-DD'),ShipmentDate) as ShipmentDate
FROM [lib://Source/Model/shipments.xlsx]
(ooxml, embedded labels, table is shipments);
```

B)

```
LOAD OrderID,
LineNo,
ShipperID,
ProductID,
If(len(trim(ShipmentDate))=0,date(previous('ShipmentDate'), 'YYYY-MM-DD'),ShipmentDate) as ShipmentDate
FROM [lib://Source/Model/shipments.xlsx]
(ooxml, embedded labels, table is shipments);
```

C)

```
LOAD OrderID,
LineNo,
ShipperID,
ProductID,
If(len(trim(ShipmentDate))=0,date(peek('ShipmentDate'), 'YYYY-MM-DD'),ShipmentDate) as ShipmentDate
FROM [lib://Source/Model/shipments.xlsx]
(ooxml, embedded labels, table is shipments);
```

D)

```
LOAD OrderID,
LineNo,
ShipperID,
ProductID,
If(len(trim(ShipmentDate))=0,date(previous(peek('ShipmentDate',1)), 'YYYY-MM-DD'),ShipmentDate) as ShipmentDate
FROM [lib://Source/Model/shipments.xlsx]
(ooxml, embedded labels, table is shipments);
```



A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

QUESTION 2

Refer to the exhibit.

EmployeeID	Department
1	Executive
2	IT
3	Sales
4	Sales
5	Sales
6	IT
7	Human Resources
8	Human Resources
9	R&D
10	R&D
11	Logistics

A company has different departments Executive and Sales should always be the first values in a Department filter pane.

Which script must the data architect use to meet this requirement?

A)



```
Employeeestemp:
LOAD
    EmployeeID,
    Department
FROM [lib://Data/Departments.xlsx]
(ooxml, embedded labels, table is Sheet1);

Employees:
LOAD
    EmployeeID,
    Department
Resident Employeeestemp
Order By Department (Executive, Sales) Asc;

Drop table Employeeestemp;
```

B)

```
CustomSort:
LOAD * INLINE [
    JobTitle
    Executive,
    Sales
];

Employees:
LOAD
    EmployeeID,
    Department
FROM [lib://Data/Departments.xlsx]
(ooxml, embedded labels, table is Sheet1);
Drop table CustomSort;
```

C)

```
Employees:
LOAD
    EmployeeID,
    Department
FROM [lib://Data/Departments.xlsx]
(ooxml, embedded labels, table is Sheet1)
Order by Department (Executive, Sales) Asc;
```

D)



```
Employees:
LOAD
    EmployeeID,
    IF(Department='Executive', Dual(Department, 1),
        IF(Department='Sales', Dual(Department, 2))) AS Department
FROM [lib://Data/Departments.xlsx]
(ooxml, embedded labels, table is Sheet1);
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

QUESTION 3

A data architect executes the following script:

```
Load * INLINE [
    Field_1
    Abcd
    abcd
    ABCD
    ABCDABCD]
Where WildMatch(Field_1,'abcd');
```

What will Field_1 contain after this script is executed?

A. Abcd, abcd

B. abed


C. Abed. abed. ABCD, ABCDABCD

D. Abcd, abcd. ABCD

Correct Answer: A

QUESTION 4

Refer to the exhibit.



CustomerID	CustomerName	Country
A1537438	Durgan Ltd	United Kingdom
A3055345	Kertzmann and Sons	United States of America
I1803273	Weissnat, Morar and Mills	USA
Z5373110	Towne, Von and Gulgowski	UK
KK720402	Shanahan	U.S.A
AA82402	Globex	Japan
BB29729	Grant	France
B11764	Bernhard, Hettinger and Kautzer	New Zealand

EmployeeID	Name
AMER001	Alice
AMER99837	Bob
EMEA1207	Carlos
APAC3322	Grace
APAC92611	John
EMEA1304	Heidi

A global sales organization operates in three regions: AMERICAS, EMEA, and APAC. Each region stores its sales transactions in a separate database in which the employees update customer data through a third-party app. The data is extracted into three QVDs.

A data architect sets up a two-tier architecture for the data load. The data architect needs to add the region to the data model.

Which technique should the data architect use to create the Region field?

- A. Create a Region field in the SalesTransaction table and populate using fixed region values while loading from each source
- B. Create a Region field in the Employee table and populate using the LTrim function on the EmployeeID
- C. Create a Region field in the Employee table and populate using the SubField function on the EmployeeID
- D. Create a Region field in the SalesTransaction table and create a mapping table based on the Country field in the



Customer table

Correct Answer: D

QUESTION 5

Refer to the exhibit.

FulfillmentCenter	LocationCode	LocationDate	City	latitude	longitude
A	1	03/01/2009	boston	42.35843	-71.05977
B	2	01/01/2010	chicago	41.87823	-87.6298
C	3	06/06/2012	memphis	35.14953	-90.04898
D	4	02/01/2010	los angeles	34.05223	-118.2437
A	5	08/02/2012	seattle	47.60621	-122.3321

OrderDate	Item	FulfillmentDate	FulfillmentCenter
01/01/2009	3054	02/11/2013	A
09/10/2012	4091	08/02/2012	B
04/03/2015	3056	12/09/2014	D
02/11/2013	1035	01/04/2016	B
08/02/2012	2060	02/01/2009	B
12/09/2014	3039	11/10/2014	C
01/04/2016	4050	07/12/2008	D
07/12/2008	3089	05/03/2013	C

A data architect has a data model that includes historical order fulfillment centers. The order fulfillment centers occasionally changed location. The history of order fulfillment must be tracked on a per center, per location basis.

Which scripting function should the data architect use to meet this data modeling requirement?

- A. IntervalMatch
- B. Peek
- C. ApplyMap
- D. Inner Join

Correct Answer: A

[Latest QSA2019 Dumps](#)

[QSA2019 Practice Test](#)

[QSA2019 Braindumps](#)