



# S10-201<sup>Q&As</sup>

SNIA Storage Networking Management & Administration

## Pass SNIA S10-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/s10-201.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by SNIA  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.



After developing a business continuity solution for your company, you implement a backup solution in your IT infrastructure with focus on backup and restore technologies. Which statements are correct when implementing this backup solution as shown in the exhibit? (Choose two.)

- A. backup impacts the LAN traffic
- B. multiplexing to tape reduces data traffic
- C. metadata is sent to the backup server
- D. servers can share the library for faster tape access
- E. backup server can directly backup snapshots of the primary storage

Correct Answer: AC

**QUESTION 2**

You are about to allocate storage to a host that includes adding new paths, devices, and zones to the configuration. What must be done prior to making any changes to the configuration? (Choose two.)

- A. create new zones
- B. activate change tracking
- C. activate the new zone set
- D. backup the configuration
- E. copy the active zone set



Correct Answer: DE

---

### QUESTION 3

You are trying to upgrade an existing 1Gb/s FC SAN that is using 62.5 micron multimode cable from a tape library to a server that is 175 meters away to 2Gb/s Fibre Channel. After switching to the 2Gb/s Fibre Channel equipment, a connection to the server cannot be maintained. When a connection is made, numerous errors are reported. What is the cause of the errors?

- A. 2Gb/s Fibre Channel must convert to LC from SC connectors
- B. 2Gb/s Fibre Channel must use 50 micron multimode cable
- C. 2Gb/s Fibre Channel cable length requires an optical splitter
- D. 2Gb/s Fibre Channel cable length has been exceeded

Correct Answer: D

---

### QUESTION 4

A customer with sixteen nonclustered SAN attached hosts has a storage subsystem with thirtytwo disk drives. The customer wishes to protect their data using RAID 1. Each server has a need to see three separate volumes for their final configuration. What must be configured on the storage subsystem to meet their storage allocation needs?

- A. multiple scsi targets to each mirror volume
- B. single logical unit and use hostbased LVM
- C. separate virtual paths for each mirror volume
- D. separate logical units for each server volume

Correct Answer: D

---

### QUESTION 5

What function of SATA is the equivalent of SCSI command tag queuing?

- A. SATA command tag queuing
- B. SATA command queuing
- C. native command tag queuing
- D. native command queuing

Correct Answer: D

---



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/s10-201.html>

2024 Latest pass4itsure S10-201 PDF and VCE dumps Download

---

[Latest S10-201 Dumps](#)

[S10-201 PDF Dumps](#)

[S10-201 Braindumps](#)