



SCA_SLES15^{Q&As}

SUSE Certified Administrator in SUSE Linux Enterprise Server 15

Pass SUSE SCA_SLES15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/sca_sles15.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SUSE
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which directory contains the initrd file?

- A. /loader/grub
- B. /startup/grub2
- C. /boot/grub2
- D. /loader
- E. /boot
- F. /startup

Correct Answer: C

QUESTION 2

Which statements are true regarding a daemon? (Choose three)

- A. A daemon process is associated to the system terminal.
- B. A daemon process is associated to the user that launched the process.
- C. A daemon will wait for some event to occur to trigger action on the part of the daemon.
- D. A daemon process is launched by the system.
- E. A daemon process is not associated with a terminal or a graphical environment.
- F. The user that launched the daemon will control what the daemon does based on the user's input.

Correct Answer: DEF

QUESTION 3

Which command is used to view the manual pages?

- A. help -man
- B. doc -man
- C. man
- D. show
- E. info

Correct Answer: C



Explanation: You can view manual pages by running the man command followed by a specific command name. If the man command is not installed on your system, install it by running zypper install man.
<https://documentation.suse.com/sles/15-GA/html/SLES-all/pre-sle.html>

QUESTION 4

True or false: It is not possible to open more than one file in Vim without running a second instance.

- A. True
- B. False

Correct Answer: A

QUESTION 5

Which system initialization system is used in SLES 15?

- A. undev
- B. init
- C. System V
- D. systemd
- E. UEFI

Correct Answer: D

Explanation: The program systemd is the process with process ID 1. It is responsible for initializing the system in the required way. systemd is started directly by the kernel and resists signal 9, which normally terminates processes. All other programs are either started directly by systemd or by one of its child processes.

[Latest SCA_SLES15 Dumps](#)

[SCA_SLES15 VCE Dumps](#)

[SCA_SLES15 Study Guide](#)