



SPLK-3003^{Q&As}

Splunk Core Certified Consultant

Pass Splunk SPLK-3003 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/splk-3003.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Splunk
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When using SAML, where does user authentication occur?

- A. Splunk generates a SAML assertion that authenticates the user.
- B. The Service Provider (SP) decodes the SAML request and authenticates the user.
- C. The Identity Provider (IDP) decodes the SAML request and authenticates the user.
- D. The Service Provider (SP) generates a SAML assertion that authenticates the user.

Correct Answer: A

QUESTION 2

What happens to the indexer cluster when the indexer Cluster Master (CM) runs out of disk space?

- A. A warm standby CM needs to be brought online as soon as possible before an indexer has an outage.
- B. The indexer cluster will continue to operate as long as no indexers fail.
- C. If the indexer cluster has site failover configured in the CM, the second cluster master will take over.
- D. The indexer cluster will continue to operate as long as a replacement CM is deployed within 24 hours.

Correct Answer: C

QUESTION 3

Data can be onboarded using apps, Splunk Web, or the CLI. Which is the PS preferred method?

- A. Create UDP input port 9997 on a UF.
- B. Use the add data wizard in Splunk Web.
- C. Use the inputs.conf file.
- D. Use a scripted input to monitor a log file.

Correct Answer: B

Reference: <https://docs.splunk.com/Documentation/Splunk/8.1.0/Data/Howdoyouwanttoadddata>

QUESTION 4

What is the Splunk PS recommendation when using the deployment server and building deployment apps?

- A. Carefully design smaller apps with specific configuration that can be reused.



- B. Only deploy Splunk PS base configurations via the deployment server.
- C. Use \$SPLUNK_HOME/etc/system/local configurations on forwarders and only deploy TAs via the deployment server.
- D. Carefully design bigger apps containing multiple configs.

Correct Answer: B

Reference: https://www.splunk.com/en_us/blog/platform/adding-a-deployment-server-forwarder-management-to-a-new-or-existing-splunk-cloud-or-splunk-enterprise-deployment.html

QUESTION 5

Where does the bloomfilter reside?

- A. \$SPLUNK_HOME/var/lib/splunk/indexfoo/db/db_1553504858_1553504507_8
- B. \$SPLUNK_HOME/var/lib/splunk/indexfoo/db/db_1553504858_1553504507_8/*.tsidx
- C. \$SPLUNK_HOME/var/lib/splunk/fishbucket
- D. \$SPLUNK_HOME/var/lib/splunk/indexfoo/db/db_1553504858_1553504507_8/rawdata

Correct Answer: C

[SPLK-3003 VCE Dumps](#)

[SPLK-3003 Practice Test](#)

[SPLK-3003 Exam Questions](#)