



TEAS-SECTION-2^{Q&As}

Test of Essential Academic Skills - Sentence Correction

Pass TEAS TEAS-SECTION-2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/teas-section-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by TEAS
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Trypsinogen, an enzyme secreted by the pancreas, is activated into trypsin in the duodenum by which enzyme?

- A. protease
- B. hydrochloric acid
- C. enterokinase
- D. pepsin

Correct Answer: C

QUESTION 2

Prokaryotic and eukaryotic cells are similar in having which of the following?

- A. Presence of a nucleus
- B. Protein-studded DNA
- C. Integral membrane proteins in the plasma membrane
- D. Membrane-bound organelles

Correct Answer: D

Both prokaryotes and eukaryotes interact with the extracellular environment and use membrane-bound or membrane-associated proteins to achieve this. They both use diffusion and active transport to move materials in and out of their cells. Prokaryotes have very few proteins associated with their DNA, whereas eukaryotes' DNA is richly studded with proteins. Both types of living things can have flagella, although with different structural characteristics in the two groups. The most important differences between prokaryotes and eukaryotes are the lack of a nucleus and membrane-bound organelles in prokaryotes.

QUESTION 3

Which of these patterns of the periodic table is not correct?

- A. In metallic groups, reactivity increases down a group.
- B. Atomic size increases down a group and across a period (from left to right).
- C. In non-metallic groups, reactivity decreases down a group.
- D. Densities and melting points increase down any group.

Correct Answer: B



QUESTION 4

On each side of the body, the brachiocephalic veins are formed by the union of which two veins?

- A. external jugular veins and subclavian veins
- B. external jugular and internal jugular veins
- C. common carotid and subclavian veins
- D. internal jugular veins and subclavian veins

Correct Answer: D

QUESTION 5

Fill in the blank:

The hepatic portal vein carries _____, _____ blood from the _____ to the _____.

- A. deoxygenated, nutrient-rich, intestines, liver
- B. deoxygenated, nutrient-rich, liver, stomach
- C. deoxygenated, nutrient-poor, liver, intestines
- D. oxygenated, nutrient-rich, intestines, liver

Correct Answer: A

[Latest TEAS-SECTION-2 Dumps](#)

[TEAS-SECTION-2 PDF Dumps](#)

[TEAS-SECTION-2 Braindumps](#)