



# VCP-510<sup>Q&As</sup>

VMware Certified Professional on VSphere 5

**Pass VMware VCP-510 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcp-510.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two events will result in a vSphere 5.x host running a virtual machine that contains an older virtual hardware version? (Choose two)

- A. a virtual machine is created on a vSphere 5.x host and virtual for the VM are created on a VMFS3 datastore.
- B. a virtual machine was migrated from a vSphere 4.x host.
- C. a virtual machine is created on a vSphere 5.x host with a with a vmxnet network adapter.
- D. a virtual machine is created on a vSphere 5.x host and attached to an existing virtual disk created with vSphere 4.x

Correct Answer: BD

---

**QUESTION 2**

How can vCenter maps be used outside of the vSphere client? (Choose two.)

- A. Saved to a Visio .vsd file
- B. Sent to a printer
- C. Exported as a jpg
- D. Saved as a PDF

Correct Answer: BC

---

**QUESTION 3**

An administrator is performing maintenance on a storage array used by a DRS cluster. The administrator wants to disable alarm actions for the cluster while the maintenance is taking place. What procedure will accomplish this task?

- A. Go to the alarms tab for each ESXi host in the DRS cluster. Locate storage-related alarms. Right click and disable each alarm
- B. Right-click the DRS cluster and select Alarm and Disable Alarm Actions
- C. Right-click the datacenter containing the DRS cluster. Select Alarm Disable Alarm Actions
- D. Go to the alarms tab for the datacenter containing DRS cluster. Locate the storage-related alarms. Right-click and disable each alarm

Correct Answer: B

---

**QUESTION 4**

The performance graph for a virtual machine with 1GB of RAM shows the Swap In rate to be 150 MBps and the Balloon



value to be at 0 MB . Users of the virtual machine are complaining that performance is slow. Which two actions could increase performance of the virtual machine? (Choose two.)

- A. Install the VMEMCTL driver on the ESXi host.
- B. Increase the memory share value for this virtual machine.
- C. Install VMware Tools into this virtual machine.
- D. Disable swapping in the virtual machine operating system.

Correct Answer: BC

---

#### QUESTION 5

An administrator wants to determine the current network adapter configuration for an uplink on an ESXi 5.x host. Which three items can be viewed from the Network Adapters section of the Configuration tab, using the vSphere Client? (Choose three.)

- A. VLAN configuration
- B. Adapter Driver
- C. Actual speed and duplex
- D. Adapter Name
- E. vSwitch configuration

Correct Answer: CDE

[VCP-510 PDF Dumps](#)

[VCP-510 VCE Dumps](#)

[VCP-510 Study Guide](#)