



# VCPN610<sup>Q&As</sup>

VMware Certified Professional – Network Virtualization

## Pass VMware VCPN610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcpn610.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which statement is true regarding deploying NSX over a physical network?

- A. OSPF can be used for Management traffic in a Layer 3 fabric design.
- B. NSX can implement IPv6 on an IPv4 physical network.
- C. Routing is supported on bridged interfaces.
- D. VLANs are not required to separate traffic between virtual machines.

Correct Answer: B

---

**QUESTION 2**

Which statement is true regarding an NSX Edge gateway device configured with a DNS Server?

- A. The NSX Edge will forward all DNS requests from virtual machines sent to it to the DNS Server.
- B. The NSX Edge configuration will override the DNS Server configured by the NSX Manager.
- C. The NSX Edge registers the DNS Server with the NSX Controller.
- D. The NSX Edge periodically synchronizes its DNS tables with the primary DNS Server.

Correct Answer: A

---

**QUESTION 3**

High Availability (HA) was not initially configured when an administrator deployed an NSX Edge Service Gateway. What should the administrator do to configure the NSX Edge with HA?

- A. Select the NSX Edge instance from the NSX Edges view in Networking and Security. Go to Manage> Settings> Configuration and add a NSX Edge appliance.
- B. Delete the NSX Edge instance and redeploy it with HA. The existing NSX Edge configuration data will be lost.
- C. Delete the NSX Edge instance and redeploy it with HA. The configuration data is retained by NSX Manager and pushed to the new NSX Edge instance.
- D. Select the NSX Edge appliance from the Virtual Machines and Templates view. Go to Actions> All vCenter Actions> Enable HA to configure High Availability.

Correct Answer: A

---

**QUESTION 4**

An administrator has created a logical switch, but when attempting to select a transport zone, the dropdown box is



empty. Which option is causing this issue?

- A. The transport zone has not been enabled on the NSX Controller
- B. A VXLAN has not been created
- C. A VLAN has not been created
- D. The transport zone has not been assigned an IP address pool

Correct Answer: B

---

#### QUESTION 5

What is the packet size of the VXLAN standard test packet when using the Ping test on the logical switches?

- A. 1500
- B. 1550
- C. 1575
- D. 1600

Correct Answer: B

[VCPN610 Practice Test](#)

[VCPN610 Exam Questions](#)

[VCPN610 Braindumps](#)