



VCS-254^{Q&As}

Administration of Veritas Cluster Server 6.1 for UNIX

Pass Veritas VCS-254 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcs-254.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The Veritas Cluster Server (VCS) notifier resource and VCS triggers can be configured to generate messages to assist in VCS administration.

Which other facility can be a source of notifications within a comprehensive VCS implementation?

- A. Cluster Manager Java console
- B. Veritas Operations Manager
- C. Storage Foundation Manager
- D. Veritas Enterprise Manager

Correct Answer: B

QUESTION 2

When preparing to install VCS on the S1 and S2 systems, what should you do to verify software compatibility? (Choose three.)

- A. Check the VCS release notes for supported software
- B. Run the `installvcs recheck S1 S2` command
- C. Let the `installvcs` script check compatibility at install
- D. Run the `installvcs ompat S1 S2` command
- E. Check the Symantec Enterprise Support website

Correct Answer: ABE

QUESTION 3

Veritas Cluster Server (VCS) includes a disk-based I/O fencing mechanism.

Thinking specifically about data disks, which two cluster configuration requirements must be met to implement this? (Select two.)

- A. The application using the disks must be managed by a VCS Application resource type.
- B. The disks must be in a Veritas Volume Manager disk group.
- C. The service group containing the disks must include an IP resource.
- D. The disks must be managed by a VCS DiskGroup resource type.
- E. The disks must contain at least one *.dbf file.



Correct Answer: BD

QUESTION 4

How do you add the admin account to receive notification?

- A. Modify the notifier SmtplibRecipients attribute while online
- B. Edit SmtplibRecipients in the main.cf file of the active cluster
- C. Modify the SmtplibRecipients attribute and restart the notifier
- D. Run the notifier e=admin@acme.com l=Warning command

Correct Answer: C

QUESTION 5

Before attempting to verify the operation of LLT, GAB, or the cluster, the following steps are taken:

Log in to any node in the cluster as superuser. Place the VCS command directory in your PATH variable: # export PATH=\$PATH:/usr/sbin:/sbin:/opt/VRTS/bin:/opt/VRTSvcs/bin

Which command is invalid for configuration verification?

- A. haconf -display
- B. hastatus -summary
- C. llstat -nvv
- D. gabconfig -a

Correct Answer: A

[Latest VCS-254 Dumps](#)

[VCS-254 PDF Dumps](#)

[VCS-254 Braindumps](#)