



# VCS-260<sup>Q&As</sup>

Administration of Veritas InfoScale Availability 7.3 for UNIX/Linux

## Pass Veritas VCS-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcs-260.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which log can an administrator review to determine why a resource failed to come online?

- A. /var/VRTSvcs/log/vbs\_state\_notify.log
- B. /var/VRTSvcs/log/ProcessOnOnly\_A.log
- C. /var/VRTSvcs/log/HostMonitor\_A.log
- D. /var/VRTSvcs/log/engine\_A.log

Correct Answer: D

---

### QUESTION 2

Which capability is provided by Virtual Business Service (VBS)?

- A. the ability to monitor and alert the administrator to service group faults based on priority
- B. the ability to Start and Stop service groups in a pre-defined dependency order
- C. the ability to collect cluster HostMonitor data and availability reporting
- D. the ability to automatically move service groups to the disaster recovery site on production fault

Correct Answer: D

---

### QUESTION 3

Veritas Cluster Server supports the Intelligent Monitoring Framework (IMF) which assists clustered environments by reducing polling overhead and failure detection times.

Which two agents are IMF aware? (Choose two.)

- A. DiskGroup
- B. NFS
- C. DNS
- D. IP
- E. Process

Correct Answer: AD

---

### QUESTION 4



What are two effects of a failed resource in the service group configuration below? (Choose two.)

```
group websg {
    SystemList = { sys1 = 0, sys2 = 1 }
}

Apache httpd_Server {
    Critical = 0
    httpDir = "/apache/bin"
    HostName = vcssl1
    Port = 9999
    SecondLevelMonitor = 1
    ConfigFile = "/apache/config/httpd.conf"
}

Diskgroup Apache_dg {
    Critical = 0
    DiskGroup = apc1
}

IP Apache_ip {
    Critical = 0
    Device = bge0
    Address = "11.123.99.168"
    Netmask = "255.255.254.0"
}

Mount Apache_mnt {
    Critical = 0
    MountPoint = "/apache"
    BlockDevice = "/dev/vx/dsk/apc1/apcvol1"
    FSType = vxfs
    FsckOpt = "-y"
}
```

- A. Any resource fault leads to a faulted state for the resource.
- B. Any resource fault leads to the service group failing over.
- C. Any resource fault leads to the service group autodisabled.



D. Any resource fault leaves the service group partially online.

E. Any resource fault leaves the service group fully online.

Correct Answer: BC

---

#### QUESTION 5

An administrator manually edits the Veritas Cluster Server configuration file while a cluster is stopped. When the cluster is restarted, all the changes made are missing.

Why are the changes made to the configuration file missing?

A. The cluster was started first on the node where the changes were made.

B. The hacf -verify command needs to be run after making the manual changes.

C. The cluster was started first on a node other than the one where the changes were made.

D. The haconf -dump command needs to be run prior to starting the cluster.

Correct Answer: C

[Latest VCS-260 Dumps](#)

[VCS-260 PDF Dumps](#)

[VCS-260 Braindumps](#)