



VCS-260^{Q&As}

Administration of Veritas InfoScale Availability 7.3 for UNIX/Linux

Pass Veritas VCS-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcs-260.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What does it mean when a cluster node is in the REMOTE_BUILD state?

- A. The in-memory cluster configuration is being built by copying the in-memory configuration from another running cluster node.
- B. The node is building the in-memory cluster configuration from the primary main.cf file on a remote node.
- C. The in-memory configuration on the node is being updated to reflect configuration changes being made on a remote node.
- D. It is the last node to join the cluster and must wait to build the in-memory configuration until all other nodes have their in-memory configuration.

Correct Answer: C

QUESTION 2

An administrator is attempting to start Veritas Cluster Server (VCS) on a node and receives the following message:

```
VCS:10622 local configuration missing
```

Which two actions can the administrator perform to resolve this problem? (Choose two.)

- A. run hacf -createconfig on the affected node
- B. start the VCS engine, HAD, on another system that has a valid configuration file
- C. re-run the hastart command with the -force option
- D. copy a valid configuration file to the local system and restart VCS with the -force option
- E. check the system heartbeat connections

Correct Answer: BD

QUESTION 3

An administrator wants to place an existing application under high availability control. Which requirement must be met to place the application under high availability control?

- A. The application must have defined start, stop, and monitor procedures.
- B. The application must have an unlimited license model.
- C. The application must have an enterprise agent available on SORT.
- D. The application must run in kernel space.



Correct Answer: A

QUESTION 4

An administrator has removed a node from the cluster. After system maintenance, the administrator notices that the remaining cluster nodes will no longer form a cluster.

Which file will be used by the cluster at startup to determine the number of nodes required to form a cluster?

- A. /etc/gabtab
- B. /etc/llttab
- C. /etc/vxfentab
- D. /etc/llthosts

Correct Answer: A

QUESTION 5

Which two capabilities can an administrator use to ensure availability within Docker Containers? (Choose two.)

- A. provide HA to the application within the container for failover and app restart
- B. provide provisioning of a new container when an application within the container fails
- C. first restart the application within the container; if continued app failures, then provision a new container
- D. provide HA to the container and move it between cluster nodes
- E. provide provisioning of a new container when a container fails

Correct Answer: AD

[VCS-260 VCE Dumps](#)

[VCS-260 Study Guide](#)

[VCS-260 Exam Questions](#)