



VCS-260^{Q&As}

Administration of Veritas InfoScale Availability 7.3 for UNIX/Linux

Pass Veritas VCS-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcs-260.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A cluster is configured to use coordination point servers for data protection.

What happens to the service groups if connectivity between one of the nodes and the coordination point servers is lost?

- A. The service groups fail over to systems that remain connected to the coordination point servers.
- B. The service groups remain online, but offline groups are unable to come online.
- C. The service groups remain online and related messages are logged.
- D. The service groups are taken offline until connectivity is resumed with the coordination point servers.

Correct Answer: A

QUESTION 2

Which action should an administrator perform to ensure the coordination point (CP) service is highly available when adding a CP server into a Veritas Cluster Server environment?

- A. configure multiple CP server instances on the same node
- B. configure the CP server as a resource in a Veritas cluster
- C. configure the CP server database on a multipathed disk
- D. ensure the CP server is on a reliable network

Correct Answer: D

QUESTION 3

What is the impact to unsaved configuration changes in Veritas Cluster Server when an administrator stops the cluster with a force option from the command-line interface?

- A. The changes are automatically saved.
- B. The changes are automatically discarded.
- C. The potential corruption of the cluster configuration.
- D. The changes are prompted to be discarded.

Correct Answer: D

QUESTION 4

Which agent entry point is used when running a virtual fire drill for a specific resource?



- A. info
- B. online
- C. monitor
- D. action

Correct Answer: D

QUESTION 5

An administrator has removed a node from the cluster. After system maintenance, the administrator notices that the remaining cluster nodes will no longer form a cluster.

Which file will be used by the cluster at startup to determine the number of nodes required to form a cluster?

- A. /etc/gabtab
- B. /etc/llttab
- C. /etc/vxfentab
- D. /etc/llthosts

Correct Answer: A

[VCS-260 Practice Test](#)

[VCS-260 Study Guide](#)

[VCS-260 Braindumps](#)