VCS-261 Q&As

Administration of Veritas InfoScale Storage 7.3 for UNIX/Linux

Pass Veritas VCS-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/vcs-261.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas Official Exam Center

● **Instant Download** After Purchase

● **100% Money Back** Guarantee

● **365 Days** Free Update

● **800,000+** Satisfied Customers

QUESTION 1

A volume that contains strictly two data plexes and has four subdisks in each plex can have which two types of layouts? (Choose two.)

A. concat-mirror

B. stripe-mirror

C. stripe with parity

D. mirror-concat

E. mirror-stripe

Correct Answer: DE

QUESTION 2

Which command configures a disk for use by InfoScale Storage for UNIX?

A. vxdiskconfig

B. vxdisksetup

C. vxdg

D. vxdmpadm

Correct Answer: B

QUESTION 3

Given the following command:

vxassist -g datadg make datavol 10g layout=stripe !ctrl:c2

Which instruction does the !ctrl:c2 attribute prompt Volume Manager to follow?

A. to exclude devices connected to controller c2

B. to exclude devices connected to all controllers except c2

C. to exclude devices from enclosure named "ctrl"

D. to exclude all but the fastest devices from controller c2

Correct Answer: D

QUESTION 4

The concatenated mirrored volume called appvol in appdg has 200MB and is mounted to /app as a Veritas file system. An administrator needs to expand the file system and volume by adding 100MB, but expanded only the volume using the following command.

vxassist -g appdg growby appvol 100M

Which command should the administrator perform next to expand the file system, without changing the volume size?

A. fcladm

B. vxresize

C. fsadm

D. vxfsadm

Correct Answer: B

QUESTION 5

What is the default caching mode of a VxFS cache area for a specified mount point?

A. nocaching

B. write

C. read

D. write-back

Correct Answer: C