



# VCS-274<sup>Q&As</sup>

Administration of Veritas NetBackup 7.7

## Pass Veritas VCS-274 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcs-274.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A tape library had the robot firmware upgraded and now the robot is reading the barcodes with additional characters.

How should an administrator enable NetBackup 7.7 to use the same characters as before the firmware upgrade occurred?

- A. update the Media ID Generation setting
- B. update Media settings
- C. update Device mappings
- D. update the Barcode Rules setting

Correct Answer: A

---

### QUESTION 2

Which command can be used to recover the NBDB from the staging location?

- A. bprecover
- B. bprestore
- C. nbdb\_restore
- D. nbdb\_unload

Correct Answer: C

---

### QUESTION 3

An administrator is adding a new Media Server appliance to an existing NetBackup appliance Master Server.

What is the correct sequence to configure the new appliance in the NetBackup domain?

- A. configure the new Media Server, the configuration process automatically adds the new server to the Master Server
- B. configure the new Media Server, then manually add the new Media Server to the Master Server\\'s bp.conf
- C. configure the new Media Server, then add the new Media Server to the Master Server in the Web GUI under Manage> Additional Servers
- D. add the new Media Server to the Master Server in the Web GUI under Manage > Additional Servers, then configure the new Media Server



Correct Answer: D

---

#### QUESTION 4

An administrator wants clients in a remote office to perform client-side deduplication instead of Media Server deduplication.

Where should the administrator set the parameter in the Host Properties to ensure client-side deduplication is performed?

- A. Master Server > Client Attributes > client\_hostname > General > Always use client-side deduplication
- B. Clients > General > Always use client-side deduplication
- C. Master Server > Client Attributes > General > Always use client-side deduplication
- D. Clients > Deduplication > Always use client-side deduplication

Correct Answer: A

---

#### QUESTION 5

An administrator of a multi-site, multi-domain NetBackup environment wants to be able to provide redundancy for backups as well as protecting the NetBackup image database. All backups must have on-site and off-site disk copies as well as off-site tape copies and must be restorable at all times, even if a single NetBackup server/storage failure occurs. Which NetBackup feature should the administrator use to implement the functionality?

- A. Replication Director
- B. Automated Image Replication
- C. Storage Lifecycle Policies
- D. Vault

Correct Answer: B

[VCS-274 PDF Dumps](#)

[VCS-274 Study Guide](#)

[VCS-274 Braindumps](#)