



VCS-274^{Q&As}

Administration of Veritas NetBackup 7.7

Pass Veritas VCS-274 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcs-274.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which NetBackup 7.7 command is used to report the potential free space of AdvancedDisk storage units?

- A. nbdevquery
- B. nbdevconfig
- C. nbemmcmd
- D. bpstsinfo

Correct Answer: A

QUESTION 2

An administrator has a backup policy with the following policy attributes: 3 paths listed in the Backup Selections list 5 clients listed in the Clients list Allow multiple data streams is selected Limit Jobs per policy is set to 4 How many jobs go Active when the job is started, excluding parent jobs?

- A. 3
- B. 4
- C. 12
- D. 15

Correct Answer: B

QUESTION 3

Which command can an administrator execute on a NetBackup client to measure backup performance?

- A. bpbkar
- B. bptestnetconn
- C. bpcIntcmd
- D. bpclient

Correct Answer: A

QUESTION 4

The Master Server catalog is being recovered to a new server. The administrator receives the message displayed below: Please insert the following media and run the volume configuration wizard or the vmupdate command to update the NetBackup database. Host - trainl Media ID - GBP847 Barcode - GBP847S1 In the Administration Console, barcode



GBP847S1 is associated with media ID P847S1. How should the administrator proceed?

- A. use bplabel to change the media ID> re-inventory the library> perform recovery
- B. use nbdelete to remove the media id > use vmadd to re-add the media id > re-inventory the library> perform recovery
- C. delete the tape > set the media ID generation rule accordingly > re-inventory the library > run recovery
- D. delete the tape> set the barcode rule accordingly> re-inventory the library> run recovery

Correct Answer: C

QUESTION 5

A policy is created using the Standard policy type. The default settings are used. Linux hosts s1 and s2 are added in the client list and ALL_LOCAL_DRIVES is specified in the Backup Selection. Host s1 has the mount points listed below: /opt /usr /usr/home Host s2 has the mount points listed below: /proc /tmp /usr How many streams will be created when the policy runs for both clients?

- A. two
- B. four
- C. five
- D. eight

Correct Answer: A

[VCS-274 PDF Dumps](#)

[VCS-274 Exam Questions](#)

[VCS-274 Braindumps](#)