

VCS-279^{Q&As}

Administration of Veritas NetBackup 8.1.2 and NetBackup Appliances 3.1.2

Pass Veritas VCS-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/vcs-279.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/vcs-279.html

2024 Latest pass4itsure VCS-279 PDF and VCE dumps Download

QUESTION 1

Which type of backup schedule is available when using the "After each backup session" schedule type for an NBU-Catalog policy type?

- A. Full
- B. Differential Incremental
- C. Vault Catalog Backup
- D. Application Backup

Correct Answer: B

QUESTION 2

Storage Lifecycle Policy (SLP) SLP1 is used to perform a backup and duplication. The backup is always a small, 100MB backup. The master server host properties for SLP Parameters are set to the default values.

How can the administrator ensure the duplications run as soon as possible after the backup completes?

- A. reduce the "Job submission interval" setting to 0
- B. reduce the "Minimum size per duplication job" setting to 50MB
- C. right-click SLP1 and select Manual Relocation to Final Destination
- D. increase the "Priority for secondary operations" in the SLP

Correct Answer: B

QUESTION 3

An administrator has an audible appliance alarm detected in the data center.

Which command should the administrator use to troubleshoot the reason for the alarm?

- A. Settings > NetBackup Misc Show
- B. Appliance > Status
- C. Monitor > Hardware > ShowHealth
- D. Support > Test > Software

Correct Answer: C

QUESTION 4



https://www.pass4itsure.com/vcs-279.html 2024 Latest pass4itsure VCS-279 PDF and VCE dumps Download

A tape library had the robot firmware upgraded, and now the robot is reading the barcodes with additional characters.

How should an administrator enable NetBackup to use the same characters that were used before the firmware upgrade?

- A. update the Media ID Generation setting
- B. update Media settings
- C. update the device mapping files
- D. update the Barcode Rules setting

Correct Answer: A

QUESTION 5

What is the maximum age of the host\\'s Certificate Revocation List (CRL) before communication with the host is prevented?

- A. 48 hours
- B. 5 days
- C. 7 days
- D. 30 days

Correct Answer: C

VCS-279 VCE Dumps

VCS-279 Practice Test

VCS-279 Braindumps