



VL LOCITY-PLATFORM-DEVELOPER^{Q&As}

Vlocity-Platform-Developer - Vlocity Platform Developer Exam (v5.0)

**Pass Vlocity VLOCITY-PLATFORM-DEVELOPER
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vlocity-platform-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Vlocity
Official Exam Center



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/vlocity-platform-developer.html>

2024 Latest pass4itsure VLOCITY-PLATFORM-DEVELOPER PDF and VCE dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The card layout below has an Integration Procedure as a data source. The cards use the layout data source. Which JSON data structure below supports this card layout and uses best practices.

Account	Contact	Contact
Name: Acme	Name: Edward Stamos	Name: Howard Jones
Phone: (212) 154-6450	Cell Phone: (212) 154-8562	Cell Phone: (650) 156-1102

A. {"ContactCellPhoneTM": "(212) 154-8562", "ContactName": "Edward Stamos", "AccountPhone": "2221546450", "AccountName": "Acme"}

```
{  
  "ContactCellPhoneTM": "(650) 156-1102",  
  "ContactName": "Howard Jones",  
  "AccountPhone"TM: "2221546450",  
  "AccountName"TM "Acme"  
}
```

B. "Contact": [{ "CellPhone": "(212) 154-8562",
 "Name": "Edward Stamos"
},
 {
 "CellPhone": "(650) 156-1102",
 "Name": "Howard Jones"
 }
]

Correct Answer: B

QUESTION 2

You have configured an Integration Procedure element with SEND/RESPONSE TRANSFORMATIONS as shown. Alternatively, how would you configure Additional Input to send exactly the same data? Assume that you check Send Only Additional Input.

**▼ SEND/RESPONSE TRANSFORMATIONS**

Send JSON Path ⓘ

DRExtractAction:Account

Send JSON Node ⓘ

SecondaryAccount

Response JSON Path ⓘ

Response JSON Node ⓘ

- A.

Key	Value
SecondaryAccount	%DRExtractAction:Account%
- B.

Key	Value
SecondaryAccount	DRExtractAction:Account
- C.

Key	Value
%DRExtractAction:Account%	SecondaryAccount
- D.

Key	Value
DRExtractAction:Account	SecondaryAccount

A. B. C. D.

Correct Answer: D

QUESTION 3

You are building a DataRaptor Load for an Integration Procedure used in an OmniScript. Based on best practices, how should you configure the Input JSON?

- A. Build the Input JSON node by node in the DataRaptor Designer.
- B. Copy the Input JSON from the DataRaptor Action Debug node.
- C. Copy the Input JSON from the OmniScript {Data} modal.
- D. Build the Input JSON node by node in an editor.

Correct Answer: C



QUESTION 4

How is data accessed for a Field element in a FlexCard that wants the AccountName?

- A. records
- B. {records}
- C. {AccountName}
- D. AccountName

Correct Answer: C

QUESTION 5

in a DataRaptor Extract JSON Path, which option below has the correct syntax for a relationship query for a native Salesforce record?

- A. Contact: Caseld:Subject
- B. ContactCaseld. Subject
- C. Contact:Caseld__rSubject D. Contact:Caseld__r-Subject

Correct Answer: D

[Latest VLOCITY-PLATFORM-DEVELOPER Dumps](#)

[VLOCITY-PLATFORM-DEVELOPER Study Guide](#)

[VLOCITY-PLATFORM-DEVELOPER Braindumps](#)