



VL OCITY-PLATFORM-DEVELOPER^{Q&As}

Vlocity-Platform-Developer - Vlocity Platform Developer Exam (v5.0)

**Pass Vlocity VLOCITY-PLATFORM-DEVELOPER
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vlocity-platform-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Vlocity
Official Exam Center



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/vlocity-platform-developer.html>

2024 Latest pass4itsure VLOCITY-PLATFORM-DEVELOPER PDF and VCE dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Your company is using an OmniScript on a Community page to take applications from new customers. The email address field is not required when the customer fills in their contact information on the first step. On the last step, a customer indicates they would like to be contacted via email, but on the first step they left that field blank.

Which element will let you return the customer to that first step and change the email field to a required field?

- A. Lookup
- B. Email Action
- C. Set Errors
- D. Set Values

Correct Answer: A

QUESTION 2

When an OmniScript is launched from an Action on a FlexCard, the OmniScript displays, but no Salesforce data is populated. What error could cause this behavior?

Choose 2 answers

- A. There is no active version of the OmniScript.
- B. There is no active version of the DataRaptor Extract.
- C. The Id Field for Actions in the FlexCard is not configured with the correct RecordId.
- D. In the DataRaptor Extract Action, the Input Parameters Data Source is misspelled.

Correct Answer: CD

QUESTION 3

In which two fields in an Integration Procedure or DataRaptor can you use a function like CONCAT or DATEDIFF?

Choose 2 answers

- A. In a Set Values Action in a Value field.
- B. In a Remote Action in an Additional Output value field.
- C. In a DataRaptor Action in an Input Parameters value field.



D. In a DataRaptor in an Output Tab Output JSON Path.

Correct Answer: BC

QUESTION 4

The card layout below has an Integration Procedure as a data source. The cards use the layout data source. Which JSON data structure below supports this card layout and uses best practices.

Account	Contact	Contact
Name: Acme	Name: Edward Stamos	Name: Howard Jones
Phone: (222) 154-6450	Cell Phone: (212) 154-8562	Cell Phone: (650) 156-1102

A. ""ContactCellPhoneTM: "(212) 154-8562", "ContactName": "Edward Stamos", "AccountPhone": "2221546450", "AccountName": "Acme"

```
{  
  "ContactCellPhoneTM": "(650) 156-1102",  
  "ContactName": "Howard Jones",  
  "AccountPhone"TM: "2221546450",  
  "AccountName"TM "Acme"  
}
```

B. "Contact": [{ "CellPhone": "(212) 154-8562",

"Name": "Edward Stamos"

},

t

"CellPhone". "(650) 156-1102",

"Name": "Howard Jones"

}

Correct Answer: B

QUESTION 5



in a DataRaptor Extract JSON Path, which option below has the correct syntax for a relationship query for a native Salesforce record?

- A. Contact: Caseld:Subject
- B. ContactCaseld. Subject
- C. Contact:Caseld__rSubject D. Contact:Caseld__r-Subject

Correct Answer: D

[VLOCITY-PLATFORM-DEVELOPER Practice Test](#)

[VLOCITY-PLATFORM-DEVELOPER Study Guide](#)

[VLOCITY-PLATFORM-DEVELOPER Braindumps](#)