\_\_\_\_\_\_

Exam : 000-R11

Title : IBM Anyplace kiosk

**Technical Professional V1** 

Version: DEMO

\_\_\_\_\_

- 1. The IBM Anyplace Kiosk supports which of the following scanners?
- A. Line scanner
- B. Symbol 3D mini scanner
- C. Omni directional scanner
- D. Magellan 8500 Scanner Scale
- E. Any handheld scanner connected to a USB port Answer: AC
- 2. What are the processor and bus speeds of the IBM Anyplace Kiosk?
- A. 833 MHz, 400 MHz front side bus
- B. 1.0 GHz, 533 MHz front side bus
- C. 1.3 GHz, 400 MHz front side bus
- D. 2.0 GHz, 533 MHz front side bus Answer: C
- 3. What is the standard warranty period of the IBM Anyplace Kiosk?
- A. 1 year from date of purchase
- B. 3 years from date of purchase
- C. 5 years from date of purchase
- D. 90 days from date of purchase Answer: A
- 4. Which of the following describes the I/O connectivity ports that are available on the IBM Anyplace Kiosk?
- A. One USB 2.0 port, headphone and microphone ports, one RS-232 port and one ethernet port.
- B. One powered USB port, headphone and microphone ports, 2 RS-232 ports and one ethernet port.
- C. Two USB 2.0 ports, headphone and microphone ports, one RS-232 port and one ethernet port.
- D. Two powered USB ports, headphone and microphone ports, one RS-232 port and one ethernet port. Answer: C

\_\_\_\_\_

- 5. In the event that the BIOS becomes corrupt on the IBM Anyplace Kiosk, what is the proper action needed to recover?
- A. Connect a CD-ROM drive and run the BIOS update utility.
- B. Place a service call with IBM and have a technician replace the system board.
- C. Send the system unit back to IBM so that they can replace the flash memory that contains the BIOS information.
- D. To restore the original copy, run the BIOS update utility. The system will operate normally using the backup copy of the BIOS.

Answer: D

- 6. When the IBM Anyplace Kiosk is powered on, it performs a power-on self test (POST). Which of the following is an indication of a successful power-on self test?
- A. The system will beep one time.
- B. The system will beep twice and display "POST Successful".
- C. There are no visible or audible indications of a successful POST.
- D. The system will display the prompt "OK" then boot up the operating system.

Answer: A

- 7. Which of the following peripherals is supported on the IBM Anyplace Kiosk?
- A. Internal CD-ROM drive
- B. Internal CD-RW/DVD-ROM drive
- C. External USB CD-RW/DVD-ROM drive
- D. External serial CD-RW/DVD-ROM drive

Answer: C

- 8. How can the latest version of the IBM Anyplace Kiosk BIOS be obtained?
- A. Download it from the IBM Retail Store Solutions Support Web page
- B. Submit a request to the IBM POS Knowledgebase
- C. Request it directly from IBM Service

\_\_\_\_\_\_

D. Call IBM PartnerLine (TechLine)

Answer: A

- 9. What product is recommended to use when cleaning the enclosure of the IBM Anyplace Kiosk?
- A. Window cleaner with ammonia
- B. Warm water or mild soap
- C. Any household cleaner not containing bleach
- D. Water diluted chlorine solution on a soft cloth

Answer: B

- 10. What is the maximum amount of memory (RAM) that can be factory installed for the IBM Anyplace Kiosk?
- A. 512 MB
- **B. 1 GB**
- C. 2 GB
- D. 3 GB Answer: B

\_\_\_\_\_

This document was created with Win2PDF available at <a href="http://www.win2pdf.com">http://www.win2pdf.com</a>. The unregistered version of Win2PDF is for evaluation or non-commercial use only. This page will not be added after purchasing Win2PDF.

## **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.