



010-151^{Q&As}

Supporting Cisco Data Center System Devices

Pass Cisco 010-151 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/010-151.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which important feature on the front end is provided to the clients by multiple servers that access the same storage devices across the SAN?

- A. recovery
- B. redundancy
- C. resiliency
- D. security
- E. storage

Correct Answer: B

QUESTION 2

Which action should the administrator take before physically removing a blade server for maintenance or replacement?

- A. Force the server to shut down.
- B. Disassociate the service profile.
- C. Decommission the server.
- D. Perform a graceful shutdown of the server.

Correct Answer: C

QUESTION 3

On the Sensors page from the CIMC view, which four tabs are displayed to view further information? (Choose four.)


- A. Power Supply
- B. Fan
- C. Memory
- D. CPU
- E. LEDs
- F. Temperature

Correct Answer: ABEF



There are 2 more tabs: Voltage and Current

QUESTION 4



Refer to the exhibit. Which two faults can occur if the System Health LED is in a steady amber state? (Choose two.)

- A. At least one DIMM is faulty.
- B. Major fault with CPU C. Major fault with the system board
- D. CPU mismatch
- E. Major fault with memory DIMM

Correct Answer: AD

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/c/hw/C220M5/install/C220M5/C220M5_chapter_010.html#concept_x3p_4cj_mz

System health

Green—The server is running in normal operating condition.

Green, blinking—The server is performing system initialization and memory check.

Amber, steady—The server is in a degraded operational state (minor fault). For example:

Power supply redundancy is lost.

CPUs are mismatched.

At least one CPU is faulty.

At least one DIMM is faulty.



At least one drive in a RAID configuration failed.

QUESTION 5

What enables NVM Express host software to communicate with nonvolatile memory?

- A. SATA
- B. SAS
- C. PCIe
- D. SCSI

Correct Answer: C

Reference:

https://nvmexpress.org/wp-content/uploads/NVM-Express-1_4-2019.06.10-Rati ed.pdf page 6

QUESTION 6

Which two types of information does the show module NX-OS command display? (Choose two.)

- A. Module license information
- B. Module ports type
- C. Module IP address
- D. Module type
- E. Module status

Correct Answer: DE

Reference: https://www.cisco.com/en/US/docs/switches/datacenter/sw/4_2/nx-os/system_management/command/reference/sm_cmd_show.html

QUESTION 7

Which two statements about the Cisco Nexus 5596UP switch are true? (Choose two.)

- A. Its power supplies and fan trays are hot-swappable.
- B. It supports unified ports.
- C. It is offered in a one-rack-unit form factor.
- D. It has one expansion slot.



E. It supports up to 96 10G BASE-T ports.

Correct Answer: AB

QUESTION 8

Which two Cisco Nexus switches provide the foundation of the Cisco Application Centric Infrastructure? (Choose two.)

- A. Cisco Nexus 7718 switch
- B. Cisco Nexus 9508 switch
- C. Cisco Nexus 7710 switch
- D. Cisco Nexus 93128TX switch
- E. Cisco Nexus 6004 switch

Correct Answer: BD

QUESTION 9

Refer to the exhibit.



What is the name of this Cisco Nexus 3000 Series Switch?

- A. Cisco Nexus 3132Q
- B. Cisco Nexus 3172PQ
- C. Cisco Nexus 3524
- D. Cisco Nexus 3016

Correct Answer: A



QUESTION 10

Which two cable types can support 10Gbps speed? (Choose two.)

- A. CAT7
- B. CAT5a
- C. CAT5e
- D. CAT6a
- E. CAT5

Correct Answer: AD

QUESTION 11

Which two statements about Cisco UCS 6454 Fabric Interconnect are true? (Choose two.)

- A. 1-RU 10/25/40/100/200/400 Gigabit Ethernet, FCoE, and Fibre Channel switch offers up to 32 ports.
- B. It hosts and runs Cisco Integrated Management Controller (CIMC).
- C. All Ethernet ports can support FCoE.
- D. Provides the management and communication backbone for the Cisco UCS 5108 Server Chassis and Cisco UCS B-Series Blade Servers only.
- E. Provides both the LAN and SAN connectivity for all servers within its domain.

Correct Answer: CE

Reference: <https://www.cdw.com/product/cisco-ucs-6454-fabric-interconnect-switch-54-ports-managed-rack-mou/5400879>

QUESTION 12

What are the two layers in the SAN hierarchy? (Choose two.)

- A. Protocol layer
- B. Fabric layer
- C. Connection layer
- D. Switch layer
- E. Storage layer

Correct Answer: BE

**QUESTION 13**

Which three tools are necessary to console into a Cisco UCS C-Series Rack-Mount Server? (Choose three.)

- A. Cisco DB-9-to-RJ-45 console cable
- B. laptop
- C. monitor
- D. keyboard
- E. KVM dongle
- F. USB serial adapter

Correct Answer: CDE

QUESTION 14

What is the correct path to verify the Overall Status of Chassis 1 | Server 3?

- A. Equipment Tab > Chassis > Chassis 1 > Servers > Server 3 Status tab
- B. Equipment Tab > Chassis > Chassis 1 > Servers > Server 3 General tab
- C. Equipment Tab > Chassis > Chassis 1 > Servers > Server 3 FSM tab
- D. Servers Tab > Chassis > Server 3 General tab
- E. Status Tab > Chassis > Chassis 1 > Servers > Server 3
- F. Admin Tab > Chassis > Chassis 1 > Servers > Server 3 General tab

Correct Answer: B

QUESTION 15

Which five things should the administrator verify after performing maintenance or replacing a blade server? (Choose five.)

- A. blade server status
- B. hard drive status
- C. host OS boot status



D. CPU status

E. mezzanine card status

F. memory DIMM status

G. fan and power status

Correct Answer: ABDEF

[010-151 PDF Dumps](#)

[010-151 Practice Test](#)

[010-151 Braindumps](#)