

101-400^{Q&As}

LPI Level 1 Exam 101, Junior Level Linux Certification, Part 1 of 2

Pass Lpi 101-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/101-400.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

What does the command mount -a do?

- A. It ensures that all file systems listed with the option noauto in /etc/fstab are mounted.
- B. It shows all mounted file systems that have been automatically mounted.
- C. It opens an editor with root privileges and loads /etc/fstab for editing.
- D. It ensures that all file systems listed with the option auto in /etc/fstab are mounted.
- E. It ensures that all file systems listed in /etc/fstab are mounted regardless of their options.

Correct Answer: D

QUESTION 2

SIMULATION

In which directory must definition files be placed to add additional repositories to yum?

Correct Answer: /etc/yum.repos.d -or- /etc/yum.repos.d/ -or- yum.repos.d -or- yum.repos.d/

QUESTION 3

Which of the following commands is used to change metadata and options for ext3 filesystems?

- A. mod3fs
- B. tune3fs
- C. mod2fs
- D. tune2fs
- E. dump2fs
- Correct Answer: D

QUESTION 4

Which of the following sequences in the vi editor saves the opened document and exits the editor? (Choose TWO correct answers.)

A. esc ZZ



- B. ctrl :w!
- C. esc zz
- D. esc :wq!
- E. ctrl XX
- Correct Answer: AD

QUESTION 5

Which of the following commands is used to modify quota settings? (Choose two.)

- A. editquota
- B. setquota
- C. edquota
- D. quotaedit E. quotaset
- Correct Answer: BC

QUESTION 6

Which of the following commands reboots the system when using SysV init? (Choose TWO correct answers.)

- A. shutdown -r now
- B. shutdown -r "rebooting"
- C. telinit 6
- D. telinit 0
- E. shutdown -k now "rebooting"

QUESTION 7

Which of the following commands instructs SysVinit to reload its configuration file?

- A. reinit
- B. init reload
- C. telinit 7
- D. telinit q

Correct Answer: AC



E. init reinit

Correct Answer: D

QUESTION 8

When piping the output of find to the xargs command, what option to find is useful if the filenames have spaces in them?

- A. -rep-space
- B. -print0
- C. -nospace
- D. -ignore-space

Correct Answer: B

QUESTION 9

After running the command umount /mnt, the following error message is displayed:

umount: /mnt: device is busy.

What is a common reason for this message?

- A. The kernel has not finished flushing disk writes to the mounted device.
- B. A user has a file open in the /mnt directory.
- C. Another file system still contains a symlink to a file inside /mnt.
- D. The files in /mnt have been scanned and added to the locate database.
- E. The kernel thinks that a process is about to open a file in /mnt for reading.

Correct Answer: B

QUESTION 10

Which of the following commands print the current working directory when using a Bash shell? (Choose two.)

A. echo "\${PWD}"

B. echo "\${WD}"

C. pwd



- D. printwd
- E. echo "\${pwd}"

Correct Answer: AC

QUESTION 11

Which of the following commands lists all currently installed packages when using RPM package management?

- A. yum --query --all
- B. yum --list --installed
- C. rpm --query --all
- D. rpm --list installed
- Correct Answer: C

QUESTION 12

Which of the following commands overwrites the bootloader located on /dev/sda without overwriting the partition table or any data following it?

- A. dd if=/dev/zero of=/dev/sda bs=512
- B. dd if=/dev/zero of=/dev/sda bs=512 count=1
- C. dd if=/dev/zero of=/dev/sda bs=440 count=1
- D. dd if=/dev/zero of=/dev/sda bs=440

Correct Answer: C

QUESTION 13

SIMULATION

Which umask value will result in the default access permissions of 600 (rw-----) for files and 700 (rwx-----) for directories? (Specify only the numerical umask value.)

Correct Answer: 0077 -or- 077

QUESTION 14

Which signal is sent by the kill command by default?

A. SIGHUP(1)



- B. SIGQUIT(3)
- C. SIGKILL(9)
- D. SIGTERM(15)
- Correct Answer: D

QUESTION 15

From a Bash shell, which of the following commands directly executes the instruction from the file /usr/local/bin/runme.sh without starting a subshell? (Please select TWO answers.)

- A. source /usr/local/bin/runme.sh
- B. . /usr/local/bin/runme.sh
- C. /bin/bash /usr/local/bin/runme.sh
- D. /usr/local/bin/runme.sh
- E. run /usr/local/bin/runme.sh

Correct Answer: AB

Latest 101-400 Dumps

101-400 VCE Dumps

101-400 Practice Test