



101-500^{Q&As}

LPIC-1 Exam 101 - Part 1 of 2 - version 5.0

Pass Lpi 101-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/101-500.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When given the following command line.

```
echo "foo bar" | tee bar | cat
```

Which of the following output is created?

- A. cat
- B. foo bar
- C. tee bar
- D. bar
- E. foo

Correct Answer: B

QUESTION 2

CORRECT TEXT

Which command is used in a Linux environment to create a new directory? (Specify ONLY the command without any path or parameters.)

Correct Answer: mkdir

mkdir or /usr/bin/mkdir

QUESTION 3

What is the purpose of the xargs command?

- A. It passes arguments to an X server.
- B. It reads standard input (STDIN) and builds up command lines to execute.
- C. It helps shellscripts take variable argument lists.
- D. It asks a question, graphically, and returns the answer to the shell.
- E. It allows users to specify long options for commands that normally only accept short options.

Correct Answer: B

QUESTION 4



What is the effect of the egrep command when the -v option is used?

- A. It enables color to highlight matching parts.
- B. It only outputs non-matching lines.
- C. It shows the command's version information.
- D. It changes the output order showing the last matching line first.

Correct Answer: B

QUESTION 5

When redirecting the output of find to the xargs command, what option to find is useful if the filenames contain spaces?

- A. ep-space
- B. -printnul
- C. -nospace
- D. gnore-space
- E. rint0

Correct Answer: E

QUESTION 6

What is the first program that is usually started, at boot time, by the Linux kernel when using SysV init?

- A. /lib/init.so
- B. /sbin/init
- C. /etc/rc.d/rcinit
- D. /proc/sys/kernel/init
- E. /boot/init

Correct Answer: B

QUESTION 7

FILL BLANK

Which System V init configuration file is commonly used to set the default run level? (Specify the full name of the file, including path.)



A. /etc/inittab

Correct Answer: A

QUESTION 8

Which of the following commands changes the number of days before the ext3 filesystem on /dev/sda1 has to run through a full filesystem check while booting?

A. tune2fs -d 200 /dev/sda1

B. tune2fs -c 200 /dev/sda1

C. tune2fs -i 200 /dev/sda1

D. tune2fs -n 200 /dev/sda1

E. tune2fs --days 200 /dev/sda1

Correct Answer: C

QUESTION 9

CORRECT TEXT

The /etc/_____ file lists currently mounted devices.

Correct Answer: mtab

QUESTION 10

Which of the following statements is correct for a command line ending with a and character?

A. The command\'s output is redirected to/dev/null.

B. The result of the command defines if the next command will be run.

C. Thecommand is run in background of the current shell.

D. The command is run as a direct child of theinitprocess.

Correct Answer: C

QUESTION 11



Which of the following commands updates the linker cache of shared libraries?

- A. mkcache
- B. soconfig
- C. mkldconfig
- D. lddconfig
- E. ldconfig

Correct Answer: E

QUESTION 12

Which of the following commands installs GRUB 2 into the master boot record on the third hard disk?

- A. grub2 install /dev/sdc
- B. grub-mkrescue /dev/sdc
- C. grub-mbrinstall /dev/sdc
- D. grub-setup /dev/sdc
- E. grub-install /dev/sdc

Correct Answer: E

QUESTION 13

Regarding the command:

```
nice -5 /usr/bin/prog
```

Which of the following statements is correct?

- A. /usr/bin/prog is executed with a nice level of -5.
- B. /usr/bin/prog is executed with a nice level of 5.
- C. /usr/bin/prog is executed with a priority of -5.
- D. /usr/bin/prog is executed with a priority of 5.

Correct Answer: B

QUESTION 14

Which of the following commands lists the dependencies of the RPM package file foo.rpm?



- A. rpm pR foo.rpm
- B. rpm ep foo
- C. rpm d foo.rpm
- D. rpm foo.rpm
- E. rpm D foo

Correct Answer: A

QUESTION 15

What can the Logical Volume Manager (LVM) be used for? (Choose THREE correct answers.)

- A. To create RAID 9 arrays.
- B. To dynamically change the size of logical volumes.
- C. To encrypt logical volumes.
- D. To create snapshots.
- E. To dynamically create or delete logical volumes.

Correct Answer: BDE

[101-500 Practice Test](#)

[101-500 Study Guide](#)

[101-500 Braindumps](#)