



102-400^{Q&As}

LPI Level 1 Exam 102, Junior Level Linux Certification, Part 2 of 2

Pass Lpi 102-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/102-400.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

In case neither cron.allow nor cron.deny exist in /etc/, which of the following is true?

- A. Without additional configuration, no users may have user specific crontabs.
- B. Without additional configuration, all users may have user specific crontabs.
- C. The cron daemon will refuse to start and report missing files in the system's logfile.
- D. When a user creates a user specific crontab the system administrator must approve it explicitly.

Correct Answer: A

QUESTION 2

With X11 forwarding in ssh, what environment variable is automatically set in the remote host shell that is not set when X11 forwarding is not enabled? (Specify only the environment variable without any additional commands or values.)

Correct Answer: DISPLAY, \$DISPLAY

QUESTION 3

Which file contains a set of services and hosts that will be allowed to connect to the server by going through a TCP Wrapper program such as tcpd? (Specify the full name of the file, including path.) <https://lh3.googleusercontent.com/-5cd-clmKnbk/AAAAAAAAAAI/AAAAAAAAADM/-XesH19Ido/s46-c-k-no/photo.jpg>

Correct Answer: /etc/hosts.allow

QUESTION 4

What is the difference between the commands test -e path and test -f path?

- A. They are equivalent options with the same behaviour.
- B. The -f option tests for a regular file. The -e option tests for an empty file.
- C. Both options check the existence of the path. The -f option also confirms that it is a regular file.
- D. The -f option tests for a regular file. The -e option tests for an executable file.

Correct Answer: C

**QUESTION 5**

What is the command to delete the default gateway from the system IP routing table? (Choose TWO correct answers.)

- A. route del default
- B. ifconfig unset default
- C. netstat -r default
- D. ip route del default
- E. sysctl ipv4.default_gw=0

Correct Answer: AD

QUESTION 6

When trying to unmount a device it is reported as being busy. Which of the following commands could be used to determine which process is causing this?

- A. debug
- B. lsof
- C. nessus
- D. strace
- E. traceroute

Correct Answer: B

QUESTION 7

Which of the following are commonly used Mail Transfer Agent (MTA) applications? (Choose THREE correct answers.)

- A. Postfix
- B. Procmal
- C. Sendmail
- D. Exim
- E. SMTPd

Correct Answer: ACD

QUESTION 8



Which command can be used to investigate the properties for a particular window in X by clicking that window? (Specify ONLY the command without any path or parameters.)

Correct Answer: `/usr/bin/xwininfo`, `xwininfo`

QUESTION 9

Which of the following find commands will print out a list of files owned by root and with the SUID bit set in /usr?

- A. `find /usr -uid 0 -perm +4000`
- B. `find -user root +mode +s /usr`
- C. `find -type suid -username root -d /usr`
- D. `find /usr -ls *s* -u root`
- E. `find /usr -suid -perm +4000`

Correct Answer: A

QUESTION 10

Which of the following crontab entries will execute `myscript` at 30 minutes past every hour on Sundays?

- A. `0 * * * 30 myscript`
- B. `30 * * * 6 myscript`
- C. `30 0 * * 0 myscript`
- D. `30 0-23 * * 0 myscript`
- E. `0 0-23 * * 30 myscript`

Correct Answer: D

QUESTION 11

Which of the following commands can remove a user from a group?

- A. `grouprm`
- B. `groupmod`
- C. `passwd`
- D. `usergroups`
- E. `usermod`



Correct Answer: E

QUESTION 12

Which of the following tools used for DNS debugging, reports not only the response from the name server but also details about the query?

- A. dnsq
- B. dig
- C. hostname
- D. dnslookup
- E. zoneinfo

Correct Answer: B

QUESTION 13

When the command `echo $` outputs 1, which of the following statements is true?

- A. It is the process ID of the echo command.
- B. It is the process ID of the current shell.
- C. It is the exit value of the command executed immediately before echo.
- D. It is the exit value of the echo command.

Correct Answer: C

QUESTION 14

The X11 configuration file `xorg.conf` is grouped into sections.

How is the content of the section `SectionName` associated with that section?

- A. It is placed in curly brackets as in `Section SectionName { ... }`.
- B. It is placed between a line containing `Section "SectionName"` and a line containing `EndSection`.
- C. It is placed between the tags and
- D. It is placed after the row `[SectionName]`.
- E. It is placed after an initial unindented `Section "SectionName"` and must be indented by exactly one tab character.

Correct Answer: B



QUESTION 15

What word is missing from the following SQL statement?

insert into tablename _____(909, \'text\');

(Please specify the missing word using lower-case letters only.)

Correct Answer: VALUES

[Latest 102-400 Dumps](#)

[102-400 Practice Test](#)

[102-400 Exam Questions](#)