·

Exam : 132-S-713.4

Title : Avaya Proactive Contact

Solutions Implementation

Exam (beta)

Version : DEMO

1. Which Avaya software is used to provide consolidated reporting with Avaya Proactive Contact 4.X and
other Avaya communication solutions?
A. CMS
B. WebLM
C. Avaya IQ
D. Analyst
Answer: C
2. Which Avaya CM circuit pack is necessary if the customer expects to do predictive dialing on Proactive
Contact with CTI?
A. TN744 Call classifier
B. TN2602 Media interface
C. TN799 C-LAN
D. TN464 DS1 Interface
Answer: A
3. Which Proactive Contact component allows clients residing off the dialer to obtain events and real-time
data from the dialer?
A. Event Service
B. STATSPUMP
C. Historical Data Service Component (HDSC)
D. Dialer Command and Control Service (DCCS)
Answer: A
4. Which two commands are used to configure the cti_passwd.cfg file for an Avaya Proactive Contact with
CTI with Agent Blending? (Choose two.)

- A. cti_passwd
- B. cti_passwd
- C. cti_passwd -b
- D. cti_passwd

Answer: CD

5. How does Proactive Contact move digitized messages from the CPU to the Large Port Voice Card

(LPVC)?

- A. Remote Copy (RCP)
- B. Network File System (NFS)
- C. File Transfer Protocol (FTP)
- D. Address Resolution Protocol (ARP)

Answer: B

- 6. Which parameter in master.cfg is required to ensure correct agent capacity on a Proactive Contact system?
- A. PORTS
- **B. LINEASSIGN**
- C. QUOTA
- D. MAXHIDSLOTS

Answer: D

7. You are working with a third-party to integrate a call recording utility with Proactive Contact. The technician for the third-party is not able to see events from Proactive Contact.

Which command would you type on the Proactive Contact command line to see all statistics from Event Services?

- A. enclient -S \$NS
- B. enclient -A
- C. enserver -a
- D. enserver -S \$NS

Answer: A

- 8. Under which two sections in Editor do you set up Record Specific Messaging? (Choose two.)
- A. Contact Management

B. Messages and Scripts
C. Jobs
D. Calling Lists
Answer: BD
9. You are configuring a Proactive Contact 4.X solution for your customer. They do not use the same
result codes that the dialer uses. They use a short four-character description.
Which Supervisor function should you use to ensure that your customer's host will understand the Avaya
completion codes?
A. translate
B. merge
C. fill
D. format
Answer: A
10. Where is the location of the local policy files on the Avaya Proactive Contact 4.X server?
A. /opt/avaya/pds/config
B. /opt/avaya/pds/openssl
C. /opt/avaya/pds/etc
D. /etc
Answer: B
11. A supervisor reports that the data in Internet Monitor is only updating every two minutes. The
supervisor requests the update time be changed to every 30 seconds.
Which configuration field in master.cfg must be changed?
A. IMONDISPLAY
B. SURFREFRESH
C. IMONREFRESH
D. AUTORELPOLLTIME
Answer: C

12. Which voicemsg.cfg setup is correct to use on an Avaya Proactive Contact with CTI?

A. 23:pf_msg1:41031:Female:Outbound:Voice:pf_msg1

B. 14:41039:mwait1:Male:Outbound:Voice:mwait1

C. 41017:19:infwait3:Female:Inbound:Voice:41017

D. 189:virt1m:Male:Virtual:Voice:41026

Answer: A

13. Where are greetings, such as the pre-recorded messages an agent hears when they log in or the messages played to a customer during a virtual job, stored in a Proactive Contact with CTI solution?

A. Avaya CM B.

AES Server

C. Proactive Contact CPU

D. Proactive Contact Digital Switch

Answer: A

14. Which Avaya software is used to communicate between Communication Manager and Avaya Proactive Contact with CTI?

A. Avaya CT

B. AES C.

CMS D.

MAPD

Answer: B

15. The local CA certificate for Avaya Proactive Contact 4.X agent is stored in which location?

A. password file

B. Microsoft Certificate Store

C. registry

D. My Documents

Answer: B

Instant Download	PDF And VCE	100% Passing Guarantee	100% Money Back Guarantee
16. Which configuratio	n file on the CPU co	ontains digital switch port addre	essing information?
A. locale.cfg			
B. opmon.cfg			
C. dgswitch.cfg			
D. phonefmt.cfg			
Answer: C			
17. Which parameter h	neading is correct to	use in the opmon.cfg file for A	vaya Proactive Contact with CTI?
A. DIALBACK			
B. DIALIN			
C. SOFTDIAL			
D. DEDHEAD			
Answer: C			
18. Which Proactive C	Contact 4.X hardwa	re component in a hard dialer	setup performs dialing functions
and call progress analy	ysis, plays message	es, and bridges agents to called	I parties?
A. UPS		-9	
B. CPU		9	
C. digital switch	0'0		
D. access server			
Answer: C	19.		
19. To track information	on being sent betw	veen the agent interface and t	he Avaya Proactive Contact 4.X
server, which file should	ld be accessed on t	he client side to verify what is h	nappening?
A. Moagent32.log			
B. Moagent32.dll			
C. PCagent32.log			
D. <agentname>.log</agentname>			
Answer: A			

20. Given the following command:

icall %12 %13 1 16144691010

Which function in swit is performed by this command?

- A. It tests incoming channel 12 by placing a call to 16144691010 using outpulse rule 13.
- B. It provides a monitoring channel 12 to listen to channel 13 for a call placed to 16144691010.
- C. It places an outbound ISDN call through channel 13 to 16144691010 using outpulse rule 12.
- D. It places an outbound ISDN call through channel 12 to 16144691010 using outpulse rule 13.

Answer: D

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.