



# 1D0-635<sup>Q&As</sup>

CIW JavaScript Specialist

**Pass CIW 1D0-635 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1d0-635.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Assuming the function is called, which script block will display Hello Joe in the document window after you enter the name Joe?

A. `function DisplayName(void){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}`

B. `function DisplayName(){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}`

C. `function DisplayName(void){var YourName = document.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}`

D. `function DisplayName(){var YourName = document.prompt("What is your name?","Please enter your name");document.write("Hello " + yourname);}`

Correct Answer: B

---

**QUESTION 2**

Which choice best defines events and event handlers?

A. An event can be an action initiated by the user, and an event handler specifies how JavaScript will react to the action.

B. An event is an action initiated by the operating system, and an event handler is a function defined by the user.

C. An event handler can be an action initiated by the user, and an event specifies how JavaScript will react to the action.

D. An event is initiated by an error in JavaScript, and an event handler will attempt to bypass the error and continue.

Correct Answer: A

---

**QUESTION 3**

Consider the following code:

```
var firstArray = ["John", "Paul", "George"]
var secondArray = firstArray;
secondArray[1] = "Ringo";
alert(firstArray);
```

What is the output when you run this script in the browser?

A. An alert box displaying the following: John, Paul, George, Ringo

B. An alert box displaying the following: Ringo, John, Paul, George



- C. An alert box displaying the following: Ringo, Paul, George
- D. An alert box displaying the following: John, Ringo, George

Correct Answer: D

---

#### QUESTION 4

Consider the following code:

```
<span id="myLink">  
CIW  
</span>
```

What does the following JavaScript function accomplish?

```
function ciwLink(){  
var myLink = document.getElementById('myLink');  
myLink.innerHTML = "<a href='http://www.CIWcertified.com'>" + myLink.innerHTML + "</a>";  
}
```

- A. Replaces the text CIW with the text <http://www.CIWcertified.com>
- B. Replaces the text CIW with a link that reads myLink and points to the URL [www.CIWcertified.com](http://www.CIWcertified.com)
- C. Converts the text CIW into a link that reads CIW and points to the URL [www.CIWcertified.com](http://www.CIWcertified.com)
- D. Returns true if the content of the is a link to [www.CIWcertified.com](http://www.CIWcertified.com), or returns false if the content of the is not a link to [www.CIWcertified.com](http://www.CIWcertified.com)

Correct Answer: C

---

#### QUESTION 5

Consider the following select list:

```
<select id="numlist">  
  <option value="first">One</option>  
  <option value="second">Two</option>  
  <option value="third">Three</option>  
  <option value="fourth">Four</option>  
</select>
```

Which of the following will select the third option in the list?

- A. `var list = document.getElementById("numlist");list.selected = 3;`
- B. `var list = document.getElementById("numlist");list.options[2].selectedIndex();`
- C. `var list = document.getElementById("numlist");list.options.selectedIndex = 2;`



D. `var list = document.getElementById("numlist");list[3].selected(true);`

Correct Answer: C

---

### QUESTION 6

Which of the following demonstrate the correct syntax for the switch statement?

A. `var myName= "Paul"switch (myName){case "Peter"document.write("My name is Peter."  
") breakcase "Paul"document.write("My name is Paul."  
")break: (default);document.write("I do not have a name."  
")}`

B. `var myName= "Paul"switch (myName){case "Peter"document.write("My name is Peter."  
") breakcase "Paul"document.write("My name is Paul."  
")break: (default);document.write("I do not have a name."  
")}`

C. `var myName= "Paul"switch (myName){case (Peter)document.write("My name is Peter."  
") breakcase (Paul)document.write("My name is Paul."  
")break;case: (default);document.write("I do not have a name."  
")}`

D. `var myName= "Paul"switch (myName){case (Peter)document.write("My name is Peter."  
") breakcase (Paul)document.write("My name is Paul."  
")break;case: (default);document.write("I do not have a name."  
")}`

Correct Answer: A

---

### QUESTION 7

Which script block will display Hello World in the browser when the script is run?

A. `var message = "Hello ";var message2 = "World";document.write (message + message2);`

B. `var message = "Hello ";var message2 = "World";document.write (message and message2);`

C. `var message = Hello ;var message2 = World ;document.write(message + message2);`

D. `var message = "Hello ";var message2 = "World";document.write ("message + message2 ");`

Correct Answer: A

---

### QUESTION 8

Consider only the following code:



```
<script type="text/javascript">
function mySum(num1, num2)
{
    ...(your selection here)
}
</script>
```

Which of the following would properly supply the sum of the two numbers?

- A. return sum;
- B. mySum (num1+num2);
- C. return num1+num2;
- D. return sum(num1+num2);

Correct Answer: C

---

#### QUESTION 9

Consider the following code using a checkbox object:

```
<html>
<head>
<title>Check Box Confirm</title>
<script type="text/javascript">
function confirmBox() {
    if (document.forms[0].checkThis.checked) {
        alert("The box is checked.");
    } else {
        alert("The box is not checked at the moment.");
    }
}
</script>
</head>
<body>
<form>
<input checked="checked" id="checkThis" z-index="1" type="checkbox" name="checkThis" />
<input type="button" value="Confirm Box" onclick="confirmBox()" />
</form>
</body>
</html>
```

Which checkbox property was used by JavaScript?

- A. checked
- B. onclick()
- C. checkThis
- D. z-index

Correct Answer: A

---



#### QUESTION 10

Which is the best technique to test a script for cross-browser compatibility?

- A. Use the W3C site's code validator to test the script.
- B. Test the script in various versions of the same browser.
- C. Test the script in various browsers, including various versions of the same browsers.
- D. Determine the most frequently used browser for your target audience and then test the script in that browser.

Correct Answer: C

[Latest 1D0-635 Dumps](#)

[1D0-635 PDF Dumps](#)

[1D0-635 VCE Dumps](#)