

Exam : 1T6-222

Title : Wireless LAN Analysis and Troubleshooting

Version : DEMO

www.Pass4itSure.com

1. ETSI BRAN is directly responsible for which wireless technology?

- A. Bluetooth
- B. HiperLAN2
- C. HomeRF SWAP
- D. WECA

Answer: B

2. IEEE 802.11b supports the following data packet rates:

- A. 1, 2, 5.5, and 11 Mbps
- B. 1, 2, 5, and 11 Mbps
- C. 1, 2.5, 5 and 11 Mbps
- D. 1, 2, 5 and 11.5 Mbps

Answer: A

3. Access Points do NOT do the following:

- A. Forward frames between wireless and/or wire-attached stations
- B. Buffer frames for stations out of range or in power save mode
- C. Route frames between different subnets
- D. Forward frames between wireless devices on the same subnet

Answer: C

4. An Extended Service Set configuration includes which of the following devices?

- A. Mobile units and multiple Access Points connected to wired LANs
- B. Mobile units with no Access Points
- C. Mobile devices and a single Access Point connected to a wired LAN
- D. Multi-homed mobile devices

Answer: A

5. Which three of the following devices support 802.11b WLAN software and hardware? (Select three that apply)

- A. Desktop PC
- B. Laptop PC
- C. Analog cellular telephone
- D. Personal Digital Assistant

Answer: ABD

6. What data transfer rates does IEEE 802.11a support?

- A. 1 and 2 Mbps
- B. 1, 2.5, 5 and 11 Mbps

- C. 6 to 54 Mbps
- D. 1, 2, 5 and 11.5 Mbps

Answer: C

7. Which Expert layer does NOT show wireless objects ?

- A. Application
- B. Session
- C. Connection
- D. Global

Answer: D

8. Which Monitor display shows the channel each device is using?

- A. Host Table > MAC tab
- B. Global Statistics > Channel Surfing tab
- C. Host Table > 802.11 tab
- D. Global Statistics > Utilization Dist. tab

Answer: C

9. Which Monitor display shows various counts and the BSSID on each channel?

- A. Global Statistics > Channel Surfing tab
- B. Matrix > Channel Surfing tab
- C. Dashboard > Channel Surfing tab
- D. Protocol Distribution > Channel surfing tab

Answer: A

10. Which Monitor application shows the minimum, maximum and current signal strength of each device?

- A. Matrix > MAC Detail
- B. Global Statistics > Channel Surfing tab
- C. Host Table > 802.11 tab
- D. Multiple History Samples

Answer: C

11. True or false? You must use both a wireless and Ethernet card to monitor and sniff a wireless network.

- A. True
- B. False

Answer: B

12. You can set wireless triggers using which three criteria? (Select three that apply)

- A. Enable Alarms, then choose various wireless frame types
- B. Choose a previously defined capture filter

- C. Enable Alarms, then choose the channel you wish to observe
- D. Enable channel surfing, then use a station address filter

Answer: ABD

13. What is the minimum RAM recommended for a Sniffer Portable with a wireless interface?

- A. 32 MB
- B. 64 MB C.
- 128 MB D.
- 256 MB

Answer: C

14. Which path is used to enable Sniffer Portable to capture on specific BSSID and ESSIDs?

- A. Capture > Options > 802.11 tab
- B. Capture > Define filter > 802.11 tab
- C. Tools > Options > 802.11 tab
- D. Capture > Tools > 802.11 tab

Answer: C

15. Sniffer Wireless shows full seven-layer decodes for all frames if you:

- A. Enter the correct WEP key before you open a trace file
- B. Entered the correct WEP key before the frames were captured
- C. Use Display > Display Setup > Summary Display > Decrypt all frames
- D. Use Display > Display Setup > Summary Display and enable 802.11 protocols

Answer: B

16. Which statement is correct about Sniffer Portables ability to work with WEP encrypted frames?

- A. Sniffer Portable cannot decode WEP encrypted data frames
- B. Sniffer Portable can decode entire encrypted frames if you have entered the correct WEP keys
- C. Sniffer Portable can decode only the DLC and network layer of encrypted frames if you have entered the correct WEP keys
- D. Sniffer Portable supports only 40-bit WEP encryption


Answer: B

17. Which PHY medium specifies Dwell Time?

- A. IRSS
- B. FHSS C.
- Infrared D.
- DSSS

Answer: B

18. View the exhibit of a Decode window view of a frame below.



What is the transmitted data rate for this frame?

- A. 1 Mbps
- B. 2 Mbps
- C. 5.5 Mbps
- D. 11 Mbps


Answer: D

19. Choose all that apply. Which techniques are used by moving devices to reserve air time?

- A. Virtual Carrier Sense
- B. Contention-Free
- C. Power Save
- D. RTS, CTS frames

Answer: AD

20. View the exhibit of a Decode window view of a frame below.



How is this frame being delivered?

- A. From the mobile unit to the Access Point
- B. From the Access Point to the mobile unit
- C. From the mobile unit to another mobile unit in ad hoc mode
- D. From a wired station to the Access Point

Answer: A

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.