



1Y0-253^{Q&As}

Implementing Citrix NetScaler 10.5 for App and Desktop Solutions

Pass Citrix 1Y0-253 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1Y0-253.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Scenario: A Citrix Administrator has configured access to a StoreFront store through the NetScaler Gateway:

`http:jjFQDNjCitrixjstoreweb`

When users attempt to access resources using the URL of the gateway, a 404 error is displayed. What could be causing the error?

- A. The URL is case-sensitive.
- B. The session policy is missing.
- C. The website needs to use HTTPS protocol.
- D. The IP address is needed instead of FQDN in the URL.

Correct Answer: A

QUESTION 2

While debugging the NetScaler Gateway authentication to Active Directory, a Citrix Administrator notices the IGroups Allowed To Login option is preventing intended users from accessing the site. Which NetScaler Gateway policy area should be reviewed?

- A. Auditing
- B. Session
- C. Authentication
- D. Preauthentication

Correct Answer: B

QUESTION 3

Which command can a Citrix Administrator use to see a specific auditing Syslog policy binding?

- A. show log
- B. show audit
- C. show syslog
- D. show attribute



Correct Answer: B

QUESTION 4

An administrator needs to prevent a single point of failure for the Secure Ticket Authority servers configured on NetScaler Gateway. Which method could the administrator use to accomplish this?

- A. Create a DNS round robin for the Secure Ticket Authority servers.
- B. Add Secure Ticket Authority servers individually to the virtual server.
- C. Create a virtual server to load balance the Secure Ticket Authority servers.
- D. Configure Windows Network Load Balancing for the Secure Ticket Authority servers.

Correct Answer: B

QUESTION 5

What is a valid command that a Citrix Administrator can run at the command-line interface to reconfigure the NetScaler IP address?

- A. set ns ip
- B. config ns
- C. add ns ip
- D. add ipset

Correct Answer: B

QUESTION 6

In which format should an administrator save the AppExpert Template files in order to import and upload to the NetScaler?

- A. XML
- B. ASP
- C. CSV
- D. HTML

Correct Answer: A



QUESTION 7

Which configuration option should an administrator select to pass users\\' credentials to a file share in a NetScaler Gateway environment?

- A. Local LAN-Access
- B. Single sign-on to a domain
- C. Single sign-on with Windows
- D. Single sign-on to Web applications

Correct Answer: C

QUESTION 8

While logged on to the NetScaler Configuration Utility, a Citrix Administrator notices that CPU utilization is higher than expected. What should the administrator configure to receive notification of this event in the future, when the administrator is NOT logged on?

- A. Auditing
- B. SNMP Trap
- C. SNMP view
- D. AppFlow Logging

Correct Answer: B

QUESTION 9

Which two default key formats of SSL certificates could be installed by the NetScaler system? (Choose two.)

- A. PFX
- B. P7B
- C. PEM
- D. DER

Correct Answer: CD



QUESTION 10

A Citrix Administrator needs to ensure that published applications are available to users through StoreFront. Which monitor type should the administrator use to ensure that services are available?

- A. HTTP
- B. HTTP-ECv
- C. STOREFRONT
- D. CITRIX-WEB-INTERFACE

Correct Answer: C

QUESTION 11

An administrator is planning a NetScaler Gateway implementation and must ensure that users are only allowed to access the company resources if a specific file is present on the endpoint device they connect from. Which component should the administrator include within the plan?

- A. An SSL Offload virtual server
- B. A double-hop NetScaler Gateway virtual server
- C. A Basic mode NetScaler Gateway virtual server
- D. A SmartAccess mode NetScaler Gateway virtual server

Correct Answer: D

QUESTION 12

Refer to the exhibit.



```
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/naaad.c[769]: process_kernel_socket call to authenticate
user : administrator, vsid :9621
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/naaad.c[2577]: start_cascade_auth starting cascade authentication
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_drv.c[106]: start_ldap_auth Starting LDAP auth
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_drv.c[129]: start_ldap_auth attempting to auth administrator @ 10.10.10.23
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_drv.c[131]: start_ldap_auth LDAP referrals are OFF
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_drv.c[132]: start_ldap_auth LDAP referral nesting depth 0
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_common.c[624]: continue_ldap_init Connecting to: 10.10.10.23:389
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_common.c[692]: ns_ldap_set_up_socket Server certificate hostname = NULL
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_common.c[733]: ns_ldap_set_up_socket Set cert verify level 0
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_common.c[781]: ns_ldap_set_up_socket Sectype: 1
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_drv.c[180]: receive_ldap_bind_event receive ldap bind event
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_common.c[351]: ns_ldap_check_result checking LDAP result. Expecting 97 (LDAP_RES_BIND)
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_common.c[396]: ns_ldap_check_result ldap_result found expected result LDAP_RES_BIND
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_common.c[316]: ns_show_ldap_err_string LDAP error string: <<80090308: LdapErr: DSID=0C090308, comment: AcceptSecurityContext error, data 52e, vldb1>>
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_common.c[396]: ns_ldap_check_result LDAP action failed (error 49): Invalid credentials
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/ldap_drv.c[206]: receive_ldap_bind_event Got LDAP error.
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/naaad.c[2146]: send_reject_with_code Rejecting with error code 4001
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/naaad.c[2173]: send_reject_with_code Not trying cascade again
Sun Sep 21 22:27:22 2014
/usr/home/build/rs_105_50_9/usr.src/netScaler/aaad/naaad.c[2175]: send_reject_with_code sending reject to kernel for : administrator
```



Scenario: A Citrix Administrator has implemented a remote access solution using NetScaler. The NetScaler is configured to validate user credentials connecting to Active Directory. A user cannot log into a StoreFront store from the Internet

with their domain credentials. The administrator reviews the events listed in NetScaler..

Click the exhibit button to view the log.

What is the cause of the issue?

The user entered an incorrect password.

- A. The user does NOT belong to the domain administrator group.
- B. The Authentication profile on the NetScaler Gateway is incorrect.
- C. The user does NOT have permission to access the requested resource.

Correct Answer: C

QUESTION 13

An administrator could generate a trace file using the and the . (Choose the two correct options to complete the sentence.)

- A. Instrace.shl command at the NetScaler shell
- B. Diagnostics option in the Configuration Utility GUI
- C. Istart nstracel command at the command-line interface



D. Instcpdump.shl command at the command-line interface

Correct Answer: BC

QUESTION 14

Which two methods should be used for generating a configuration data and statistics report for evaluation by Citrix? (Choose two.)

- A. Run Ishow callhome1 using the command-line interface.
- B. Run Ishow techsupport1 using the command-line interface.
- C. Click the Call Home link under the Technical Support Tools section in the NetScaler Configuration Utility.
- D. Click the Download trace files link under the Technical Support Tools section in the NetScaler Configuration Utility.
- E. Click the Generate support file link under the Technical Support Tools section in the NetScaler Configuration Utility.

Correct Answer: BE

QUESTION 15

Scenario: An administrator implemented RADIUS with NetScaler Gateway as a two-factor authentication solution for a XenDesktop implementation. A planned outage is scheduled in wake of a software upgrade on the RADIUS infrastructure.

During the outage, the administrator needs to disable the two-factor authentication on NetScaler Gateway to enable users\\' continued access to published applications.

Which action could the administrator take to meet the needs of the scenario without affecting the connected users?

- A. Delete the RADIUS authentication policy.
- B. Set the RADIUS policy to be secondary authentication.
- C. Disable authentication on the NetScaler Gateway virtual server.
- D. Unbind the RADIUS authentication policy from the NetScaler Gateway virtual server.

Correct Answer: D

QUESTION 16

Which two pieces of information are needed to create the Authentication Policy for RADIUS? (Choose two.)



- A. Base DN
- B. Secret Key
- C. SSLCertificate
- D. RADIUS User Group name
- E. IP address of the RADIUS server

Correct Answer: BE

QUESTION 17

In which directory can a Citrix Administrator locate the SSL certificates, certificate keys and root CA files?

- A. jvarjnslog
- B. jvarjns gui
- C. jnsconfigjssl
- D. jvarjnetscaler

Correct Answer: C

QUESTION 18

Scenario: A Citrix Administrator has configured Outlook Web Access by means of a Citrix NetScaler AAA virtual server. Users complain that they need to re-authenticate after 30 minutes of inactivity. Users work all day from Outlook Web Access. Which configuration change should an administrator make to ensure the session is available the entire workday?

- A. Session time-out in 480 (minutes).
- B. Enable Persistent Cookie validity in 480 (minutes).
- C. Set Client Idle Time-out to 10800 (seconds) on the Outlook Web Access virtual server.
- D. Set Client Idle Time-out to 10800 (seconds) on the Outlook Web Access Service (group).

Correct Answer: B

QUESTION 19

Scenario: An administrator configured link load balancing to balance outbound traffic between two Internet Service Providers. When testing the configuration, the administrator notices NetScaler is unable to connect to any external addresses. Which mode should the administrator verify is enabled?



- A. Layer 3
- B. Layer 2
- C. Use Subnet IP
- D. Use Source IP

Correct Answer: C

QUESTION 20

A Citrix Administrator needs to validate the session policies that are put in place to differentiate mobile devices from PCs. Which command, when run from a shell, will allow real time reading of the logs for this specific purpose?

- A. nsconmsg -d current -g pol hits
- B. nsconmsg -K jvarjnslogjnewslog -d
- C. nsconmsg -d current | grep -i rewrite
- D. nsconmsg -d current | grep -i responder

Correct Answer: A

QUESTION 21

Scenario: Multiple virtual servers are configured in a NetScaler Gateway implementation. Corporate policy requires that an administrator restrict the number of users who can log on through each virtual server. What could the administrator specify to meet the needs of this scenario?

- A. Max Users in a session policy
- B. Max Users on the virtual server
- C. Max Connections on the virtual server
- D. Allowed users to logon in the Access Gateway Global Settings

Correct Answer: B

QUESTION 22

An administrator needs to allow remote users to access their locally-installed corporate applications over a secure connection.



In order to meet this requirement, the administrator could configure on the NetScaler. (Choose the correct option to complete the sentence.)

- A. SSL vPN
- B. ICA Proxy
- C. SSL Offload
- D. Clientless Access

Correct Answer: A

QUESTION 23

Which two things occur after adding a Subnet IP (SNIP) to a NetScaler which already has a Mapped IP (MIP)? (Choose two.)

- A. The NetScaler IP (NSIP) is no longer required.
- B. A SNIP will be used in preference to a MIP.
- C. Adding a SNIP adds an entry to the routing table.
- D. Client machines can use the MIP instead of the virtual IP (vIP).

Correct Answer: BC

QUESTION 24

Which two commands, when run at the command-line interface by a Citrix Administrator, can display interfaces configured for high availability monitoring? (Choose two.)

- A. show node
- B. show status
- C. show monitor
- D. showinterface
- E. show hardware

Correct Answer: AD

**QUESTION 25**

An administrator plans to use only Citrix Receiver for XenDesktop remote access through a NetScaler Gateway device. Which type of policy should the administrator configure to meet this requirement?

- A. Session
- B. Authentication
- C. Clientless access
- D. Pre-authentication

Correct Answer: A

QUESTION 26

Which tool can be used by a Citrix Administrator, when using the NetScaler Configuration Utility, to collect troubleshooting information to provide to Citrix Technical Support?

- A. Get Back Trace
- B. Download core files
- C. Download trace files
- D. Generate support file

Correct Answer: B

QUESTION 27

Scenario: NetScaler is used to load balance Microsoft SharePoint for internal users. An administrator needs to configure the NetScaler device to allow for external access to the SharePoint site. Which action could the administrator take to meet the requirements of the scenario?

- A. Bind the SharePoint certificate to the virtual server.
- B. Add the Microsoft SharePoint server to a Web Interface site.
- C. Configure an Authentication, Auditing and Authorization server.
- D. Enable '\\ICA proxy only\\' on the NetScaler Gateway virtual server.

Correct Answer: C

QUESTION 28

A Citrix Administrator receives information that users are having difficulty logging into the NetScaler Gateway Portal,



where they access published resources, applications and desktops. What should the administrator configure on the NetScaler to view these events and identify the cause?

- A. Syslog
- B. ns.conf
- C. AppFlow
- D. nsconmsg

Correct Answer: A

QUESTION 29

Which command-line interface command could an administrator use to display communication between the LDAP server and the NetScaler system?

- A. cat jetcjkrb5.conf
- B. cat jetcjkrb5.keytab
- C. cat jtmpjaaad.debug
- D. cat jvarjlogjaaad.debug
- E. tail -f jvarjlogjaaad.debug

Correct Answer: C

QUESTION 30

A Citrix Administrator needs to track load balanced traffic from the NetScaler to separate, individual subnets. Which IP address should be used to do this?

- A. virtual IP (vIP)
- B. Mapped IP (MIP)
- C. NetScaler IP (NSIP)
- D. Subnet IP (SNIP)

Correct Answer: D



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.