



# 1D0-735<sup>Q&As</sup>

CIW JavaScript Specialist

## Pass CIW 1D0-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1d0-735.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Consider this source code:

```
<input type="checkbox" value="mayonnaise" id="condiments1">
<input type="checkbox" value="mustard" id="condiments2">
<input type="checkbox" value="ketchup" id="condiments3">
```

Giam needs to write a script to access the first element in the source code. What code should he use?

- A. `var first = document .getElementById("condiments1") [1];`
- B. `var first = document .getElementById("input");`
- C. `var first = document .getElementById("condiments") [0];`
- D. `var first = document .getElementByTagName ("input") [1]`

Correct Answer: C

---

**QUESTION 2**

Which of the following is a benefit of using a predefined library, such as JQuery?

- A. Predefined libraries provide improved Web page load times.
- B. Predefined libraries always provide step-by-step instructions on how to manually enter code to perform a specific task.
- C. Predefined libraries provide thoroughly tested code that reduces the amount of time it takes to enter and debug code .
- D. Predefined libraries provide proprietary code that works well in multiple platforms and coding environments.

Correct Answer: B

---

**QUESTION 3**

Which of the following is an advantage of using the Virtual DOM?

- A. Rendering the virtual DOM is faster than rendering the regular browser DOM.
- B. The virtual DOM updates each element when the layout of the DOM changes, meaning that the page always reflects the most current data from the server
- C. The Virtual DOM is not just a view layer, but also makes changes directly to the Web page
- D. You can learn virtual DOM concepts and React libraries quickly because the libraries are simple and concise



Correct Answer: C

---

#### QUESTION 4

Considering the following code:

```
Var 1 ;
```

```
For (I = 1; I
```

What part of the code fragment initializes the counter variable?

A. i++

B. i

C. i = 1;

D. Var 1;

Correct Answer: C

---

#### QUESTION 5

Which choice demonstrates the correct syntax for declaring a variable to represent the month in which a person was born?

A. Var -birthMonth

B. Var birthMonth

C. Var ?birthMonth

D. Var %birthMonth

Correct Answer: C

---

#### QUESTION 6

The same origin policy was introduced at the same time as HTML5 to limit location changes in browser windows that are using frames. Given this policy which of the following would be a valid new location of a frame on the Web site [http // www.CIWCertified corn](http://www.CIWCertified.com)?



- ☐ A. `http://intranet.CIWCertified.com/newpage.html`
- ☐ B. `http://www.CIWCertified.com/newpage.html`
- ☐ C. `https://www.CIWCertified.com/newpage.html`
- ☐ D. `http://CIWCertified.com/newpage.html`

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

---

#### QUESTION 7

Loni needs to create a scriptable button in her Web form that does not submit the form but instead, calls a custom function. What HTML code should she use?

- ☐ A. `<form method="function" action="generateCAPTCHA()">`
- ☐ B. `<input type="submit" value="Refresh" onclick="generateCAPTCHA()" />`
- ☐ C. `<input type="hidden" value="Refresh" onclick="generateCAPTCHA()" />`
- ☐ D. `<button value="Refresh" onclick="generateCAPTCHA()"></button>`

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

---

#### QUESTION 8

Which of the following statements is an advantage of using JavaScript on the server-side?

A. Server-side validation conserves more bandwidth than client-side validation

B. Server-side JavaScript runs the script on the server, thus eliminating compatibility problems with client-side browsers



- C. Server-side JavaScript requires less processing power on the server level than client-side JavaScript
- D. Server-side JavaScript results in a higher level of end-user satisfaction

Correct Answer: A

---

### QUESTION 9

Consider the following code:

```
1  <script type="text/javascript">
2  function supportTicket(date, name, email, item, description){
3      this.date = date;
4      this.name = name;
5      this.email = email;
6      this.item = item;
7      this.description = description; }
8  var ticket1 = new supportTicket("2017-06-05", "Ryan Nuen", "ryan.nuen@ciwcertified.com", "GTQ6741", "The computer
will not connect to the Internet.");
9  supportTicket.prototype.resolved = false;
10 var ticket2 = new supportTicket("2017-06-06", "Eliza Cruke", "eliza.cruke@ciwcertified.com", "GTQ3561", "I need
the network printer in office 203 installed on my computer.");
11 </script>
```

What does line 9 do?

- A. Nothing it must be written as supportTicket.prototype.resolve = resolve ; to add the properly resolved to the custom supportTicket object
- B. it adds the property resolved to the original instantiated custom supportTicket object ticket1.
- C. it adds the property resolved to the newly instantiated custom supportTicket object ticket1.
- D. it adds the property resolved to all instances instantiated custom supportTicket object ticket1 and ticket2.

Correct Answer: B

---

### QUESTION 10

Kirken needs to write a script to construct custom objects that store user account information such as a username, password and e-mail address for a Web site. What should he add to the following code to set these properties?



```
function accountObj(username, password, emailAddress){  
  /* code goes here */  
}
```

- ☐ A. 

```
objUsername = this.username;  
objPassword = this.password;  
objEmailAddress = this.emailAddress;
```
- ☐ B. 

```
username = objUsername;  
password = objPassword;  
emailAddress = objEmailAddress;
```
- ☐ C. 

```
objUsername = username;  
objPassword = password;  
objEmailAddress = emailAddress;
```
- ☐ D. 

```
this.objUsername = username;  
this.objPassword = password;  
this.objEmailAddress = emailAddress;
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

[1D0-735 Practice Test](#)

[1D0-735 Study Guide](#)

[1D0-735 Exam Questions](#)