

1Y0-371^{Q&As}

Designing, Deploying and Managing Citrix XenMobile 10 Enterprise Solutions

Pass Citrix 1Y0-371 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1y0-371.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

A Citrix Engineer must determine the placement of a XenMobile Device Manager server within a XenMobile deployment that consists of NetScaler.

Which two placement options are possible? (Choose two.)

- A. DMZ using Caching on the NetScaler
- B. DMZ using SSL Bridge on the NetScaler
- C. LAN using SSL Offloading on the NetScaler
- D. LAN using Clientless VPN on the NetScaler

Correct Answer: BC

QUESTION 2

Scenario: Microsoft CA certificate-based authentication is the sole authentication method being used for Mobile Application Management (MAM). A certificate administrator revokes a user\\'s client certificate. After doing so, the user can still access applications in the Worx Store.

What could a Citrix Engineer do to make sure that the user will no longer be able to access the Worx Store when their certificate is revoked?

- A. Terminate the user\\'s active sessions on the NetScaler Gateway.
- B. Configure the certificate revocation list on the NetScaler.
- C. Set two-factor authentication on the XenMobile Server.
- D. Configure the certificate revocation list on the XenMobile Server.

Correct Answer: B

QUESTION 3

Scenario: According to corporate policy, corporate data should be removed if a device is jailbroken or rooted and the device should NOT be allowed to re-enroll. A Citrix Engineer is asked to implement the action based on mobile device status to facilitate the company\\'s security compliance.

Which action should the engineer take to meet the requirements of the scenario?

A. Revoke the device.

- B. Perform a selective wipe of the device.
- C. Perform a full wipe of the device.
- D. Mark the device as out of compliance.



Correct Answer: A

QUESTION 4

Scenario: A Citrix Engineer is configuring the NetScaler appliance for SSL offloading. The XenMobile

Server is named xms.domain.com.

The following is a list of the certificates installed on the NetScaler:

- *.domain.com wildcard server certificate
- -cacerts.pem devices certificate
- -xms.domain.com server certificate for the XenMobile Server
- -dc-1-CA.cer Root certificate for *.domain.com

The engineer needs to configure an SSL Load Balancing virtual server for HTTPS 443 bound with ______ and the XenMobile Server service to use ______. (Choose the correct set of options to complete the sentence.)

- A. *.domain.com and dc-1-CA.cer; HTTP 80
- B. *.domain.com and cacerts.pem; HTTPS 443 bound with xms.domain.com
- C. *.domain.com and cacerts.pem; HTTP 80
- D. *.domain.com and dc-1-CA.cer; HTTPS 443 bound with xms.domain.com

Correct Answer: C

QUESTION 5

What must remain consistent between an old and new certificate when renewing an Apple Push Notification service (APNs) certificate?

- A. Apple ID
- B. Private key password
- C. Certificate request server
- D. Certificate common name

Correct Answer: A

QUESTION 6

What would cause a subset of Android users in the same security group to NOT be provisioned to ShareFile?

A. Users have NOT logged on to Worx Home.

- B. Users have NOT launched the ShareFile application.
- C. The administrator has NOT provisioned the user from the User Management Tool.
- D. The administrator has NOT enabled the user provisioning setting within the ShareFile settings.

Correct Answer: B

QUESTION 7

How could a Citrix Engineer deploy a common application set to all corporate-managed iOS and Android devices?

- A. Assign users to a custom role.
- B. Assign required applications to the AllUsers Delivery Group.
- C. Assign a deployment rule to users.
- D. Assign an App Access policy to the AllUsers Delivery Group.

Correct Answer: B

QUESTION 8

What should a Citrix Engineer configure in order to ensure Apple Push Notification service (APNs) works with outbound proxy communications?

A. Enable outbound proxy communication for APNs communication through the XenMobile Web console.

B. Enable outbound proxy communication for APNs communication through the XenMobile Server command-line interface.

C. Enable then deploy the XenMobile proxy policy to user devices.

D. Enable outbound XenMobile proxy communication on the NetScaler.

Correct Answer: B

QUESTION 9

Scenario: A company with 20,000 enrolled users recently acquired another company with 7,000 users. All new users also will need access to mobile MDX apps. Each server\\'s specifications include four vCPUs and 16 GB of RAM.

What is the minimum amount of XenMobile cluster nodes required to support this environment?

A. One

B. Two

C. Three



D. Four

Correct Answer: C

QUESTION 10

Scenario: A Citrix Engineer needs to create a ShareFile mobile application default security policy that includes the following requirements:

-PIN to access ShareFile content

-Set files to automatically be removed after 30 days

-Allow external applications to open downloaded files outside of the ShareFile application

-

Enable offline access to files

The engineer has NOT integrated ShareFile with the App Controller.

Which device security mode should the engineer set as the default security setting?

Α.

Offline

В.

Secure

C.

Custom

D.

Standard

Correct Answer: C

QUESTION 11

What would cause a subset of iOS users in the same security group to NOT be provisioned to ShareFile?

A. Users have NOT logged on to Worx Home.

- B. Users have NOT launched the ShareFile app.
- C. The administrator has NOT provisioned the user from the User Management Tool.
- D. The administrator has NOT enabled the user provisioning setting within the ShareFile settings.



Correct Answer: A

QUESTION 12

Scenario: A Citrix Engineer is getting ready to deploy a XenMobile pilot environment to several users in the Sales department. The engineer assigned to the project has provided some users with logon instructions and a URL for the NetScaler Gateway. The engineer has configured LDAP for SSO with SAMAccountName. Several users are reporting that they are unable to log on.

Which file could the engineer check on the NetScaler to help troubleshoot the issue?

A. aaad.debug

B. ns.log

C. auth.log

D. newnslog

Correct Answer: A

QUESTION 13

A Citrix Engineer deployed XenMobile Mail Manager in a Proof of Concept (POC) environment; however, the connection test fails.

What are two possible causes for this connection test failure? (Choose two.)

- A. There are no ActiveSync devices in the environment.
- B. The service account used lacks the correct permissions.
- C. The limit on maximum number of supported ActiveSync devices has been reached.
- D. The environment has unsupported ActiveSync devices.

Correct Answer: AB

QUESTION 14

Which two components are required in order for a Citrix Engineer to use the MDX Toolkit to wrap Android applications for production use? (Choose two.)

- A. Command-line tools
- B. Enterprise certificate from Symantec
- C. Android Developer Tools and Android SDK
- D. Android Just-in-Time Compiler



E. A keystore certificate

Correct Answer: CE

QUESTION 15

A Citrix Engineer downloaded the incorrect version of Worx Home on an Android device and is attempting to uninstall Worx Home, but attempts to uninstall have NOT been successful.

What should the engineer do to successfully uninstall Worx Home?

- A. Restart the device.
- B. Deactivate Worx Home as an administrator on the device.
- C. Unenroll the device.
- D. Remove all MDX applications from the device.

Correct Answer: C

1Y0-371 PDF Dumps

1Y0-371 VCE Dumps

1Y0-371 Braindumps