



1Z0-1042-22^{Q&As}

Oracle Cloud Platform Application Integration 2022 Professional

Pass Oracle 1Z0-1042-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1042-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

With regard to OIC Lookups, which two are valid statements?

- A. You cannot clone an existing lookup if it is being currently referenced in one or more active OIC integrations
- B. A custom OIC XPATH function must be used to retrieve data from a look up in the Data Mapper.
- C. Lookupvalues are retrieved from a backend database at runtime
- D. Lookup values must include two or more domains associated with corresponding Saas applications
- E. Changes that are made to Lookups referenced in active integrations will take effect immediately without reactivating those integrations

Correct Answer: DE

QUESTION 2

You are tasked with provisioning a Managed File Transfer(MFT) Cloud Service on Oracle Cloud Infrastructure (OCI). Which statement is valid concerning MFT provisioning?

- A. Defining virtual machines(compute nodes) for the weblogic cluster if no longer needed
- B. You must include the B2B cluster configuration since the MFT service runs with B2B document
- C. Because MFT requires an Oracle ATP database, the databse instance must be provisioned in OIC
- D. MFT requires creating an Oracle SOA Cloud Service instance and choosing "MFT cluster" as service type.

Correct Answer: D

Explanation: <https://docs.oracle.com/cloud-machine/latest/managed-file-transfer-cloud/MFTCS/GUID-6C8673D8-C3DD-4B6C-8447-F727FD33E0B4.htm#MFTCS-GUID-6C8673D8-C3DD-4B6C-8447-F727FD33E0B4>

QUESTION 3

Which type of certificate requires the uploading of a keystore(.jks) file in Oracle Integation Cloud to facilitate two-way SSL communication with external services?

- A. Identity Certificate
- B. MessageProtection Certificate
- C. Multi Domain Certificate
- D. Trust Certificate



E. Unified Communication Certificate

Correct Answer: A

QUESTION 4

Which three statements are true about SOAP and advantages it provides?

- A. RPC (Remote procedure calls) are sometimes blocked by firewalls and proxy servers - SOAP overcomes that.
- B. It is able to act like a cleaning agent to remove excess data from the transmission protocol
- C. Since its XML based, it is platform and programming language independent
- D. It stands for Simple Object Application Protocol
- E. It uses XML based content to communicate between two client machines across any modem network.

Correct Answer: ACD

QUESTION 5

One of your downstream applications is becoming overwhelmed with too many individual synchronous invocations from you current Oracle Integration Cloud (OIC) integration. It has been recommended that you redesign the integration to take advantage of the catch processing capabilities of the application. Which is the MOST appropriate approach for implementing this OIC design best practice?

- A. Create custom batch call function, register the function as a Library in your OIC environment, then use JavaScript action to invoke the application
- B. Reactive the integration and use the disable tracing and message tracking option which will optimize performance for each invocation to the application
- C. Use the Append option in the Write File operation of the Stage File action within a loop to create a single batch to be send to the application
- D. Throttle the individual synchronous calls by adding a Wait activity prior to each invocation to the application within the loop

Correct Answer: C

QUESTION 6

You receive an exception message: "java.security.cert.CertPathValidatorException: Path does not chain with any of the trust anchors. What needs to be verified when this exception message is received?

- A. Run this command to verify code.keystore has system certificates: `keytool -list -stotetype JKS -keystore config\code.keystore`
- B. Run this command to verify code.truststore has system certificates: `keytool -list -storetype JKS -keystore config\code.truststore`



C. Run this command to verify cacerts has system certificates: keytool -list -storetype JKS -keystore security\cacerts

D. Run this command to verify code.certstore has system certificates: keytool -list -storetype JKS -keystore config\code.certstore

Correct Answer: A

QUESTION 7

Which two are device activities that can be monitored from Oracle Internet of Things (IoT) Cloud Service?

A. Device Login Activities

B. Alert Messages

C. Application Data

D. Warning Messages

E. Device Data Messages

Correct Answer: BD

Explanation: <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet-things-cloud-service.pdf>

QUESTION 8

What are the three main capabilities of Oracle Integration Cloud (OIC)?

A. Application integration

B. API management

C. Business process automation

D. Internet of Things (IoT) application development

E. Web and mobile application development

F. Digital assistant application development

G. Blockchain application development

Correct Answer: ACE

QUESTION 9

Which two statements are true about "Decision Snapshots"?



- A. These snapshots, once activated, cannot be used independently in multiple applications.
- B. You cannot delete the decision model snapshot that has already been activated.
- C. Decision snapshots are read-only copies of a decision model.
- D. Decision model can be activated on DMN server.

Correct Answer: BC

Explanation: <https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/manage-decision-model-snapshots.html>

QUESTION 10

Which operation is NOT supported by an OIC connection resource configured with the FTP Adapter in the Invoke role?

- A. Write file
- B. Read file
- C. Delete file
- D. Read File in segments
- E. Downloadfile
- F. List Files

Correct Answer: D

QUESTION 11

Oracle SOA Cloud Service (SOA CS) includes a number of built-in adapters to include all of the technology adapters delivered with SOA Suite.

When using one of these technology adapters in a composite application deployed in SOA CS, which two are valid approaches for facilitating connectivity to on-premises applications and systems?

- A. WLST script
- B. VPN service
- C. PL/SQL procedure
- D. SSH tunnel
- E. SOA on-premises connectivity agent

Correct Answer: BD

Explanation: Oracle SOA Cloud Service includes a number of adapters. All of the technology adapters delivered with SOA Suite are available for Oracle SOA Cloud Service, Service Bus, and SOA Suite domain types. Connectivity to on-



premises applications should be verified, and either SSH tunnels or VPN service should be used for connectivity to on-premises applications.

<https://docs.oracle.com/en/cloud/paas/soa-cloud/csbc/adapters-oracle-soa-cloud-service.html>

QUESTION 12

As a Process Cloud developer, you have been tasked with integrating Oracle Content and Experience Cloud with a process application. Since this is a document-centric process that will involve collaboration with process participants, it has been determined that the document and conversation functionality should be used.

Which task is NOT required?

- A. You will need to create a new process application since conversation functionality cannot be enabled for pre-existing applications.
- B. You must manually enable the document and conversation features for your process application.
- C. You will need to have the administrator configure the connection between Oracle Process Cloud and Oracle Content and Experience Cloud since developers do not have those permissions.
- D. You will need to assign conversation viewers to either an Oracle Content and Experience user role or Oracle Documents Cloud Service user role.

Correct Answer: A

QUESTION 13

Which feature flag lifecycle stage includes OIC features that you can request from Oracle to be disabled within your OIC instance environment?

- A. Internal Only
- B. General Availability
- C. Feature Controlled
- D. Feature Controlled General Availability

Correct Answer: C

QUESTION 14

What Expression Language does Decision Modeling and Notation (DMN) use?

- A. RegEx
- B. Groovy
- C. Friendly Enough Expression Language (FEEL)



D. Process Expression Language (PEL)

Correct Answer: C

Explanation: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/understanding-feel-friendly-enough-expression-language.html>

Decision Modeling and Notation (DMN) defines Friendly Enough Expression Language (FEEL) to provide standard executable semantics to all expressions used within a decision model.

In Process, you use FEEL to define expressions within all notations of decision logic, including decision tables.

QUESTION 15

When a connection is in edit mode and the browser crashes, the connection becomes locked, which then prevents it from being edited. Which two users can unlock the connection?

- A. a user with the Designer Role
- B. the same user who has edited the connection
- C. any user
- D. a user with the Administrator Role

Correct Answer: BD

Explanation: <https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-connections.html#GUID-085410CC-9BBE-4F4C-BEB7-8EDD1A9C7A1A>

Unlocking a Connection

When a connection is in edit mode and the browser crashes, the connection becomes locked, which prevents it from being edited.

To unlock the connection:

1. Log in again as the same user who was editing the connection when the browser crashed, then log out.

For example, if you were logged in as `icsdeveloper` when the browser crashed, log in again as `icsdeveloper`, and log out. This action unlocks the connection.

or

- 1.

Log in as a user with the Administrators role.

- 2.

On the Oracle Integration Cloud Service home page, click the Connections diagram.

- 3.

For the connection that is locked, click the menu at the far right, then select Unlock.



[1Z0-1042-22 PDF Dumps](#)

[1Z0-1042-22 Exam
Questions](#)

[1Z0-1042-22 Braindumps](#)