



# 1Z0-1042-22<sup>Q&As</sup>

Oracle Cloud Platform Application Integration 2022 Professional

## Pass Oracle 1Z0-1042-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1042-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What are the three threshold values for Database space?

- A. Quiesced Mode Threshold
- B. Un-Quiesce Threshold
- C. Warning Threshold
- D. Error Threshold

Correct Answer: ABC

Reference: <https://docs.oracle.com/en/cloud/paas/integration-cloud/integrations-user/purging-and-retaining-data-database-oic.html>

---

### QUESTION 2

What is the default value for Command Notification Timeout?

- A. 5 seconds
- B. 2 seconds
- C. 10 seconds
- D. 1 second

Correct Answer: A

Explanation: <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-command-notification-timeout-value.html>

---

### QUESTION 3

Which three are scenarios where Managed File Transfer (MFT) is a valid approach?

- A. Oracle MFT can be used in conjunction with Oracle Integration Cloud (OIC) to push files for processing by OIC.
- B. Many SaaS applications still use files as a means for sharing data, so MFT capabilities are still very important.
- C. File adapters remove the need to ever have to use MFT.
- D. In integration scenarios where it is important to use either compression and/or encryption in the transfer process.
- E. File Transfer is an old, outdated method of sharing information and should not be used.

Correct Answer: ABD

---



#### QUESTION 4

What are the four steps required to complete the task '\\create a connection\\'?

- A. Configure Connection Properties
- B. Import SSL Certificate
- C. Test Connection
- D. Select an Adapter
- E. Configure Lookup
- F. Configure Connection Security

Correct Answer: ACDF

Reference: <https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-connections.html#GUID-10DBB72D-F6F9-4851-B2BA-9E593CF65F2E>

---

#### QUESTION 5

Which two are On-prem Connectivity Options with Oracle Integration Cloud (OIC)?

- A. VPN
- B. Connectivity Agent
- C. PaaS Agent
- D. Execution Agent

Correct Answer: BC

Explanation: <https://blogs.oracle.com/soaproactive/announcing-oracle-integration-cloud- oic>

---

#### QUESTION 6

Which two statements are true about rules in a decision table?

- A. Every rule consists of one or more input entries and a corresponding output entry.
- B. A decision table can contain only one rule.
- C. Rules are expressed as columns within a decision table.
- D. When the input data matches the input entries of a rule, the result of the decision table contains the output entry of the rule.

Correct Answer: BD

---



### QUESTION 7

What are two possible reasons for a Gateway not getting started?

- A. The IoT Service may be down.
- B. The provisioning file may contain correct Activation ID and Activation Secret.
- C. There is an invalid certificate.
- D. The provisioning file may contain incorrect Activation ID and incorrect Activation Secret.

Correct Answer: AD

---

### QUESTION 8

You are tasked with monitoring the SOA composite application and the underlying environment with in a SOA Cloud Service instance.

- A. Manage File Transfer Console
- B. Weblogic Server Console
- C. Fusion MiddlewareControl
- D. Oracle Service Bus Console
- E. B2B Console
- F. Load Balancer Console

Correct Answer: C

Explanation: <https://docs.oracle.com/cloud/latest/soa121300/SOAAG/GUID-66597D45-E262-4D19-A64C-DA54AD633C98.htm#SOAAG97797>

---

### QUESTION 9

Your organization maintains two SOA Cloud Service instances used separately for testing and production.

What is the best method for setting the property values and endpoint addresses that may be unique to each environment while deploying the same SOA composite application to both instances?

- A. Update any required values for changed properties or endpoint addresses in the Fusion Middleware Control web application immediately following the deployment of the SOA archive.
- B. Edit the application's configuration plan to dynamically retrieve values for properties and endpoint addresses from the environment upon deployment.
- C. Define specific properties and endpoint addresses within the deployment descriptors contained within each of two versioned SOA archives.
- D. Create two configuration plans that contain the environment-specific values for properties and endpoint addresses.



Correct Answer: D

---

#### QUESTION 10

Which statement is valid regarding Connection components in OIC Service?

- A. All Connection components must be associated with an adapter type regardless of role configuration.
- B. Each Connection component associated with a SaaS adapter type will also require a Lookup Component configuration.
- C. Connection components can be configured with either a Trigger role or Invoke role, but not both.
- D. All connection component configurations require the association of an active OIC Connectivity agent group.

Correct Answer: A

---

#### QUESTION 11

What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web services across the organization?

- A. Security is controlled by the developer of the service and this gives greater control to the development of the service.
- B. OAuth services are used for REST based services.
- C. OWSM provide a framework that is externalized and declarative outside of the web service implementation.
- D. Developers no longer need to understand security specifications and security implementation details.

Correct Answer: CD

Explanation: <https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC110>

Reference: <https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC4166>

---

#### QUESTION 12

Which two are ways the Oracle Internet of Things (IoT) CloudService environment can be accessed?

- A. using SOAP Interface
- B. using REST Interface
- C. Using a desktop client
- D. using Web Browser

Correct Answer: BD

---

**QUESTION 13**

Which three background colors are displayed for autocomplete in Process Cloud Service?

- A. Blue for complex binding names (their children may contain valid binding names)
- B. Red for invalid binding names
- C. Green for valid binding names
- D. Orange for unmatched binding names

Correct Answer: ABC

Explanation: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/binding-form-data-controls.html#GUID-CECD2F13-1E1A-457D-8BC8-8D605EEB213B> The background colors displayed for the autocomplete options are: Green for valid binding names Red for invalid binding names Blue for complex binding names (their children may contain valid binding names) If a control isn't linked to an attribute or if a control is linked to an invalid attribute, an error message is displayed in the Binding field and an error icon is displayed in the canvas. When a control doesn't have a valid binding, any value entered into the control in runtime is not passed on to the form payload.

---

**QUESTION 14**

Oracle SOA Cloud Service (SOA CS) includes a number of built-in adapters to include all of the technology adapters delivered with SOA Suite.

When using one of these technology adapters in a composite application deployed in SOA CS, which two are valid approaches for facilitating connectivity to on-premises applications and systems?

- A. WLST script
- B. VPN service
- C. PL/SQL procedure
- D. SSH tunnel
- E. SOA on-premises connectivity agent

Correct Answer: BD

Explanation: Oracle SOA Cloud Service includes a number of adapters. All of the technology adapters delivered with SOA Suite are available for Oracle SOA Cloud Service, Service Bus, and SOA Suite domain types. Connectivity to on-premises applications should be verified, and either SSH tunnels or VPN service should be used for connectivity to on-premises applications.

<https://docs.oracle.com/en/cloud/paas/soa-cloud/csbc/adapters-oracle-soa-cloud-service.html>

---

**QUESTION 15**

What is the "Decision Table" in Business Rules in Process Cloud Service?

- A. a range value set in a spreadsheet-like format that defines a list of allowed value ranges for the input and output data



objects of a decision

B. a decision matrix that organizes if/then rules into a spreadsheet-like format, where rows represent conditions and actions, and columns match condition values to action alternatives

C. an if/thenrule that has one or more conditions (if statements) that together are true or false, and one or more actions (then statements) that are applied if the conditions are true

D. a value set in a spreadsheet-like format that defines a list of allowed values for the input and output data objects of a decision

Correct Answer: C

Reference: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/creating-if-then-rule- business-rules.html>

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/creating-decision-table- business-rules.html#GUID-26D3DF2A-D6D8-404F-834D-EE512E787630> Creating a Decision Table in Business Rules A decision table organizes if/then rules into a spreadsheet-like format, in which rows represent conditions and actions, and columns match condition values to action alternatives.

[Latest 1Z0-1042-22 Dumps](#)

[1Z0-1042-22 Study Guide](#)

[1Z0-1042-22 Exam Questions](#)