



Border Controller Implementation Essentials

Pass Oracle 1Z0-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1z0-400.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You mape a configuration change to a media interface.

Which command must be executed in order to commit the changes to volatile memory?

- A. save-config
- B. commit-config
- C. activate-config
- D. write-config
- E. done

Correct Answer: C

QUESTION 2

Which two are TRUE regarding the Net-Net 3820 and Net-Net 4500 Fan Module component?

- A. User-serviceable
- B. Self-cleaning
- C. Hot-swappable
- D. Redundant
- E. Liquid cooled

Correct Answer: BE

QUESTION 3

By default, the Session Border Controller\\'s FTP, ICMP, SNMP, and Telnet services cannot be accessed via the media interfaces. In order to enable these services, the Session Border Controller includes four fields that enable administrative traffic over the media interfaces. These four fields are collectively known as the "HIP".

What does the acronym HIP stand for?

- A. Host in Path
- B. Host Internet Protocol
- C. Host Interface Priority
- D. Healthy Interface Port
- E. Health Indicator Protocol



Correct Answer: B

QUESTION 4

What establishes, modifies and removes CAM entries for packet forwarding?

- A. Middle box Control Daemon (MBCD)
- B. Acme Control Protocol (ACP)
- C. Session Initiation Protocol Daemon (SIPD)
- D. Acme Packet Session Descriptor (APSD)
- E. Content Addressable Memory Daemon (CAMD)

Correct Answer: D

QUESTION 5

You configured local policy preferences on the Net-Net 4500. The Net-Net 4500 sorts through these preferences.

Which preference is ranked the second highest priority?

- A. Codec
- B. Lowest cost
- C. Next hop
- D. Realm
- E. Protocol

Correct Answer: E

QUESTION 6

Which two configuration objects are NOT required to enable SIP signaling to traverse the Session Border Controller?

- A. steering-pool
- B. media-manager
- C. realm-config
- D. network-interface
- E. sip-interface
- Correct Answer: AD



QUESTION 7

Which two SIP request Methods are defined by RFC 3261?

- A. SETUP
- **B. RINGING**
- C. TRYING
- D. CANCEL
- E. OPTIONS

Correct Answer: AE

QUESTION 8

Which statements are TRUE about a Net-Net 4500 SIP interface?

A. The SIP interface provides G.711 to G.729 transcoding functions ONLY when SIP is the signaling protocol.

B. The SIP interface listens for SIP signaling on one or more configured IP address/port/transport combinations.

C. You can only configure a single SIP port per realm.

D. The SIP interface provides a service pipe to sipd, such that incoming signaling messages are presented to the SIP protocol daemon for processing.

E. The SIP interface modifies headers, such as the TO and FROM, to provide topology hiding.

Correct Answer: B

QUESTION 9

Which two base capabilities best describe the Session Border Controller High Availability (HA) architecture?

A. The Session Border Controller HA architecture offers one-to-many device protection.

B. The Session Border Controller provides full HA capabilities without any special changes, just a simple configuration command.

C. The Session Border Controller may be deployed in pairs to deliver HA, but only with a separately licensed feature.

D. The Session Border Controller can only be configured to synchronize configuration state.

E. The Session Border Controller can be configured to synchronize SIP call state and configuration state.

Correct Answer: BD



QUESTION 10

High availability (HA) nodes identify one another by their _____ names.

- A. Identifier
- B. Host
- C. Mib-system-name
- D. Target
- E. Wancom0 name

Correct Answer: D

QUESTION 11

You are working with a Net-Net 4500 Session Border Controller. What will result from the execution of the delete-configuration command?

- A. Deletion of all configuration files stored in the /code/gzConfig directory.
- B. Both the "saved" and "running" configuration numbers are incremented by 1.
- C. Automatic reboot of the operating system.
- D. Deletion of non-system default licenses.
- E. Deletion of the bootparameters: "target name" field.

Correct Answer: C

QUESTION 12

Which statement about passwords on the Net-Net 4500 is FALSE?

- A. The User and Superusermodes are password protected.
- B. Passwords are stored in NVRAM.
- C. You do not need User and Superuser mode passwords when accessing the ACLI using SSH.
- D. Passwords cannot be seen in the output from the running configuration.
- E. The default user mode password is "acme".

Correct Answer: E

1Z0-400 PDF Dumps

1Z0-400 VCE Dumps

1Z0-400 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4itsure, All Rights Reserved.