



1Z0-434^{Q&As}

Oracle SOA Suite 12c Essentials

Pass Oracle 1Z0-434 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-434.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two are valid use cases for a business service?

- A. load balancing XML messages between multiple service endpoints using different transports
- B. load balancing SOAP messages between multiple service endpoints addressed by different URLs
- C. load balancing MFL messages between multiple service endpoints based on server load
- D. routing a Java message to a JMS error queue after three failed load-balancing attempts

Correct Answer: CD

QUESTION 2

Which expiration and escalation setting can be used to route a task a specified number of levels up a management chain if the assignee does not respond in a given time period?

- A. Never expire
- B. Expire after
- C. Route to manager
- D. Renew after
- E. Escalate after
- F. Management chain

Correct Answer: A

QUESTION 3

Which two are correct statements about the Oracle Cloud Adapter for Salesforce.com?

- A. It uses either HTTP basic authentication or username token authentication to perform secure interaction with Salesforce.com.
- B. It can make both synchronous and asynchronous calls through the Salesforce.com SOAP API.
- C. Behind the scenes, it uses the SOAP API provided by Salesforce.com.
- D. The design-time tooling generates a WSDL that is different from the enterprise WSDL available from Salesforce.com.

Correct Answer: C

**QUESTION 4**

You have modeled a composite with an inbound adapter service wired to a BPEL process component.

Which method do you use to model a rejection handler for the inbound adapter service?

- A. Define the rejection-handler logic in rejection-handlers.xml in the \$MW_HOME/soa/connectorsdirectory.
- B. Define the rejection-handler logic inline as a child element of the section of the inbound adapter in composite.xml.
- C. Define the rejection-handler logic in a top-level catch block in the BPEL process where the QName of the fault should be bpws:rejectedMessages.
- D. Define the rejection-handler logic in fault-policies.xml for the composite, and then associate the fault-policies.xml with the composite.

Correct Answer: D

QUESTION 5

To support the deployment of a new provisioning system, a company wants to install and configure a production domain with Oracle SOA Suite and Oracle Service Bus.

Which statement is true about the required effort?

- A. Separate domains must be configured for Oracle SOA Suite and Oracle Service Bus.
- B. The Oracle Repository Creation Utility (RCU) must be run twice to create the required schemas.
- C. The installation of Oracle SOA Suite includes the installation of Oracle Service Bus.
- D. A supported version of WebLogic Server must be installed before installing Oracle SOA Suite.

Correct Answer: D

QUESTION 6

Your company has a checkCredit service used in the sales process and your organization plans to roll out a new sales mobile application.

Identify two approaches that you can use to develop the new mobile application.

- A. Develop a template for the checkCredit service.
- B. Expose the checkCredit service with a REST interface.
- C. Create a BPEL subprocess for the mobile application request.
- D. Use JSON for payload.

Correct Answer: C

**QUESTION 7**

To avoid the purchase of new server capacity, a company must limit the volume of messages routed to a computationally expensive RESTful service operation.

Which Oracle SOA Suite component can help the company meet this requirement?

- A. BPEL process
- B. Mediator
- C. Proxy Service
- D. Business Service

Correct Answer: D

QUESTION 8

Which statement is false about debugging SOA composites?

- A. You can run the debugger in Oracle Enterprise Manager Fusion Middleware Control.
- B. You can debug on local as well as on remote servers.
- C. Breakpoints are the intentional pausing locations in a SOA composite application that you set for debugging purposes.
- D. If the composite is not already deployed in the current JDeveloper session, then JDeveloper will redeploy it.

Correct Answer: C

QUESTION 9

Which Oracle Event Processing (OEP) data cartridge should you use to track the GPS location of buses and generate alerts when a bus arrives at its predetermined bus stop positions?

- A. JDBC Data
- B. Oracle Spatial
- C. Hadoop Big Data
- D. NoSQLDB Big Data
- E. Java Data

Correct Answer: B

QUESTION 10



You are planning to upgrade a SOA suite production environment from 11g to 12c and are evaluating the required steps in the upgrade process.

Identify the two statements that accurately describe that process.

- A. Composites must be redeployed after the upgrade process.
- B. It is recommended to-purge as many nonessential instances in the dehydration store as possible before the upgrade.
- C. BAM dashboards and alerts will be migrated automatically.
- D. Long-running instances will resume after the upgrade process has completed.

Correct Answer: BC

QUESTION 11

Which two statements accurately describe policy attachment in Oracle Web Services Manager (OWSM)?

- A. The order in which policies are attached to a subject determines the order in which the policies are executed.
- B. JDeveloper groups the policies that can be attached into five categories of interceptors.
- C. Multiple WS-Addressing policies can be attached to a policy subject.
- D. In Enterprise Manager Fusion Middleware Control, a security policy can be attached to a web service and it can be either enabled or disabled.

Correct Answer: AC

QUESTION 12

When you create an assert in a test case, you can specify a Compare By rule of xml-identical or xmlsimilar. The rule designates the strictness of the comparison.

If you choose xml-similar, identify two conditions that will cause the comparison to fail.

- A. The namespaces are the same, but the namespace prefix is different.
- B. An element has the same child attributes, but they are in a different order.
- C. An element has a different name, but the same child attributes are in the same order.
- D. The namespaces are different, but the namespace prefix is the same.

Correct Answer: D

QUESTION 13

Given the following XML document, which two XPath expressions return the same result?



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/1z0-434.html>

2024 Latest pass4itsure 1Z0-434 PDF and VCE dumps Download
