



# 1Z0-822<sup>Q&As</sup>

Oracle Solaris 11 Advanced System Administration

**Pass Oracle 1Z0-822 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-822.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Consider the following:

```
root@Sol11-desktop:~# pkg publisher solaris
Publisher: solaris
Alias:
Origin URI: https://pkg.oracle.com/solaris/support/
SSL Key: /var/pkg/ssl/7943aaec54a3298eb1206d2ad3929eff6d865c4a
SSL Cert: /var/pkg/ssl/54936e6c939d2f9f16789d54d9a8558671eb6fd5
Cert. Effective Date: Wed Jun 22 15:16:45 2011
Cert. Expiration Date: Fri Jun 29 15:16:45 2012
Client UUID: 00000000-3f24-fe2c-0000-000068120608
Catalog Updated: Thu Feb 09 04:49:05 2012
Enabled: Yes
Signature Policy: verify
```

What is true concerning this publisher's Signature Policy?

- A. Only packages from this publisher must have at least one valid signature.
- B. All manifests from this publisher must have a cryptographic signature.
- C. All newly installed packages must have at least one valid signature.
- D. Signed and unsigned packages from this publisher can be installed.

Correct Answer: D

---

**QUESTION 2**

Which two statements describe the capabilities of the Distribution Constructor?

- A. ISO images for use with the Automated Installer (AI) can be created.
- B. Bootable USB images can be created for SPARC and x86 architectures.
- C. A single installation server can be used to create ISO imager, for SPARC and x86 architectures.
- D. Checkpoints are used to pause the build, thereby allowing the running of a script to modify the resulting ISO image.
- E. A single installation server can be used to create ISO images for Solaris 10 and Solaris 11.0 operating systems.

Correct Answer: BE

---

**QUESTION 3**

A server has a nonglobal zone named zoneA. The following boot environments are listed in the global zone.



```
BE          Active Mountpoint Space  Policy Created
-----
solaris     N      /          5.90G  static 2012-10-27 14:41
solaris-1   R      -          66.86M static 2012-11-19 09:12

The following boot environments are listed in the nonglobal zone (zoneA):

BE          Active Mountpoint Space  Policy Created
-----
BE1         -      -          106.47M static 2012-11-19 09:18
solaris     NR     /          25.87M  static 2012-11-03 12:19
solaris-1   !R    -          478.96M static 2012-11-19 09:12
```

Which three statements describe the current state of the system?

- A. The BE1 boot environment cannot be activated from the nonglobal zone.
- B. The nonglobal zone cannot be booted to solaris-1 BE at this time.
- C. The solaris-1 BE cannot be activated from the nonglobal zone.
- D. To boot the nonglobal zone to the solaris-1 BE, the global zone must first be booted to the solaris-1 BE.
- E. The solaris-1 BE has been activated in the nonglobal zone.
- F. The nonglobal zone solaris-1 BE is not bootable and must be repaired.

Correct Answer: ABE

#### QUESTION 4

Which two statements are true regarding the audit\_remote plugin and the audit service?

- A. audit\_remote is not loaded by default.
- B. The standard service port defined by IANA is 16162.
- C. Audit records are sent to all configured remote hosts.
- D. The required GSS\_API mechanism is kerberos\_v5.
- E. The maximum number of audit records queued before sending is 100.

Correct Answer: AD

#### QUESTION 5

Can you change the scheduling class of a zone's processes to FSS without rebooting?

- A. No. Set the zone's scheduling-class attribute to FSS and reboot.
- B. No. Run `dispadm d FSS` inside the zone, then reboot.
- C. No. Run `dispadm d FSS` in the global zone, then reboot the nonglobal zone.



D. Yes. Run `dispadmind FSS` inside the zone.

E. Yes. Run `prionctl s c FSS i all` inside the zone.

Correct Answer: E

---

### QUESTION 6

You need to make a permanent modification to a machine's naming service. You need to change naming service from files to LDAP. Which two alternative methods would accomplish this task?

A. Modify the existing `/etc/nsswitch.conf` file and execute: `# nscfg import -?name-service/switch`

B. Modify the existing `/etc/nsswitch.conf` file and execute: `# netcfg import name-service/switch # svcadm refresh name-service/switch`

C. Modify the existing `/etc/nsswitch.conf` file and execute: `# svcadm restart milestone/self-assembly`

D. Use the `netcfg` command to modify the location profile for the DefaultFixad network configuration profile.

E. Use the `svccfg` command to set `config/*` properties in the `name-service/switch` service: `# svcadm refresh name-service/switch # svcadm restart name-service/switch`

Correct Answer: BE

---

### QUESTION 7

You added an update to the system using a support repository updates (SRU) image:

```
# mkdir /SRU # mount F hfs /var/tem/sru-name.iso /SRU # pkgrecv s /SRU/repo d /export/IPS/repo `*`
```

You now want to clear all catalog, search and other cached information from this package repository. Select the command that clears cached data.

A. `pkg refresh`

B. `pkgrepo rebuild`

C. `pkgrepo refresh`

D. `pkg.depotd restart`

Correct Answer: A

---

### QUESTION 8

The following information describes the current dump configuration of your server:



```
global core file pattern:  
  global core file content: default  
  init core file pattern: core  
  init core file content: default  
  global core dumps: disabled  
  per-process core dumps: enabled  
  global setid core dumps: disabled  
  per-process setid core dumps: disabled  
  global core dump logging: disabled
```

Assume that the following command lines have been run on a system:

```
(root) # coreadm g $HOME/var/core/%m.core.%f.%t (non-root) $ coreadm p core.%f.%p
```

Identify the result of a subsequent process crash.

- A. A copy of a core file will appear in /var/core.
- B. A copy of a core file will appear in the process's current working directory.
- C. The root copy will include the taskid of the process.
- D. The nonroot copy will include the day of the process crash.
- E. The global format will override the per-process format.
- F. The global core dump is disabled, so a core file will not be saved.

Correct Answer: B

---

### QUESTION 9

You have assigned rights profiles directly to the user frank and now you want to add another profile. Which command enables you to list profiles directly assigned to frank?

- A. userattr profiles frank
- B. profiles p frank
- C. userattr p frank
- D. profiles frank

Correct Answer: B

---

### QUESTION 10

You are configuring a system on your network that was installed using LiveCD. You configured applied a static IP address to the system. You now need to configure a default router. Assume that name services are file based and the router's IP address is 172.31.10.1. Which two methods should you use to configure a default route on this Oracle Solaris 11 system?



- A. `svccfg s network/physical setprop config/defroute=172.31.10.1;svcadm refresh network/physical; svcadm restart network/physical`
- B. `svccfg s routing/route setprop config/defroute=172.31.10.1;svcadm refresh routing/route; svcadm restart routing/route`
- C. Add the IP address to the `/etc/defaultrouter` file and run `route add default 172.31.10.1`.
- D. `netadm modify p ncp DefaultFixed set-prop p defroute=172.31.10.1`
- E. `ipadm set-prop p defaultrouter=172.31.10.1`

Correct Answer: B

---

### QUESTION 11

You created a role. The role should be able to change the configuration of a zone. How will you assign that privilege to the role?

- A. Modify the zone using the admin resource, set the user property to the role and the auths property to manage.
- B. Assign to the role the zone Management Rights Profile.
- C. Assign to the role the `solaris.zones.*` authorization.
- D. Assign to the role the zone Security Rights Profile.

Correct Answer: B

---

### QUESTION 12

You are about to configure resource controls for a nonglobal zone. You want to first examine settings as well as the system limits for those controls. Which command fetches this information?

- A. `priocntl`
- B. `zonecfg`
- C. `rctladm` D. `prctl`

Correct Answer: B

---

### QUESTION 13

Which `ipmpstat` mode reports each link's status in an IPMP group?

- A. address
- B. group
- C. interface



D. probe

E. target

Correct Answer: C

---

#### QUESTION 14

Your company's security policy prohibits access to the Internet. You already installed an instance of Oracle Solaris 11 on an M-series server for base testing. You used the text install media to install the system. You also installed a package repository on the same system. There are 10 M-series servers that have just been installed on the local network. Can you immediately install an AI server on your testing machine order to install Oracle Solaris 11 on these 10 servers?

A. Yes, by using the existing Solaris 10 Jumpstart server.

B. Yes, by using the text install media for the AI software.

C. Yes, by using the Installed package repository.

D. No, you must download the AI .iso image from Oracle first.

E. No, the Solaris large-server group must be installed because it contains the AI setup tools.

F. No, the Solaris 11 full n repository must be installed on the AI server.

G. No, you must have a prebuilt image that was created by the distribution constructor.

Correct Answer: B

---

#### QUESTION 15

Which option describes how to revert a service back to a previous version?

A. Issue the `svccfg delcust` command.

B. Issue the `revetsnap` command.

C. Issue the `restore_repository` command.

D. Issue the `svccfg revert` command.

Correct Answer: A

[Latest 1Z0-822 Dumps](#)

[1Z0-822 Study Guide](#)

[1Z0-822 Exam Questions](#)