\_\_\_\_\_\_

Exam : 1Z0-859

Title : Java Enterprise Edition 5

Web Component Developer

**Certified Professional** 

**Upgrade Exam** 

Version: Demo

\_\_\_\_\_

### 1. Given the relationship:



The tag handler MyTag extends SimpleTagSupport. At runtime, the doTag method throws a SkipPageException. Which three events occur after the SkipPageException is thrown? (Choose three.)

- A. Evaluation of page2.jsp stops.
- B. Evaluation of page1.jsp stops.
- C. The MyTag instance is NOT reused.
- D. Evaluation of page2.jsp continues. E.

Evaluation of page1.jsp continues.

Answer: A,C,E

- 2.A developer is designing a multi-tier web application and discovers a need to log each incoming client request. Which two patterns, taken independently, provide a solution for this problem.? (Choose two.)
- A. Transfer Object
- B. Service Locator
- C. Front Controller
- D. Intercepting Filter
- E. Business Delegate
- F. Model-View-Controller

Answer: C,D

- 3. Which three are true about the HttpServletRequestWrapper class? (Choose three.)
- A. The HttpServletRequestWrapper is an example of the Decorator pattern.
- B. The HttpServletRequestWrapper can be used to extend the functionality of a servlet request.
- C. A subclass of HttpServletRequestWrapper CANNOT modify the behavior of the getReader method.
- D. An HttpServletRequestWrapper may be used only by a class implementing the javax.servlet.Filter interface.
- E. An HttpServletRequestWrapper CANNOT be used on the request passed to the RequestDispatcher.include method.
- F. An HttpServletRequestWrapper may modify the header of a request within an object implementing the javax.servlet.Filter interface.

Answer: A,B,F

- 4. Which two are valid values for the <transport-guarantee> element inside a <securityconstraint> element of a web application deployment descriptor? (Choose two.)
- A. NULL
- **B. SECURE**

- C. INTEGRAL
- D. ENCRYPTED
- E. CONFIDENTIAL

Answer: C,D

5. Given a web application in which the request parameter productID contains a product identifier.

Which two EL expressions evaluate the value of the productID? (Choose two.)

- A. \${productID}
- B. \${param.productID}
- C. \${params.productID}
- D. \${params.productID[1]}
- E. \${paramValues.productID}
- F. \${paramValues.productID[0]}
- G. \${pageContext.request.productID}

Answer: B,F

- 6. Given the function invocation expression \${my:reverse("42")}, and that the function reverse is mapped into a Java method called reverse, which two are valid signatures for the Java method reverse? (Choose two.)
- A. public int reverse(String val)
- B. public String reverse(String val)
- C. public static int reverse(String val) D. public static String reverse(int val)
- D. private static double reverse(double val)
- E. public int reverse(String value, String name)
- F. public static int reverse(int value, String name)

Answer: C,D

- 7. For an HttpServletResponse response, which two create a custom header? (Choose two.)
- A. response.setHeader("X-MyHeader", "34");
- B. response.addHeader("X-MyHeader", "34");
- C. response.setHeader(new HttpHeader("X-MyHeader", "34"));
- D. response.addHeader(new HttpHeader("X-MyHeader", "34"));
- E. response.addHeader(new ServletHeader("X-MyHeader", "34"));
- F. response.setHeader(new ServletHeader("X-MyHeader", "34"));

Answer: A,B

- 8. For a given ServletResponse response, which two retrieve an object for writing text data? (Choose two.)
- A. response.getWriter()
- B. response.getOutputStream()
- C. response.getOutputWriter()
- D. response.getWriter().getOutputStream()
- E. response.getWriter(Writer.OUTPUT\_TEXT)

Answer: A,B

\_\_\_\_\_

9. Given an HttpServletRequest request and HttpServletResponse response, which sets a cookie "username" with the value "joe" in a servlet?

- A. request.addCookie("username", "joe")
- B. request.setCookie("username", "joe")
- C. response.addCookie("username", "joe")
- D. request.addHeader(new Cookie("username", "joe"))
- E. request.addCookie(new Cookie("username", "joe")) F. response.addCookie(new Cookie("username", "joe"))
- G. response.addHeader(new Cookie("username", "joe"))

Answer: F

10. Your company has a corporate policy that prohibits storing a customer's credit card number in any corporate database. However, users have complained that they do NOT want to re-enter their credit card number for each transaction. Your management has decided to use client-side cookies to record the user's credit card number for 120 days.

Furthermore, they also want to protect this information during transit from the web browser to the web container; so the cookie must only be transmitted over HTTPS. Which code snippet creates the "creditCard" cookie and adds it to the out going response to be stored on the user's web browser?

- A. 10. Cookie c = new Cookie("creditCard", usersCard);
- 11. c.setSecure(true);
- 12. c.setAge(10368000);
- response.addCookie(c);
- B. 10. Cookie c = new Cookie("creditCard", usersCard);
- 11. c.setHttps(true);
- 12. c.setMaxAge(10368000);
- 13. response.setCookie(c);
- C. 10. Cookie c = new Cookie("creditCard", usersCard);
- 11. c.setSecure(true);
- 12. c.setMaxAge(10368000);
- 13. response.addCookie(c);
- D. 10. Cookie c = new Cookie("creditCard", usersCard);
- 11. c.setHttps(true);
- 12. c.setAge(10368000);
- response.addCookie(c);
- E. 10. Cookie c = new Cookie("creditCard", usersCard);
- c.setSecure(true);
- 12. c.setAge(10368000);
- 13. response.setCookie(c);


Answer: C

## 11.DRAG DROP


Click the Task button.

Place the events in the order they occur.

\_\_\_\_\_



#### Answer:



- 12. You are creating a servlet that generates stock market graphs. You want to provide the web browser with precise information about the amount of data being sent in the response stream. Which two HttpServletResponse methods will you use to provide this information? (Choose two.)
- A. response.setLength(numberOfBytes);
- B. response.setContentLength(numberOfBytes);
- C. response.setHeader("Length", numberOfBytes);
- D. response.setIntHeader("Length", numberOfBytes);
- E. response.setHeader("Content-Length", numberOfBytes);
- F. response.setIntHeader("Content-Length", numberOfBytes);

Answer: B,F

- 13. Which two prevent a servlet from handling requests? (Choose two.)
- A. The servlet's init method returns a non-zero status.

- B. The servlet's init method throws a ServletException.
- C. The servlet's init method sets the ServletResponse's content length to 0.
- D. The servlet's init method sets the ServletResponse's content type to null.
- E. The servlet's init method does NOT return within a time period defined by the servlet container.

Answer: B,E

- 14. Given an HttpSession session, a ServletRequest request, and a ServletContext context, which retrieves a URL to /WEB-INF/myconfig.xml within a web application?
- A. session.getResource("/WEB-INF/myconfig.xml")
- B. request.getResource("/WEB-INF/myconfig.xml")
- C. context.getResource("/WEB-INF/myconfig.xml")
- D. getClass().getResource("/WEB-INF/myconfig.xml")

Answer: C

#### 15.Given:

- 11. public void service(ServletRequest request,
- 12. ServletResponse response)
- 13. throws IOException {
- 14. ServletContext ctx = getServletConfig().getServletContext();
- 15. InputSaream in =
- 16. // insert code here

17.1

Which statement, at line 16, retrieves an InputStream for the file /WEB-INF/myresrc.bin?

- A. new InputStream("/WEB-INF/myresrc.bin");
- B. ctx.getInputStream("/WEB-INF/myresrc.bin");
- C. ctx.getResourceAsStream("/WEB-INF/myresrc.bin"); D.

new InputStream(new URL("/WEB-INF/myresrc.bin"));

E. getClass().getResourceAsStream("/WEB-INF/myresrc.bin");

Answer: C

# **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

# **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





# Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.