



1Z0-931-21^{Q&As}

Oracle Autonomous Database Cloud 2020 Specialist

Pass Oracle 1Z0-931-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-931-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Your customer wants to permanently disable scheduled maintenance on Autonomous Dedicated Infrastructure to keep their current database version(s).

How can they achieve this?

- A. Change the Automatic Maintenance Schedule to `None`.
- B. Change the Automatic Maintenance Schedule to `Specify a Schedule` but do not select any month, week or day.
- C. You cannot permanently disable scheduled Automatic Maintenance.
- D. Change the Automatic Maintenance Schedule to `No Preference`.

Correct Answer: C

"If the Autonomous Exadata Infrastructure resource doesn't have a customized schedule, its maintenance schedule will be automatically modified so that it precedes the Autonomous Container Database schedule you define."

<https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/change-maintenancescheduleacd.html#GUID-CA028A37-5510-473E-B4D0-A5D454B8DA6E>

QUESTION 2

Which two optimizations are different between Autonomous Data Warehouse and Autonomous Transaction Processing?

- A. Undo Management
- B. Index Storage
- C. Memory Usage
- D. Data Organization
- E. Backup Retention

Correct Answer: BC

QUESTION 3

What command should you issue to enable application continuity on Autonomous Database Shared Infrastructure?

- A. `alter database set application_continuity=true`
- B. `alter session set application_continuity=true`
- C. `exec dbms_cloucl_admin.enable_app_cont ('') ;`
- D. `alter system set application_continuity=true`



Correct Answer: C

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/dbms-cloud-admin.html#GUID42B9DDB0-12A7-4EE3-9860-30EFA41061E9> If it was asking for Autonomous Database Dedicated Infrastructure, then answer would be execute
DBMS_APP_CONT_ADMIN.ENABLE_AC(\\databaseid_tpurgent.adb.oraclecloud.com\\, \\LEVEL1\\, 600);

QUESTION 4

Which types of Oracle Databases are supported?

Data Safe works with the following Oracle Databases

- Oracle on-Premises Databases
- Oracle Cloud Databases
 - Autonomous Database on Shared Exadata Infrastructure
 - Autonomous Database on Dedicated Exadata Infrastructure
 - Exadata DB systems
 - Database Cloud Service on Virtual Machine
 - Database Cloud Service on Bare Metal
 - Oracle Database on Compute

Which data file format is NOT supported when using the package DBMS_CLOUD on Shared Exadata Infrastructure?

- A. Data Pump Export File
- B. Avro
- C. Parquet
- D. Text
- E. JSON
- F. Microsoft SQL Server (.mdf)

Correct Answer: F

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/format-options.html#GUID08C44CDA-7C81-481A-BA0A-F7346473B703>

mdf format is for MS SQL server database file

QUESTION 5

To who, and in which order, are dedicated Exadata Infrastructure resources provisioned?

- A. Fleet Administrator, Autonomous Exadata Infrastructure -> Database Administrator -> Autonomous Container DB -> Autonomous DB
- B. Database Administrator, Autonomous Container DB -> Autonomous DB -> Fleet Administrator -> Autonomous



Exadata Infrastructure

C. Fleet Administrator, Autonomous Exadata Infrastructure -> Autonomous Container DB -> Database Administrator -> Autonomous DB

D. Database Administrator, Autonomous Exadata Infrastructure -> Fleet Administrator -> Autonomous Container DB -> Autonomous DB

Correct Answer: A

<https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/adbddoverview.htm>

QUESTION 6

Which option should you use to create a graph with Graph Studio?

A. A graph license key

B. NoSQL configuration

C. Graph created by a special tool downloaded from oracle.com

D. Graph analytics algorithms

E. Tables in an Autonomous Database instance

Correct Answer: E

QUESTION 7

Which two are correct actions to take in order to Download the Autonomous Database Credentials?

A. Click on the Autonomous Data Warehouse in the menu, click a database name, then Choose DB Connection button, then Download the Wallet.

B. Click on the Autonomous Data Warehouse section, pick a database, then Choose Actions, then Download the Wallet.

C. Click the Compute section of the menu, then choose Instance Configurations, then Download Wallet.

D. Click on the Object Storage and find your Autonomous Bucket and Download the Wallet Credentials.

E. Find the Service Console for your Autonomous Database, then pick Administration, then Download the Client Credentials (Wallet).

Correct Answer: AE

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/connect-download-wallet.html#GUIDB06202D2-0597-41AA-9481-3B174F75D4B1>

QUESTION 8



Autonomous Database's auto scaling feature allows your database to use up to three times the current base number of CPU cores at any time. As demand increases, auto scaling automatically increases the number of cores in use. Likewise, as demand drops, auto scaling automatically decreases the number of cores in use.

Which statement is FALSE regarding the auto scaling feature?

- A. For databases on dedicated Exadata infrastructure, the maximum number of cores is limited by the number of free cores that aren't being used by other auto scaling databases to meet high-load demands.
- B. The base number of OCPU cores allocated to a database is not guaranteed.
- C. For databases on dedicated Exadata infrastructure, the maximum number of cores available to a database depends on the total number of cores available in the Exadata infrastructure instance.
- D. Auto scaling is enabled by default and can be enabled or disabled at any time.

Correct Answer: B

QUESTION 9

Which statement is correct about the Service console in an Autonomous Database?

- A. You can use Service console to enable or disable auto scaling of Autonomous DB
- B. You can use Service console to manage runaway SQL statements on Autonomous DB
- C. You can use Service console to move Autonomous DB between compartments
- D. You can use Service console to create manual backups of Autonomous database

Correct Answer: B

QUESTION 10

Which statement is not correct when the Autonomous Database is stopped?

- A. In-flight transactions queries are stopped
- B. Tools are no longer able to connect to a stopped instance
- C. User with DWROLE can still access the database
- D. CPU billing is halted

Correct Answer: C

QUESTION 11



Which statement is true about the use of Access Control Lists (ACLs) with an Autonomous Database on Shared Infrastructure?

- A. When you restore a database, the existing ACLs are not overwritten by the restore.
- B. An ACL can only be set during the creation of an Autonomous Database on Shared Infrastructure.
- C. ACLs can only be used with private endpoints.
- D. An ACL can be set up for an IP address or a virtual cloud network (VCN) but not both at the same time.

Correct Answer: A

QUESTION 12

A customer wants to increase the throughput of their inserts. They have discovered that the bottleneck is in the storage I/Os of their environment.

What should they do to remove this bottleneck?

- A. Run the DBMS_CLOUD.INCREASE_THROUGHPUT procedure.
- B. Remove any non-JSON data from the database.
- C. Increase the number of OCPUs allocated to the database.
- D. Ask Support to migrate their setup to a node without noisy neighbors.

Correct Answer: D

QUESTION 13

Which two statements are true about Data Insights?

- A. You can retrieve previously executed Data Insights searches.
- B. Data Insights is available with on-premises deployments of Oracle Database.
- C. Data Insights is an additional priced option.
- D. You can search for Data Insights against a base table or business model.

Correct Answer: AD

QUESTION 14

Which statement is true when you provision an Autonomous Database using the cloning method?

- A. After an Autonomous database is created using a clone, the network access option can be changed.
- B. A clone database source can be a running database instance.



C. A clone database source can be from a point-in-time backup that is less than 2 hours old.

D. When cloning an Autonomous Database, Oracle Machine Learning workspaces, projects, and notebooks of the source database are cloned to the new database.

Correct Answer: B

QUESTION 15

What is the role of a Fleet Administrator in Autonomous Database (ADB) on Dedicated Infrastructure deployments?

A. Fleet Administrator defines and gains access to the ADMIN administrative user account for the database.

B. Fleet administrators create, monitor and manage Autonomous Exadata Infrastructure and Autonomous Container Database resources.

C. Fleet Administrators are responsible for patching and backups of all container databases.

D. Fleet Administrators create, monitor and manage Autonomous Databases.

Correct Answer: B

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbah/index.html#articletitle>

<https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/index.html>

[Latest 1Z0-931-21 Dumps](#)

[1Z0-931-21 PDF Dumps](#)

[1Z0-931-21 Practice Test](#)