



# 1Z0-931-21<sup>Q&As</sup>

Oracle Autonomous Database Cloud 2020 Specialist

**Pass Oracle 1Z0-931-21 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-931-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer wants to increase the throughput of their inserts. They have discovered that the bottleneck is in the storage I/Os of their environment.

What should they do to remove this bottleneck?

- A. Run the DBMS\_CLOUD.INCREASE\_THROUGHPUT procedure.
- B. Remove any non-JSON data from the database.
- C. Increase the number of OCPUs allocated to the database.
- D. Ask Support to migrate their setup to a node without noisy neighbors.

Correct Answer: D

**QUESTION 2**

While creating a business model what advanced options you can enable or disable? (Choose three)

- A. Business Object Security Feature
- B. Analytic View Transparency View
- C. Autonomous Aggregate Cache
- D. Display private tables
- E. Analytic View Base Table Query Transformation

Correct Answer: BCE

## Creating and Editing Business Models



From the Business Models page, you can create a business model and view information about it. You can also edit a business model and perform other actions on it.

When you create a business model, you identify a fact table that contains the data to inspect. The Business Model creation tool looks at the contents of that table, identifies any hierarchies in the fact table, and searches for other tables that may contain related hierarchies. It then suggests a business model to which you can make any desired adjustments.

While creating a business model, you can enable or disable the following advanced options:

- **Autonomous Aggregate Cache**, which uses the dimensional metadata of the business model to manage a cache and can improve query response times.
- **Analytic View Transparency Views**, which presents analytic views as regular database views and enables you to use your analytic tools of choice while gaining the benefits of analytic views.
- **Analytic View Base Table Query Transformation**, which enables you to use your existing reports and applications without requiring changes to them.



### QUESTION 3

During the provisioning of an Autonomous Database on Dedicated hardware, what does the Database Administrator need to select to determine where the Autonomous Database is created on the Dedicated infrastructure?

- A. the name or OCID of the Exadata infrastructure which was assigned by the the Fleet Administrator
- B. the Client Credentials wallet which is used to connect to the Autonomous Database
- C. the '\\High Availability Container Database\\' in which the Autonomous instance should run
- D. the Compartment of the Dedicated infrastructure as each compartment only runs 1 Dedicated environment
- E. the Listener endpoint where the Autonomous Database should register on

Correct Answer: C

[https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adb\\_dedicated\\_creating.htm](https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adb_dedicated_creating.htm)

---

### QUESTION 4

Which two cloud services are supported to import data pump files from using Dedicated Exadata Infrastructure? (Choose two.)

- A. Oracle Cloud Infrastructure Object Storage
- B. Google Cloud Storage
- C. Amazon S3
- D. Azure Blob Storage
- E. Oracle Cloud Infrastructure Object Storage Classic

Correct Answer: AE

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpud/load-data-using-oracle-data-pump.html#GUID025C4566-1BDB-4EF2-BFB7-0CBA8C47EA5D> Data Pump Import lets you import data from Data Pump files residing on the Oracle Cloud Infrastructure

Object Storage and Oracle Cloud Infrastructure Object Storage Classic .

You can save your data to your Cloud Object Store and use Oracle Data Pump to load data to Autonomous Database.

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbbk/#articletitle>

[https://docs.oracle.com/en/cloud/paas/autonomous-database/adbbk/index.html#ADBBK- GUID-37922C56](https://docs.oracle.com/en/cloud/paas/autonomous-database/adbbk/index.html#ADBBK-GUID-37922C56-0412-45CD-B10C-2088A000113F)

0412-45CD-B10C-2088A000113F

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbdn/use-oracle-data-pump.html#GUIDF8897403-2DE2-447E-94DC-768C9ABB05AF> <https://docs.oracle.com/en/cloud/paas/autonomous-database/adbdn/use-oracle-data-pump.html#GUID>

F8897403-2DE2-447E-94DC-768C9ABB05AF

---

**QUESTION 5**

What command should you issue to enable application continuity on Autonomous Database Shared Infrastructure?

- A. alter database set application\_continuity=true
- B. alter session set application\_continuity=true
- C. exec dbms\_cloucl\_admin. enable\_app\_cont ( '\\ \\' );
- D. alter system set application\_continuity=true

Correct Answer: C

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/dbms-cloud-admin.html#GUID42B9DDB0-12A7-4EE3-9860-30EFA41061E9> If it was asking for Autonomous Database Dedicated Infrastructure, then answer would be execute  
DBMS\_APP\_CONT\_ADMIN.ENABLE\_AC('\\databaseid\_turgent.adb.oraclecloud.com\\', '\\LEVEL1\\', 600);

---

**QUESTION 6**

Which two methods can you use to create database users and grant roles in Autonomous Database services? O the Oracle Cloud Infrastructure A. service console

- A. SQL Developer
- B. the DBMS\_CLOUD\_ADMIN package
- C. SQL \*Plus

Correct Answer: B

---

**QUESTION 7**

Which statement is correct about the Service console in an Autonomous Database?

- A. You can use Service console to enable or disable auto scaling of Autonomous DB
- B. You can use Service console to manage runaway SQL statements on Autonomous DB
- C. You can use Service console to move Autonomous DB between compartments
- D. You can use Service console to create manual backups of Autonomous database

Correct Answer: B

---

**QUESTION 8**



## Clone Sources

You can use a running database to create a clone. For databases running on shared Exadata infrastructure, you can also use a backup as the source of your clone. When using a backup, you can select a listed backup to clone from, or create a point-in-time clone. Point-in-time clones contain all data up to a specified timestamp. The specified timestamp must be in the past.

### Note

When you create a clone from a backup, you must select a backup that is at least two hours old.

Which statement is NOT correct when using Automatic Indexing on Autonomous Data Warehouse?

- A. Process includes identify candidates, create invisible auto indexes , verify with implement if performance improved and delete unused.
- B. You can use the `dbms_auto_index` package to report on the automatic task and to set your preferences.
- C. It is enabled by default.
- D. You can control behavior at the statement level using the `use_oto_indexes` or `NO_USE_AUTO_INDEXES` hints.
- E. The indexing feature is implemented as an automatic task that runs at a fixed interval.

Correct Answer: C

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/autonomous-auto-index.html#GUIDD51A4F85-3AE5-4B7D-9B27-32CEDE8DBD79>

Auto Indexing is disabled by default in Autonomous Database

---

### QUESTION 9

Which native data type is used to store spatial information?

- A. `SDO_RELATE`
- B. `SDO_GEOMETRY`
- C. `SDO_LOCATION`
- D. `GEO_JSON`

Correct Answer: B

---

### QUESTION 10

Which statement is correct about managing and monitoring of Autonomous Database?

- A. You can use Service console to move Autonomous DB between compartments.



- B. You can use Service console to create manual backups of Autonomous database.
- C. You can use Service console to enable or disable auto scaling of Autonomous DB.
- D. You can use Service console to manage runaway SQL statements on Autonomous DB.

Correct Answer: D

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/manage-sql-statements.html#GUID4861BA7F-F9FA-4909-8DC0-4F46AFF80706>

## QUESTION 11

Which two options are available to restore an Autonomous Data Warehouse? (Choose two.)

- A. Backup and recovery must be done using Recovery Manager(RMAN).
- B. Select the snapshot of the backup.
- C. Select the archived redo logs.
- D. Select the backup from which restore needs to be done.
- E. Specify the point in time (timestamp) to restore.

Correct Answer: DE

In the Restore prompt, select Specify Timestamp or Select Backup to restore to a point in time or to restore from a specified backup.

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/backuprecover.html#GUID-78C28C41-AA87-4AD7-BEB6-693235C73F3C>

Restore [help](#) [cancel](#)

Restore the Autonomous Data Warehouse to a point in time or restore from a specified backup.

SPECIFY TIMESTAMP  SELECT BACKUP

Specify the timestamp to use for the point-in-time restore.

ENTER TIMESTAMP

2018-10-11 19:09:43 GMT

Restore

**QUESTION 12**

Which Autonomous Database Service is NOT used to connect to an Autonomous Transaction Processing instance?

- A. TPPERFORMANT
- B. MEDIUM
- C. HIGH
- D. LOW
- E. TPURGENT

Correct Answer: A

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/manage-priorities.html#GUID-80E464A7-8ED445BB-A7D6-E201DD4107B7>

---

**QUESTION 13**

Which statement is not correct when the Autonomous Database is stopped?

- A. In-flight transactions queries are stopped
- B. Tools are no longer able to connect to a stopped instance
- C. User with DWROLE can still access the database
- D. CPU billing is halted

Correct Answer: C

**QUESTION 14**

While Autonomous Transaction Processing and Autonomous Data Warehouse use the same Oracle database, which statement is true about the workloads?

- A. Autonomous Transaction Processing memory usage optimizes workloads for parallel joins and aggregations.
- B. Autonomous Data Warehouse workloads are optimized for mixed workloads.
- C. Autonomous Transaction Processing workloads are optimized for data warehouse, data mart, and data lake.
- D. Data that is bulk loaded, by default, uses the row format in Autonomous Transaction Processing where Autonomous Data Warehouse data format is columnar.

Correct Answer: D

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/autonomous-intro-atp.html#GUID-B90147B2EA04-4147-9606-0413D9CC1589>

---



<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/autonomous-intro-atp.html#GUID-B90147B2EA04-4147-9606-0413D9CC1589>

---

### QUESTION 15

Which three Oracle Cloud Infrastructure (OCI) resources do you need to configure before provisioning your Autonomous Database with Private Endpoint?

- A. Network Security Group
- B. Security List
- C. VCN
- D. Route Table
- E. Subnet

Correct Answer: ACE

To provision an Autonomous Database with a private endpoint, you must have the following resources already created:

A VCN within the region that will contain your Autonomous Database with shared Exadata infrastructure.

Cannot be changed after provisioning. A private subnet within your VCN configured with default DHCP options. Cannot be changed after provisioning.

At least 1 network security group (NSG) within your VCN for the Autonomous Database. Can be changed or edited after provisioning.

<https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/adbsprivateaccess.htm>

[Latest 1Z0-931-21 Dumps](#)

[1Z0-931-21 Study Guide](#)

[1Z0-931-21 Exam Questions](#)