



1Z0-931-22^{Q&As}

Oracle Autonomous Database Cloud 2022 Professional

Pass Oracle 1Z0-931-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-931-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which is a difference between Autonomous Data Warehouse (ADW) and Autonomous Transaction Processing (ATP) databases?

- A. Only ATP manages optimizer statistics.
- B. Only ATP supports automatic backups.
- C. Only ADW uses columnar compression by default.
- D. Only ADW supports autoscaling.

Correct Answer: C

QUESTION 2

How do you change the tablespace quota for a user on Autonomous Database on Shared Infrastructure?

- A. Execute alter database for user MTHEO tablespace DATA quota = 10G;
- B. Execute alter user MTHEO quota unlimited on tablespace DATA;
- C. Execute DBMS_CLOUD_ADMIN.GRANT_TABLESPACE_QUOTA (username => 'MTHEO', tablespace__quota => 'UNLIMITED');
- D. Execute alter tablespace DATA setquota = 10G;

Correct Answer: C

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/dbms-cloud-admin.html#GUID4DC6A536-DC78-43FE-B173-CED1F9FB45A0>

QUESTION 3

You need to set up a notification for a scheduled shutdown of an Autonomous Database instance. What should you do?

- A. Add a "BEFORE SHUTDOWN ON DATABASE" trigger within the database
- B. Create a rule for the Oracle Cloud Infrastructure Event for "Autonomous Database STOP END"
- C. Create a notification alert using DBMS_SNMP package
- D. Create an Oracle Cloud Infrastructure Alarm for Shutdown metric

Correct Answer: B



3. Fill out the dialog box:

- **DISPLAY NAME** : Provide a name, such as the event type that you will be choosing; in this lab, the event type will be Autonomous Database - Stop End.
- **DESCRIPTION** : Provide a description.

Under **Rule Conditions**

- **Condition**: Event Type
- **SERVICE NAME**: Database
- **EVENT TYPE** : Choose **Autonomous Database - Stop End** from the drop down menu.

Under **Actions**

- **ACTION TYPE**: Notifications
- **NOTIFICATIONS COMPARTMENT**: Choose your compartment.
- **TOPIC**: Choose the topic created earlier, **Database-Notification**.

QUESTION 4

Which statement is FALSE about Oracle Data Safe?

- A. It supports only Autonomous Databases.
- B. It helps you assess the security of your cloud database configurations by analyzing database configurations.
- C. It helps you find and mask sensitive data in your database by inspecting the actual data in your database and its data dictionary.
- D. It evaluates user types, how users are authenticated, and the password policies assigned to each user.
- E. It helps you evaluate risks to data, assess user security, monitor user activity, and address data security compliance requirements.

Correct Answer: E

QUESTION 5

Which two options are available to restore an Oracle Autonomous Database?

- A. Select the backup from which restore needs to be done.
- B. Specify the point in time (timestamp) to restore.
- C. Select the snapshot of the backup.
- D. Use Recovery Manager (RMAN) to connect to Autonomous Database and back it up.
- E. Specify the archived custom image.

Correct Answer: AB

**QUESTION 6**

When enabling auto-scaling, which three options do not change?

- A. Number of OCPUs displayed in the console.
- B. Amount of storage
- C. I/O resources
- D. parallelism settings
- E. Level of concurrency

Correct Answer: BDE

Explanation: <https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/autonomous-autoscale.html#GUID-27FAB1C1-B09F-4A7A-9FB9-5CB8110F7141>

Use Auto Scaling

Auto scaling is enabled by default when you create an Autonomous Database Instance or you can use **Scale Up/Down** on the Oracle Cloud Infrastructure console to enable or disable auto scaling.

With auto scaling enabled the database can use up to three times more CPU and IO resources than specified by the number of OCPUs currently shown in the **Scale Up/Down** dialog. When auto scaling is enabled, if your workload requires additional CPU and IO resources the database automatically uses the resources without any manual intervention required.

QUESTION 7

While creating a business model what advanced options you can enable or disable? (Choose three)

- A. Business Object Security Feature
- B. Analytic View Transparency View
- C. Autonomous Aggregate Cache
- D. Display private tables
- E. Analytic View Base Table Query Transformation

Correct Answer: BCE



Creating and Editing Business Models



From the Business Models page, you can create a business model and view information about it. You can also edit a business model and perform other actions on it.

When you create a business model, you identify a fact table that contains the data to inspect. The Business Model creation tool looks at the contents of that table, identifies any hierarchies in the fact table, and searches for other tables that may contain related hierarchies. It then suggests a business model to which you can make any desired adjustments.

While creating a business model, you can enable or disable the following advanced options:

- Autonomous Aggregate Cache, which uses the dimensional metadata of the business model to manage a cache and can improve query response times.
- Analytic View Transparency Views, which presents analytic views as regular database views and enables you to use your analytic tools of choice while gaining the benefits of analytic views.
- Analytic View Base Table Query Transformation, which enables you to use your existing reports and applications without requiring changes to them.

QUESTION 8

Where are customer-managed encryption keys stored for Autonomous Database on Dedicated Infrastructure?

- A. inside the Autonomous Database wallet
- B. inside the backups of the container database
- C. In a separate key vault external to the Exadata Infrastructure
- D. on the Exadata Infrastructure where Autonomous Database Dedicated is hosted

Correct Answer: C

QUESTION 9

When integrating object storage with autonomous database how effectively oracle uses the files in the object storage?

- A. Scan partition tables
- B. scan hybrid partition tables
- C. pruned column in parquet files
- D. pruned columns in csv files

Correct Answer: A

QUESTION 10

Which is NOT needed to manage Oracle Autonomous Database with REST APIs?



- A. User\\'s OCID
- B. Tenancy\\'s OCID
- C. Database ADMIN password
- D. Fingerprint of the public key

Correct Answer: C

QUESTION 11

How can an Autonomous Database resource be provisioned without logging into the Oracle Cloud Infrastructure console?

- A. It cannot be done.
- B. Using Database Configuration Assistant (DBCA) on the database server.
- C. Using the Oracle Cloud Infrastructure Command Line interface tool or REST API calls.
- D. Connecting to the Cloud Infrastructure Command console via SSH wallet.

Correct Answer: C

The CLI is a small footprint tool that you can use on its own or with the Console to complete Oracle Cloud Infrastructure tasks. The CLI provides the same core functionality as the Console, plus additional commands.

<https://blogs.oracle.com/datawarehousing/managing-autonomous-data-warehouse-using-oci-curl>

Examples of using Autonomous Database managing by REST API

<https://oracle.github.io/learning-library/workshops/autonomous-transaction-processing/LabGuide900ConfigureOCI-CLI.md>

QUESTION 12

While Autonomous Transaction Processing and Autonomous Data Warehouse use the same Oracle database, which statement is true about the workloads?

- A. Autonomous Transaction Processing memory usage optimizes workloads for parallel joins and aggregations.
- B. Autonomous Data Warehouse workloads are optimized for mixed workloads.
- C. Autonomous Transaction Processing workloads are optimized for data warehouse, data mart, and data lake.
- D. Data that is bulk loaded, by default, uses the row format in Autonomous Transaction Processing where Autonomous Data Warehouse data format is columnar.

Correct Answer: D

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/autonomous-intro-atp.html#GUID-B90147B2EA04-4147-9606-0413D9CC1589>



<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/autonomous-intro-atp.html#GUID-B90147B2EA04-4147-9606-0413D9CC1589>

QUESTION 13

Which cloud service is NOT supported to import data pump files from using Dedicated Exadata Infrastructure?

- A. Oracle Cloud Infrastructure Object Storage
- B. Google Cloud Storage
- C. Amazon S3
- D. Oracle Cloud Infrastructure Object Storage Classic

Correct Answer: B

QUESTION 14

What are two differentiators of Oracle Autonomous Database Dedicated Infrastructure?

- A. Users have OS access to the database machine.
- B. Users can customize the maintenance schedule.
- C. It offers greater control and isolation starting at the Exadata cloud infrastructure level.
- D. Users have SYS privileges in the database.
- E. Users can customize the OS stack and add additional packages

Correct Answer: BC

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbat/index.html#articletitle>



You can set the maintenance window for an Autonomous Exadata Infrastructure resource when you create it or you can set or change it later. See [Create an Autonomous Exadata Infrastructure Resource](#) or [Change the Maintenance Schedule of an Autonomous Exadata Infrastructure Resource](#).

You can set the maintenance window for an Autonomous Container Database when you create it or you can set or change it later. See [Create an Autonomous Container Database](#) or [Change the Maintenance Schedule of an Autonomous Container Database](#).

Once a maintenance activity is scheduled based on the maintenance window you set, you can manage the actual timing of the activity, even to the point of changing the patch version, applying the patch immediately, or skipping the activity. See [View and Manage Scheduled Maintenance of an Autonomous Exadata Infrastructure Resource](#) and [View and Manage Scheduled Maintenance of an Autonomous Container Database](#).

QUESTION 15

Which two of the following statements are correct?

- A. ODI Web Edition is available only on Oracle Linux.
- B. ODI Web Edition can be installed from Oracle Cloud Infrastructure (OCI) Marketplace.
- C. The Data Transforms Card provides access to Oracle Data Integrator (ODI) Web Edition.
- D. All of the capabilities of ODI Classic are available with ODI Web Edition,

Correct Answer: AB

[Latest 1Z0-931-22 Dumps](#)

[1Z0-931-22 Study Guide](#)

[1Z0-931-22 Braindumps](#)