



210-015^{Q&As}

VCE Vblock System Deployment and Implementation –Virtualization

Pass VCE 210-015 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/210-015.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VCE Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You want to reset hardware sensors in the vSphere client connected to vCenter. Which statement describes how to accomplish this task?

- A. From the Hosts and Clusters view select a host, select the Hardware Status tab, and select the Reset sensors button.
- B. From the Hosts and Clusters view select a host, select the Summary tab, select the Reset sensors button.
- C. Select a virtual machine on the host, install the VMware tools, and reboot the host.
- D. Hardware status can only be reset from the command line.

Correct Answer: A

QUESTION 2

A customer requests a disjointed Layer 2 configuration on their ESXi hosts to segregate DMZ traffic. Which additional component is required in this configuration?

- A. disjointed Layer 2 licensing
- B. an access control list for DMZ VLAN
- C. a second Cisco Nexus 1000V
- D. an extra set of physical adapters

Correct Answer: D

QUESTION 3

A single ESXi host becomes disconnected from vCenter and will not reconnect. When troubleshooting, you remove the host from vCenter and it will not rejoin. You contact Support and are asked to upload the vm-support bundle from the host for review. The host does not have connectivity to a shared data store, but you can SSH into the host. Which procedure would you use to generate and retrieve the vm-support bundle?

- A. In vCenter, Click the File Export Export System Logs, select the desired host, select the components and performance data, browse to the download location, and select Finish to complete.
- B. From the console session, run the `vm-support -f -w vmfsvolumesDATASTORE_NAME` command.
- C. Launch a streaming SSH session using the `ssh root@ESXHostnameOrIPAddress vm-support s vm-support-Hostname.tgz` command.
- D. Use the vSphere Web Client and connect to the host using `https://username@vCenterFQDN/gibin/vm-support.cgi`.

Correct Answer: C

**QUESTION 4**

When installing the virtual Ethernet module (VEM) for a Nexus 1000V, which two software installation methods would be used for ESXi host configuration? (Choose two.)

- A. Install with the VMware Update Manager (VUM).
- B. Install the VIB remotely using the esxcli.
- C. Install the VEM from the OVF template.
- D. Install the VIB using the Nexus 1000V Web interface.

Correct Answer: AB

QUESTION 5

You are working with a customer that has just implemented vCenter 5.1 and Single Sign-On in their vBlock System. After the upgrade, the customer is now unable to log on to vCenter using user accounts in the Sales domain. User accounts in the Corp domain continue to log in as expected, but are not able to configure Single Sign-On. Which two explanations describe the behavior that the customer is experiencing? (Choose two.)

- A. By default, users in the local operating system Administrators group can log in to the vSphere Web Client and vCenter Server. These users cannot configure Single Sign-On or view the Single Sign-On management interface in the vSphere Web Client.
- B. By default, the vCenter Single Sign-On administrator user is admin@System-Domain. This user can log in to the vSphere Web Client to configure Single Sign-On and add accounts to manage Single Sign-On if necessary. This user cannot view or configure vCenter Server.
- C. If you are logged in as a domain account user, the default Active Directory identity sources are discovered automatically during vCenter Single Sign-On installation. If you are logged in as a local account user, Active Directory identity sources are not discovered automatically during vCenter Single Sign-On installation.
- D. The local operating system (localhost or hostname) users are added as an identity source.

Correct Answer: AC

QUESTION 6

You are on deployment, and must enable the SSH service on an ESXi host. In the vSphere client GUI under Configuration, which submenu do you use to complete this task?

- A. security profile
- B. authentication services
- C. advanced settings
- D. system resource allocation

Correct Answer: A



QUESTION 7

vSphere high availability has been configured on a host cluster containing four hosts. All virtual machines reside on Host 1 and Host 2. You want to ensure virtual machines will automatically be migrated to attain the best use of resources.

In the GUI, which action must be completed at the host cluster level to accomplish this task?

- A. Enable DPM.
- B. Enable Fault Tolerance.
- C. Enable vMotion.
- D. Enable vSphere DRS.

Correct Answer: D

QUESTION 8

You experience problems after initially powering on a Vblock System with a mini AMP at a customer site. The vCenter services start properly but there is no network connectivity for the virtual machines. You determine that the virtual machines do not boot up in the correct order. According to VCE best practice, what should be the virtual machine startup configuration in a Vblock System with a mini AMP?

- A. VSM-1, SQL Server, vCenter Server, VUM Server, VSM-2, Array Management Server
- B. SQL Server, vCenter Server, Array Management Server, VUM Server, VSM-1, VSM-2
- C. Array Management Server, VSM-1, vCenter Server, SQL Server, VUM Server, VSM-2
- D. vCenter Server, VUM Server, SQL Server, VSM-1, VSM-2, Array Management Server

Correct Answer: A

QUESTION 9

In which document would you find information regarding issues encountered with software revisions?

- A. VCE Vblock Administration Guide
- B. VCE Release Certification Matrix
- C. VCE Release Notes
- D. VCE Logical Build Guide

Correct Answer: C

**QUESTION 10**

You are adding an NFS volume to an ESXi host. Which three steps are required? (Choose three.)

- A. Create a vmkernel interface on the ESXi host.
- B. Create a network label to identify the connector.
- C. Choose the NFS folder name in the format volmountsdatastore1.
- D. Choose Network File System as the storage type.
- E. Assign a VSAN to the vmkernel interface.

Correct Answer: ACD

QUESTION 11

In which two situations does a USB device reconnect to a VM automatically with USB auto connect enabled? (Choose two.)

- A. The USB device is unplugged from the host then plugged back into the same USB port.
- B. The USB device is unplugged from the host then plugged into a different USB port.
- C. The device is mutating identity during usage.
- D. The virtual machine is powered off.

Correct Answer: AC

QUESTION 12

What are two requirements when customizing a Linux virtual machine that has been deployed from a template? (Choose two.)

- A. VMware Tools must be installed.
- B. The IP address must be assigned.
- C. Perl must be installed.
- D. Python must be installed.

Correct Answer: AC

QUESTION 13

Which three components are part of the vBlock System Release Certification Matrix? (Choose three.)



- A. VMware vSphere hypervisor ESXi
- B. VMware vSphere Server
- C. VMware vCloud Director
- D. VMware vSphere Client
- E. VMware vCenter Operations Manager

Correct Answer: ABD

QUESTION 14

Which two methods would you use to deploy an ESXi image created with Image Builder CLI? (Choose two.)

- A. using Symantec Ghost
- B. using a USB drive
- C. burning it to an installation DVD
- D. using the Auto Deploy feature in vCenter Server

Correct Answer: CD

QUESTION 15

While using the vSphere Client, you are experiencing high latency between issuing a search and obtaining a response from one of the four vCenter servers configured for LinkedMode. When using the vSphere Web Client, the inventory tree does not load properly and often shows objects out of date. How would you improve the troubleshooting process?

- A. Update the logging level in vCenter to verbose, and restart the vCenter services.
- B. Update the logging level for the Inventory Service to TRACE, and restart the Inventory Service.
- C. Update the ESXi logging level to verbose, and restart the host.
- D. Update the logging level for the Inventory Service to verbose, update the vCenter service to verbose, and restart all the services.

Correct Answer: B

[210-015 VCE Dumps](#)

[210-015 Practice Test](#)

[210-015 Study Guide](#)