



220-010^{Q&As}

VCE Vblock Systems Administration Exam

Pass VCE 220-010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/220-010.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VCE Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are managing a Vblock® System 340 and need to configure an additional ESXi server. After loading the server, you need to provision a few data devices to the host.

According to VCE best practices, which starting LUN ID should be used for these data devices?

- A. 10
- B. 32
- C. 100
- D. 132

Correct Answer: D

QUESTION 2

A physical server in the Vblock® System 200 is experiencing intermittent problems. What does VCE recommend to log the events?

- A. Add a network time protocol (NTP) server to the Cisco UCS instance.
- B. Use VCE Vision™ Intelligent Operations to monitor and alert all connectivity issues.
- C. Use SNMP and e-mail all severity one alerts.
- D. Add an SNMP server using Cisco Integrated Management Controller.

Correct Answer: D

QUESTION 3

You provisioned a new LUN in your Vblock® System 340 that needs to be added to a VM as an RDM. Which operation should be performed first to accomplish this task?

- A. Select Physical Compatibility so that all SCSI commands will be passed from the guest OS.
- B. Select VMDirectPath I/O passthrough and choose a multi-root I/O device on the host so that all SCSI commands will be passed from the guest OS.
- C. Rescan the SCSI bus on the guest operating system to make the RDM devices visible.
- D. Rescan the HBAs on all of the ESXi servers in your Vblock® System.

Correct Answer: D

QUESTION 4



What are two reasons a Vblock® System administrator would use the Release Certification Matrix? (Choose two)

- A. Introduce new component support.
- B. Document end-of-life component support.
- C. Upgrade software levels to resolve problems.
- D. Identify known problems with specific code revisions.

Correct Answer: AC

QUESTION 5

Which management software is used to administer physical blade servers on VCE Vblock® Systems?

- A. UCSM
- B. Unisphere
- C. DCNM
- D. vCenter

Correct Answer: B

QUESTION 6

You need to provision a new Cisco UCS blade on your Vblock® System 340 using UCSM. What are two methods to accomplish this task? (Choose two)

- A. The service profile can be provisioned from a template.
- B. The service profile can be provisioned to multiple blades.
- C. The service profile can be cloned from another service profile.
- D. The service profile can be provisioned from a service manager.

Correct Answer: AC

QUESTION 7

While monitoring your PowerPath/VE licensing, you notice that some of your hosts are no longer licensed. In this scenario, which statement is correct?

- A. PowerPath will continue to function but will not allow more devices to be configured.
- B. PowerPath will route all traffic down one path, disabling the alternative path.
- C. PowerPath will switch to round robin mode but will not allow more devices to be configured.



D. PowerPath will continue to route traffic but will lose some management features.

Correct Answer: D

QUESTION 8

You have deployed a pool of UCS blades to support a development environment that is managed by a development support team. The development support team requires console access to their blade servers. You created a role in the UCSM that only allows console access and power operations.

Which mechanism is used to ensure that you only assign the development support team to the blade servers that they support?

- A. Multi tenancy policies
- B. Isolation pools
- C. Service profiles
- D. Organizations

Correct Answer: D

QUESTION 9

A Nexus switch requires a code upgrade to be compatible with other features in the Vblock® System 340. What would you do to ensure that the correct code version is used?

- A. Generate a benchmark report.
- B. Consult with the on-line help.
- C. Upgrade to the latest version.
- D. Consult the Release Certification Matrix.

Correct Answer: D

QUESTION 10

You are adding a new VLAN to your Vblock® System 340. You create the VLAN on both your Nexus 5000 series switches.

Which two steps are required before this VLAN should be used? (Choose two)

- A. Add the VLAN to an untagged port channel.
- B. Add the VLAN to the port channel between the Nexus 5000 switches and Fabric Interconnects.
- C. Add the VLAN to the port channel joining the Nexus 5000 switches.



D. Create a new port channel between the Nexus 5000 switched and Fabric Interconnects with the new VLAN.

Correct Answer: BC

QUESTION 11

While managing a Vblock® System 340 you monitor the system for optimal performance configuration. Which VNX storage performance characteristic should be viewed to confirm expected storage behavior?

- A. Verify that mission critical data is accessed from EFD.
- B. Verify that the workload is balanced across the storage processors.
- C. Verify that the storage processors are configured with the same amount of cache.
- D. Verify that small and large I/Os are targeted to different storage processors.

Correct Answer: B

QUESTION 12

You are configuring storage groups for new ESXi hosts residing on a Vblock® System 200. A customer has asked for storage separation across virtual machines.

Where should the VMFS configured LUNs reside?

- A. In the same storage group where the boot from the SAN LUN resides
- B. In a single storage group with all the other ESXi hosts
- C. In multiple storage groups configured for each host
- D. In a single storage group configured for the control station

Correct Answer: C

QUESTION 13

A company wants to ensure that they monitor the amount of storage used by thin provisioned VMs. What should be used to accomplish this task?

- A. vCenter VM Edit Settings menu
- B. vCenter storage maps
- C. vCenter storage reports
- D. vCenter hardware status page

Correct Answer: C



QUESTION 14

Which two services should be disabled to secure a Vblock® System? (Choose two)

- A. SNMPv2c
- B. SMASH CLP
- C. KVM Management
- D. HTTP

Correct Answer: AD

QUESTION 15

Your environment uses resource pool management to automate and enforce device identities in your organization including troubleshooting.

In this scenario, which three resources are managed? (Choose three)

- A. MAC addresses
- B. WWNs
- C. LUN Identifiers
- D. UUIDs
- E. Secured Service Ports

Correct Answer: ABD

[220-010 PDF Dumps](#)

[220-010 Practice Test](#)

[220-010 Exam Questions](#)