



250-251^{Q&As}

Administration of HA Solutions for UNIX (VCS 5.0)

Pass Symantec 250-251 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/250-251.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

How can you configure a NIC resource to specify different network devices on different systems?

- A. Create a separate NIC resource for each system
- B. Use the harename nic command to change the names of the devices to a common name
- C. Localize the Device attribute of the NIC resource and enter the appropriate names
- D. Enter SystemA=nic1;SystemB=nic2 in the Device attribute

Correct Answer: C

QUESTION 2

The log files used to verify that a custom application is being properly monitored are located in which directory?

- A. /var/VRTSvcs/log/
- B. /var/VRTSvcs/log/GroupA/
- C. /var/VRTSvcs/agent/log/
- D. /var/opt/VRTSvcs/log/agent/

Correct Answer: A

QUESTION 3

What is the first step when upgrading an operating system on a single node in a running multinode Veritas Cluster Server (VCS) cluster?

- A. offline service groups on the node
- B. freeze the service groups
- C. migrate parallel service groups
- D. shut down VCS on all nodes

Correct Answer: A

QUESTION 4

When preparing to install Veritas Cluster Server (VCS) on systems S1 and S2, which three methods can be used to verify software compatibility? (Select three.)

- A. check the VCS release notes for supported software



- B. run the `installvcs -precheck S1 S2` command
- C. run the `installvcs -check S1 S2` command
- D. run the `installvcs -compat S1 S2` command
- E. check the Symantec Enterprise Support website

Correct Answer: ABE

QUESTION 5

Given the following configuration:

```
group GroupA (  
SystemList = { SystemA = 1, SystemB = 2 }  
AutoStartList = { SystemA }  
Frozen = 1  
)  
IP ip0 (  
Device = hme0  
Address = "10.10.10.10"  
NetMask = "255.255.255.0"  
)  
NIC nic0 (  
Device = hme0  
NetworkType = ether  
)  
ip0 requires nic0
```

All of the systems in the cluster are rebooted simultaneously. All of the systems finish booting and successfully join the cluster. The GroupA service group will then _____.

- A. Automatically start on SystemA
- B. Remain offline on all systems
- C. Start on the first system that boots up
- D. Start on SystemA in a frozen state



Correct Answer: B

QUESTION 6

Which command retrieves and archives detailed information about the VCS configuration?

- A. hasavecf
- B. hasnap
- C. hasave
- D. haconfig

Correct Answer: B

QUESTION 7

How would you enable the setting of different values for the Device attribute of the NIC resource named NetNIC?

- A. hares -enable NetNIC Device
- B. hares -localize NetNIC Device
- C. hares -local NetNIC Device
- D. hares -onlinelocal NetNIC Device

Correct Answer: C

QUESTION 8

Which two options can be used to install Veritas Cluster Server on remote systems using the provided install script? (Select two.)

- A. rdc
- B. rcp
- C. rsh
- D. ssl
- E. ssh

Correct Answer: BD

QUESTION 9



What is the default Veritas Cluster Server Web Console service group?

- A. WebService
- B. WebConsole
- C. ClusterService
- D. ClusterWeb

Correct Answer: C

QUESTION 10

Which resource Type can be used to mirror the state of another persistent resource?

- A. Phantom
- B. Proxy
- C. Process
- D. Proctor

Correct Answer: B

QUESTION 11

When preparing to upgrade Veritas Cluster Server (VCS) on the S1 and S2 systems, which three actions should be taken to verify software compatibility? (Select three.)

- A. check the VCS release notes for supported software
- B. run the `installvcs -precheck S1 S2` command
- C. run the `installvcs -vercheck S1 S2` command
- D. run the `installvcs -upgradecheck S1 S2` command
- E. check the Symantec Enterprise Support website

Correct Answer: ABE

QUESTION 12

Refer to the exhibit.



```
include "types.cf"
cluster default_clus (
    UserNames = {
        aaron = alkdsjfalldjaldfaH,
        barbara = ieruhrkafhkafhake,
        carmen = urHkjREOHGkajhuel,
        dionne = lasdjfasiLjirrljl,
        edward = asdlfjaielajfLKio,
        fung = EIwfjsldfjaldfjam,
        georgia = LlkjLrLkjrleirka }
    Administrators = { aaron }
    Operators = { barbara, georgia }
    CounterInterval = 5
)
group group1 (
    SystemList = { sys1 = 0, sys2 = 1 }
    AutoStartList = { sys1 }
    Administrators = { carmen }
    Operators = { dionne }
)
group group2 (
    SystemList = { sys2 = 0, sys1 = 1 }
    AutoStartList = { sys2 }
    Administrators = { edward }
    Operators = { fung }
)
```

Which two users can persistently freeze the service group group2? (Select two.)

- A. aaron
- B. barbara
- C. carmen
- D. edward
- E. fung
- F. georgia

Correct Answer: AD

QUESTION 13

Which procedure must be followed to remove the resource type TypeA from an active VCS cluster?

- A. Remove all resources of TypeA, remove TypeA, and remove TypeA packages
- B. Remove TypeA, then execute the hatype esync command
- C. Stop VCS, remove all resources of TypeA, and start VCS
- D. Execute the hatype -remove command which will remove all the resources

Correct Answer: A



QUESTION 14

Which are valid settings for FailOverPolicy? (Choose two.)

- A. Priority
- B. RoundRobin
- C. Order
- D. Failover
- E. Capacity

Correct Answer: AB

QUESTION 15

Which resource Type attribute enables Veritas Cluster Server to bring a resource online after it goes offline unexpectedly and before faulting the resource?

- A. RestartLimit
- B. RetryLimit
- C. AutoRestartLimit
- D. OnlineRetryLimit

Correct Answer: A

[Latest 250-251 Dumps](#)

[250-251 Practice Test](#)

[250-251 Braindumps](#)