250-352 ^{Q&As}

250-352^{Q&As}

Administration of Storage Foundation and HA 6.0 for Windows

Pass Symantec 250-352 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/250-352.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec Official Exam Center

QUESTION 1

What is the valid cluster ID range?

A. 0 to 255

B. 0 to 16535

C. 0 to 32535

D. 0 to 65535

Correct Answer: D

QUESTION 2

What is the default load balancing setting for the Dynamic Multi-Pathing (DMP) Active/Active mode?

A. Balanced Path

B. Round-robin

C. Weighted Paths

D. Least Blocks

Correct Answer: C

QUESTION 3

Which utility is used to run risk analysis?

A. Configuration Checker

B. VxExplorer

C. hagetcf

D. Windows Data Collector

Correct Answer: D

QUESTION 4

Which utility is used to add a node to a running cluster?

A. HA Configuration Wizard

B. Cluster Wizard

C. Cluster Configuration Wizard

D. Cluster Server Wizard

Correct Answer: C

QUESTION 5

When the Microsoft Failover Cluster support option is selected in Veritas Storage Foundation for Windows, the minimum and maximum quorum arbitration times can be adjusted. What is the optimal arbitration time setting for a dynamic quorum?

A. Minimum time - 30 seconds; Maximum time - 120 seconds

B. Minimum time - 7 seconds; Maximum time - 60 seconds

C. Minimum time - 15 seconds; Maximum time - 60 seconds

D. Minimum time - 60 seconds; Maximum time - 120 seconds

Correct Answer: A

QUESTION 6

An organization is upgrading all network switches in its data center. Per standard operating procedures, the administrator shut down all systems in the data center. After the switches were upgraded, the servers were restarted. However, a two node cluster was in a waiting state after the servers were restarted. Which command can the administrator run to help determine whether the heartbeat network is running properly?

A. gabconfig -a

B. ipconfig

C. lltstat -H

D. hacf -verify

Correct Answer: A

QUESTION 7

Which two actions does dynamic disk group split and join enable? (Select two.)

A. moving LUNs between disk groups

B. joining two volumes between two sites

C. moving disks between volumes

D. joining disk groups between two servers

E. performing offhost processing for backups

Correct Answer: AE

QUESTION 8

What is the optimal way to migrate Hyper-V virtual machines to new storage locations without disruption?

A. mirror the volumes hosting the virtual machines to the new storage locations and break the mirrors

B. migrate the virtual machines to their new storage locations with the Storage Migration Wizard Hyper-V option

C. drag the volumes containing the virtual machines to their new storage locations in the Veritas Enterprise Administrator

D. create volumes on the new storage locations and copy data from the volumes hosting the virtual machines

Correct Answer: B

QUESTION 9

What is the earliest version of Microsoft SQL Server that can be made highly available with Veritas Cluster Server (VCS)?

A. 2005

B. 2005 SP2

C. 2008

D. 2008 SP2

Correct Answer: B

QUESTION 10

Which MountV resource attribute should be set to reduce failover time?

A. AutoFSClean

B. CheckFSAccess

C. PurgeStaleMountPoints

D. ForceUnmount

Correct Answer: D

QUESTION 11

The latest cumulative patches can be downloaded from which location?

A. fileconnect.symantec.com

B. sort.symantec.com

C. ftp.symantec.com

D. support.symantec.com

Correct Answer: B

QUESTION 12

Which utility is used to back up the private region?

A. vxcbr

B. vxsnap

C. vxassist

D. vxdg

Correct Answer: A

QUESTION 13

How can an administrator create a new service group in a running cluster using Cluster Explorer?

A. select File, Add, and then Service Group

B. select Tools, Add, and then Service Group

C. select View, Add, and then Service Group

D. select Edit, Add, and then Service Group

Correct Answer: D

QUESTION 14

Where will the root broker be installed in a two node secure Veritas Cluster Server (VCS) configuration?

A. stable system outside the cluster

B. each system in the cluster

C. first system in the cluster

D. second system in the cluster

Correct Answer: B

QUESTION 15

How can two separate Veritas Cluster Server clusters share a common heartbeat network?

A. GAB network IDs must be unique across the clusters.

B. Quorum disks must be unique across the clusters.

C. Cluster IDs must be unique across the clusters.

D. All LLT node IDs must be unique across the clusters.

Correct Answer: B

[250-352 PDF Dumps](#)   [250-352 Practice Test](#)   [250-352 Study Guide](#)