Exam : 2B0-101

Title : Enterasys Security Systems

Engineer (ESSE)

Recertification

Version : DEMO

- 1. The attack category is for events that
- A. Attempt to discover weaknesses
- B. Map the structure of the network
- C. Have the potential to compromise the integrity of an end system.
- D. Deny access to resources

Answer: C

- 2. Virtual Sensors can segregate traffic by?
- A. IP Address, VLAN, Port
- B. IP Address, VLAN, Port, Protocol
- C. IP Address, VLAN, Port, Protocol, Application
- D. IP Address, VLAN, Port, Application

Answer: B

- 3. In an Event Flow Processor (EFP) a consumer can be?
- A. A Sensor or an Event Channel
- B. An Event channel only
- C. An Event channel or an Agent
- D. An Agent only

Answer: C

- 4. Before the host Sensor can be deployed
- A. It must be associated with a virtual sensor
- B. It must be associated with a host policy
- C. Its key must be added to the /usr/dragon/bin directory
- D. Its address must be added to /etc/hosts

Answer: B

- 5. Which of the following Dragon Agents is used for detecting changes to host files?
- A. Real Time Console

- B. MD5 Sum
- C. Alarm Tool D. Database

Answer: B

- 6. In a standalone deployment the system will have?
- A. A net-config-client.xml file
- B. A net-config-server.xml file
- C. A net-config-server.xml and a net-con fig-client.xml file
- D. A net-config-server.xml, a net-con fig-client.xml and a net-config-reports.xml file Answer: C
- 7. MD5 checksums are
- A. Stored in a protected directory on the host
- B. Appended to the protected file
- C. Passed up the event channel to the MD5 Agent
- D. Stored in the /usr/dragon/bin directory on the Enterprise Management Server (EMS) Answer: C
- 8. Which of the following best describes the commit operation?
- A. It uses the configuration channel to push a configuration to a device
- B. It uses the event channel to push a configuration to a device
- C. It writes a configuration change to the Enterprise Management Server (EMS) database
- D. It writes a configuration change to the management clients database Answer: C
- 9. Which of the following Dragon Agents sends notifications when the sensors detect an event that match a rule?
- A. Real Time Console
- B. MD5 Sum
- C. Alarm Tool

- D. Database
- Answer: C
- 10. Signature OS
- A. Applies signature to network traffic originating from the specified OS
- B. Is used for writing Host signatures
- C. Is optional on Network signatures
- D. Is required on all signatures
- Answer: B
- 11. Dragonctl is used to?
- A. Start, stop and monitor the dragon processes on the remote node
- B. Write log files
- C. Monitor the Ring Buffer
- D. Maintain configuration channel connections
- Answer: A
- 12. Virtual sensor names?
- A. Are included in events they generate
- B. Must match the sensor key
- C. Must include the device name
- D. Require separate keys
- Answer: A
- 13. Agents can be deployed?
- A. Only on non-forwarding Event Flow Processor (EFPs)
- B. Only on forwarding Event Flow Processor (EFPs)
- C. Only on the Enterprise Management Server (EMS) station
- D. On any Event Flow Processor (EFP)
- Answer: D

14. The host policy MD5 detection module A. Detects any changes in the contents of protected file B. Detects file size increases C. Detects file truncations D. Detects ownership changes Answer: A 15. Traffic direction refers to traffic flows in relation to the A. Server B. Protected network C. Client D. DMZ Answer: B 16. The master Alarm Tool Default policy A. Is write locked B. Is writable C. Cannot be copied D. Cannot be associated with an Agent Answer: A 17. Which alarm type is best described as: collects information for x period of time, then send event notifications A. Real Time B. Summary C. Dynamic D. Interval Answer: B

18. Agent status will show as Not Available until?

- A. The agent is committed
- B. The agent is deployed
- C. The agent is selected
- D. The remote node is deployed

Answer: B

- 19. Agents can be deployed on?
- A. Only the Enterprise Management Server (EMS)
- B. Any managed node with a networked sensor deployed
- C. Any managed node with host sensor deployed
- D. Any managed node

Answer: D

- 20. If a packet matched the rules for two virtual sensors it will be evaluated by?
- A. Both sensors
- B. The first sensor it matches
- C. The default sensor
- D. Overlapping rules are not permitted

Answer: B

This document was created with Win2PDF available at <a href="http://www.win2pdf.com">http://www.win2pdf.com</a>. The unregistered version of Win2PDF is for evaluation or non-commercial use only. This page will not be added after purchasing Win2PDF.

## **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.