



# 2V0-731<sup>Q&As</sup>

VMware Certified Professional 7 - Cloud Management and Automation

## Pass VMware 2V0-731 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/2v0-731.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A business group has been assigned a 10 TB storage reservation.

Which option best describes the effect on virtual machines provisioned from this business group?

- A. 10 TB of storage has been pre-allocated for each virtual machine in the business group.
- B. The virtual machines will be provisioned up to 10 TB total for the group, provided there is free storage capacity.
- C. 10 TB of storage has been pre-allocated for the virtual machines in the business group to share.
- D. Virtual machines provisioned from other business groups will NOT be able use the 10 TB in this reservation.

Correct Answer: B

---

**QUESTION 2**

A Business Group Manager, with no additional entitlements, wants to find his business group's virtual machines along with allocated storage and memory totals to help determine remaining reserve capacity.

In which two areas of the vRealize Automation UI could this information be found? (Choose two.)

- A. Home
- B. Administration > Business Groups
- C. Business Management
- D. Infrastructure > Business Groups

Correct Answer: AB

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.2/vrealize-automation-72-management.pdf>

---

**QUESTION 3**

Which two options must be completed prior to attempting to create a routed network profile? (Choose two.)

- A. An external network profile must exist.
- B. The user must be logged in as a network architect.
- C. An external IP address must exist.
- D. An NSX logical router must exist

Correct Answer: AD

On-demand network created during provisioning. Routed networks contain a routable IP space divided across subnets that are linked together using Distributed Logical Router (DLR). Every new routed network has the next available subnet



assigned to it and is associated with other routed networks that use the same network profile. The virtual machines that are provisioned with routed networks that have the same routed network profile can communicate with each other and the external network. You can use IP ranges obtained from the supplied VMware IPAM endpoint or from a third-party IPAM service provider endpoint that you have registered and configured in vRealize Orchestrator, such as Infoblox IPAM. An IP range is created from an IP block during allocation. A routed network profile defines a routable space and available subnets. See [Creating a Routed Network Profile For an On-Demand Network](#).

---

#### QUESTION 4

Which three roles are available to assign when configuring user access to the Business Management tab in vRealize Automation? (Choose three.)

- A. Business Management Controller
- B. Business Management Cloud Comparison
- C. Business Management Administrator
- D. Business Management Pricing Manager
- E. Business Management Read Only

Correct Answer: ACE

Reference: <https://docs.vmware.com/en/vRealize-Business/7.4/vRBforCloud.install.doc/GUID-F181D445DB2C-40F5-AEA8-1A444AFE9BDB.html>

---

#### QUESTION 5

Which two locations allow for exporting and importing vRealize Automation blueprints? (Choose two.)

- A. The vRA Plug-In in vRealize Orchestrator.
- B. The vRealize CloudClient.
- C. The Design tab of the vRA interface.
- D. The Infrastructure tab of the vRA interface.

Correct Answer: AB

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.3/com.vmware.vra.prepare.use.doc/GUID-43E01B1E3C01-4F25-961C-F5554D15F7A5.html>

---

#### QUESTION 6

While attempting to create a nested blueprint, a software architect is unable to locate the child blueprint under Blueprints in the Design Canvas.

What would be a possible reason for this?



- A. The child blueprint is NOT entitled.
- B. The child blueprint is created as a private blueprint.
- C. The child blueprint is unpublished.
- D. The child blueprint is NOT marked as a component.

Correct Answer: C

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.3/com.vmware.vra.prepare.use.doc/GUID-977883EC4C38-40A3-81F6-5DCA9C7866A4.html>

---

### QUESTION 7

A user within a vRealize Automation Business Group has created several vRA items, but is now leaving the company.

Which two roles can reassign those machines to another user? (Choose two.)

- A. Tenant Administrator
- B. Catalog Administrator
- C. Support User
- D. Business Group Manager

Correct Answer: CD

Refer to the reference link below to find the roles that can change the machine owner.

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.3/com.vmware.vra.prepare.use.doc/GUID-135436ACCF31-44A1-A358-61D2B68183AE.html>

---

### QUESTION 8

In a vRealize Automation reclamation request, which blueprint attribute can be reset by the reclamation process if the machine owner fails to respond?

- A. Power state
- B. Resource allocation
- C. Archive period
- D. Lease length

Correct Answer: D

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.3/com.vmware.vra.prepare.use.doc/GUID-B9BE9E528DC6-477C-824E-9BA7F8F2A311.html>

---



### QUESTION 9

The errors shown appeared in the logs immediately after a change to a service account password.

Which option is most likely to resolve the issue?

Log Viewer		Review logs		Page size: 25			
Severity	Time	Source	Instance Name	User Name	Machine	Message	
All						exception	
✘ Error	5/3/2016 1:53 PM UTC-06:00	VRM Agent	vCenter-IAAS	VCLOUD\vacsvc	IAAS	This exception was caught:Cannot complete login due to an incorrect user name or password	
✘ Error	5/3/2-16 1:52 PM UTC-06:00	VRM Agent	vCenter-IAAS	VCLOUD\vacsvc	IAAS	This exception was caught:Cannot complete login due to an incorrect user name or password	
✘ Error	5/3/2-16 1:51 PM UTC-06:00	VRM Agent	vCenter-IAAS	VCLOUD\vacsvc	IAAS	This exception was caught:Cannot complete login due to an incorrect user name or password	
✘ Error	5/3/2-16 1:49 PM UTC-06:00	VRM Agent	vCenter-IAAS	VCLOUD\vacsvc	IAAS	This exception was caught:Cannot complete login due to an incorrect user name or password	
✘ Error	5/3/2-16 1:48 PM UTC-06:00	VRM Agent	vCenter-IAAS	VCLOUD\vacsvc	IAAS	This exception was caught:Cannot complete login due to an incorrect user name or password	
✘ Error	5/3/2-16 1:47 PM UTC-06:00	VRM Agent	vCenter-IAAS	VCLOUD\vacsvc	IAAS	This exception was caught:Cannot complete login due to an incorrect user name or password	

- A. In vRealize Automation, adjust the credentials under Infrastructure > Endpoints > Credentials.
- B. Delete and recreate the vSphere endpoint in vRealize Automation under Infrastructure > Endpoints > Endpoints.
- C. Reinstall the vSphere Proxy Agent.
- D. Log into the vSphere Web Client and remap the account.

Correct Answer: A

### QUESTION 10

What is a prerequisite for a vSphere endpoint named vCenter?

- A. A guest agent named vCenter has been installed.
- B. An account with administrator privileges in vCenter.
- C. A new tenant has been created.
- D. A DEM worker named vCenter has been installed.

Correct Answer: B

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.3/com.vmware.vra.prepare.use.doc/GUID-3051E04EC809-4E29-A3BF-51053BB2D7BC.html>

### QUESTION 11

Which three options will ensure that all machines deployed by the finance business group have the same Distributed Firewall rules? (Choose three.)

- A. Using Service Composer, create a Security Policy named Finance with the firewall rules.



- B. Using Service Composer, create a Security Group named Finance based on machine name and specify the Finance Groups Machine Prefix.
- C. Using Service Composer, assign the Finance Security Policy to the Finance Security Group.
- D. Using the Distributed Firewall, create a Security Policy named Finance with the firewall rules.
- E. Using the Distributed Firewall, create a Security Group named Finance based on machine name and specify the Finance Groups Machine Prefix.

Correct Answer: ABC

---

#### QUESTION 12

What is required before an XaaS blueprint can add a user to Active Directory?

- A. The Active Directory domain has been added to the VMware Identity Manager.
- B. A vRealize Orchestrator Plug-In for Active Directory as an endpoint.
- C. A custom property that links the blueprint to Active Directory.
- D. The tenant administrator has added the Active Directory domain to the list of Directories.

Correct Answer: B

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.3/com.vmware.vra.prepare.use.doc/GUID-B96552A1871E-4B23-9EB0-18FD3CF7FDB1.html>

---

#### QUESTION 13

In a distributed deployment using Amazon Web Service, which of the following statements are correct?

- A. The Proxy Agent must have HTTPS access to the Internet.
- B. The DEM Orchestrator must have HTTPS access to the Internet.
- C. The VMware NSX controller must have HTTPS access to the Internet.
- D. The DEM Worker must have HTTPS access to the Internet.

Correct Answer: D

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.4/vrealize-automation-74-installation-andconfiguration.pdf>

---

#### QUESTION 14

When creating an XaaS blueprint that includes the workflow to create a custom vSphere virtual machine, which field does an administrator add to present descriptive text to the consumer of the resource?



- A. The Integer field element from the New fields list
- B. The Text field element from the New fields list
- C. The Text element from the Form list
- D. The Label header element from the Form list

Correct Answer: C

---

#### QUESTION 15

In a multisite environment, vRealize Automation is deployed in Site A and will be provisioning virtual machines through the vCenter server in Site B.

Which action would improve data collection performance?

- A. Install DEM Workers to Site B.
- B. Install Proxy Agent in Site B.
- C. Install DEM Workers to Site A.
- D. Install Proxy Agent in Site A.

Correct Answer: B

When agents are installed in the same data center as their associated endpoint, you can see an increase in data collection performance of 200 percent, on average. The collection time measured includes only the time spent transferring data between the proxy agent and the manager service.

[Latest 2V0-731 Dumps](#)

[2V0-731 PDF Dumps](#)

[2V0-731 VCE Dumps](#)