



300-825^{Q&As}

Implementing Cisco Collaboration Conferencing (CLCNF)

Pass Cisco 300-825 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-825.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Cisco Meeting Manager is deployed with an LDAP server that is configured with domain lab.local and search attribute sAMAccountName. Which format should be used to log in to an account with the username "cmsadmin" in this deployment?

- A. cmsadmin
- B. lab.local\cmsadmin
- C. cmsadmin@lab.local
- D. lab\cmsadmin

Correct Answer: C

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/215910-configuring-ldap-users-on-cisco-meeting.html>

QUESTION 2

<pre>CMS1> ipv4 a IPv4 configuration: address 10.0.101.120 default true dhcp false enabled true gateway 10.0.101.1 prefixlen 24 route 10.0.0.0/8 CMS1> ipv4 b IPv4 configuration: address 192.168.2.20 dhcp false enabled true gateway 192.168.2.1 prefixlen 24 route 192.168.0.0/16</pre>	<pre>Subnets: Headquarters: Network: 10.0.0.0/8 Services: All allowed Management Network: Network: 192.168.2.0/24 Services: Only HTTP, HTTPS, SSH, LDAP Remote Site: Network: 192.168.10.0/24 Services: All allowed</pre>
---	---

Refer to the exhibit. An administrator troubleshoots an issue with Cisco Meeting Server. Endpoints that call from the remote site cannot connect, but endpoints that call from headquarters can connect. What should the administrator do to resolve this issue?

- A. Add a route for 192.168.10.0/24 to interface b.
- B. Set interface b as the default interface.
- C. Remove the route for 192.168.0.0/16 from interface b.



D. Enable DHCP on interface a but not on interface b.

Correct Answer: A

QUESTION 3

Notifications X		
Timestamp	Severity	Message
24/11/2020 10:15:23	Warning	LDAP is not configured
24/11/2020 10:15:34	Error	The server CMS-0 did not allow for this Meeting Management to be added as a CDR receiver
24/11/2020 10:25:34	Warning	CDRs have never been received for server CMS-0

Refer to the exhibit. A Cisco Meeting Management operator reports that there is a delay in seeing participants join and leave in the participant list, and there are issues with audio and video mute operations. The administrator investigates and sees notifications in Cisco Meeting Management.

Which step resolves this issue?

- A. Free a CDR slot on Cisco Meeting Server.
- B. Set the CDR address in Cisco Meeting Management under Settings > CDR.
- C. Manually set the Cisco Meeting Management CDR address in Cisco Meeting Server and Cisco Meeting Management.
- D. Change the CDR address to use HTTPS.

Correct Answer: C

QUESTION 4

An organization wants to ensure that off-premises users can use a browser to join the Cisco Meeting Server web app without needing additional software. What must be included in the Expressway-E certificate to accomplish this goal?

- A. the Call Bridge name as a SAN



- B. the Web Admin interface FQDN as a SAN
- C. the name of each Cisco Meeting Server that is part of the cluster
- D. the Guest account client URI as a SAN

Correct Answer: B

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/210800-configure-cms-webrtc-proxy-over-expressw.html>

QUESTION 5

After performing an upgrade of the Cisco Meeting Server cluster, an engineer sees an error message indicating that Cisco Meeting Server is not licensed. Also, no spaces or users show in the GUI. What should be done to resolve this issue?

- A. The database cluster upgrade_schema command must be run on the new database cluster master.
- B. The Cisco Meeting Server nodes must be re-upgraded using the same file to upgrade all nodes.
- C. The Cisco Meeting Server nodes must be re-upgraded with the database master being first and then all peers.
- D. New database certificates must be generated for each peer in the cluster.

Correct Answer: A

Reference: https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingServer/Release_Notes/Version-3-0/Cisco-Meeting-Server-Release-Notes-3-0.pdf

QUESTION 6

DRAG DROP

A Cisco Meeting Server administrator upgrades a cluster but encounters an issue that requires downgrading to a previous version. Drag and drop the MMP commands from the left into the order on the right to perform the downgrade. Not all options are used.

Select and Place:



upgrade <image>

backup rollback <name>

database cluster upgrade_schema

factory_reset app

step 1

step 2

step 3

Correct Answer:

database cluster upgrade_schema

factory_reset app

backup rollback <name>

upgrade <image>

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/214620-upgrade-downgrade-cms-server.html#anc11>

QUESTION 7

An administrator notices that the Cluster section is not available under the configuration menu in the Cisco Meeting Server web interface. There are three Cisco Meeting Server servers that must run Call Bridge and database services in a single cluster. Which configuration should be completed?

- A. Certificates must be configured on the Call Bridge.
- B. Call Bridge groups must be created in the API.
- C. Call Bridges must be connected to a database cluster.



D. Call Bridge clustering must be configured in the CLI.

Correct Answer: D

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/210530-configure-cisco-meeting-server-call-brid.html>

QUESTION 8

Webbridge 1	Webbridge 2	Webbridge 3
IP:192.168.1.23 FQDN: webbridge1.web.com	IP:192.168.1.24 FQDN: webbridge2.web.com	IP:192.168.1.25 FQDN: webbridge3.web.com
Webadmin Port: 445 Webbridge3 HTTPs Port: 443 Webbridge3 C2W Port: 4444	Webadmin Port: 445 Webbridge3 HTTPs Port: 443 Webbridge3 C2W Port: 4444	Webadmin Port: 445 Webbridge3 HTTPs Port: 443 Webbridge3 C2W Port: 4444
Webbridge3 C2W Certificate SANs: join.web.com webbridge1.web.com	Webbridge3 C2W Certificate SANs: join.web.com webbridge2.web.com	Webbridge3 C2W Certificate SANs: join.web.com webbridge3.web.com

Cluster Join FQDN: join.web.com
Resolves to:
192.168.1.23
192.168.1.24
192.168.1.25

Refer to the exhibit. An administrator wants to set up three Web Bridges in a Cisco Meeting Server cluster. After the Web Bridge API object for Web Bridge 1 is configured, this error occurs in the Cisco Meeting Server logs: "C2W connection to `c2w://join.web.com:443` failed (connect failure)".

What should the administrator change to fix this issue?

- A. c2w://192.168.1.23:4444
- B. c2w://192/168/1/23:443
- C. c2w://webbridge1.web.com:4444
- D. c2w://webbridge1.web.com:443

Correct Answer: C

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server-1000/216028-how-to-configure-webbridge-3-on-cms.pdf>

QUESTION 9



HTTPS Interface Info

Override SIP Trunk Destination as HTTPS Address

Hostname/IP Address

1

Username*

Password*

Confirm Password*

HTTPS Port*

Refer to the exhibit. An administrator adds Cisco Meeting Server as a Conference Bridge in Cisco UCM. Which Cisco Meeting Server value must be 443?

- A. XMPP Server port
- B. Web Bridge port
- C. Call Bridge port
- D. Web Admin port

Correct Answer: D

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/213820-configure-cisco-meeting-server-and-cucm.html>

QUESTION 10

Which component does the Cisco Meeting Server web app use for firewall traversal?

- A. XMPP server
- B. MMP interface
- C. TURN server
- D. Call Bridge

Correct Answer: C

Reference: https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingServer/Deployment_Guide/Version-2-9/Cisco-Meeting-Server-2-9-Single-Split-Server-Deployment.pdf



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/300-825.html>

2024 Latest pass4itsure 300-825 PDF and VCE dumps Download

[300-825 PDF Dumps](#)

[300-825 Practice Test](#)

[300-825 Study Guide](#)